

## **GLYCERIN- glycerin suppository**

**H E B**

-----

### **H E B Pediatric Glycerin Suppositories**

#### **Active ingredient (in each suppository)**

Glycerin 1g

#### **Purpose**

Laxative

#### **Uses**

- for relief of occasional constipation
- this product generally produces bowel movement in 1/4 to 1 hour

#### **Warnings**

##### **For rectal use only**

May cause rectal discomfort or a burning sensation.

##### **Ask a doctor before using any laxative if child has**

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

##### **Stop use and consult a doctor if child has**

- rectal bleeding
- no bowel movement within 1 hour using this product

These symptoms may indicate a serious condition.

##### **Keep out of reach of children**

**If swallowed, get medical help or contact a Poison Control Center right away.**

#### **Directions - single daily dose**

children 2 to under 6 years - 1 suppository, or as directed by a doctor

children under 2 - ask a doctor

Insert suppository well up into rectum. Suppository need not melt completely to produce laxative action.

**Other information**

- Store container tightly closed.
- Keep away from excessive heat.

**Inactive ingredients**

purified water, sodium hydroxide, stearic acid

**Questions or comments?**

1-800-492-5988

**Label**

The product package shown below represents a sample of that currently in use. Additional packaging may also be available.

Pediatric Glycerin Suppositories, 25 count

Distributed by H-E-B, San Antonio, TX 78204 1002

HEBPed25.jpg

Compare to Fleet® Glycerin  
Suppositories active ingredient\*



NDC 37808-399-25

Children's  
**Glycerin  
Suppositories**

Glycerin 1g

**Laxative**

For Relief of Occasional Constipation

**25 SUPPOSITORIES**

**TAMPER EVIDENT: DO NOT USE IF PRINTED  
INNER SEAL IS DAMAGED OR MISSING.**

**GLYCERIN**

glycerin suppository

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:37808-399
<b>Route of Administration</b>	RECTAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>GLYCERIN</b> (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>WATER</b> (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-399-25	25 in 1 JAR; Type 0: Not a Combination Product	09/23/2016	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	09/23/2016	

**Labeler** - H E B (007924756)

**Registrant** - DSC Laboratories, Inc. (097807374)

## Establishment

Name	Address	ID/FEI	Business Operations
DSC Laboratories, Inc.		097807374	manufacture(37808-399)

Revised: 10/2025

H E B