

GLYCERIN- glycerin suppository
H E B

H E B Pediatric Glycerin Suppositories

Active ingredient (in each suppository)

Glycerin 1g

Purpose

Laxative

Uses

- for relief of occasional constipation
- this product generally produces bowel movement in 1/4 to 1 hour

Warnings

For rectal use only

May cause rectal discomfort or a burning sensation.

Ask a doctor before using any laxative if child has

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

Stop use and consult a doctor if child has

- rectal bleeding
- no bowel movement within 1 hour using this product

These symptoms may indicate a serious condition.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions - single daily dose

children 2 to under 6 years - 1 suppository, or as directed by a doctor

children under 2 - ask a doctor

Insert suppository well up into rectum. Suppository need not melt completely to produce laxative action.

Other information

- Store container tightly closed.
- Keep away from excessive heat.

Inactive ingredients

purified water, sodium hydroxide, stearic acid

Questions or comments?

1-800-492-5988

Label

The product package shown below represents a sample of that currently in use. Additional packaging may also be available.

Pediatric Glycerin Suppositories, 25 count

Distributed by H-E-B, San Antonio, TX 78204 1002

HEBPed25.jpg

Compare to Fleet® Glycerin
Suppositories active ingredient*



NDC 37808-399-25

Children's
**Glycerin
Suppositories**

Glycerin 1g

Laxative

For Relief of Occasional Constipation

25 SUPPOSITORIES

**TAMPER EVIDENT: DO NOT USE IF PRINTED
INNER SEAL IS DAMAGED OR MISSING.**

GLYCERIN

glycerin suppository

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-399
Route of Administration	RECTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	1 g

Inactive Ingredients

Ingredient Name	Strength
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-399-25	25 in 1 JAR; Type 0: Not a Combination Product	09/23/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	09/23/2016	

Labeler - H E B (007924756)

Registrant - DSC Laboratories, Inc. (097807374)

Establishment

Name	Address	ID/FEI	Business Operations
DSC Laboratories, Inc.		097807374	manufacture(37808-399)

Revised: 12/2023

H E B