

ACETAMINOPHEN- acetaminophen tablet

Target Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Target 44-148-Delisted

Active ingredient (in each tablet)

Acetaminophen 500 mg

Purpose

Pain reliever/ fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - the common cold
 - backache
 - minor pain of arthritis
 - toothache
 - muscular aches
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

liver disease.

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- adults and children 12 years and over
 - take 2 tablets every 6 hours while symptoms last
 - do not take more than 6 tablets in 24 hours, unless directed by a doctor
 - do not take for more than 10 days unless directed by a doctor
- children under 12 years: ask a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, povidone, sodium starch glycolate, stearic acid

Questions or comments?

Call 1-800-910-6874

Principal display panel

NDC 11673-148-08

**Compare to active ingredient
in Extra Strength Tylenol®***

extra strength

**acetaminophen
tablets, 500 mg**

pain reliever/fever reducer
contains no aspirin

24 TABLETS

ACTUAL SIZE

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Extra Strength Tylenol®.

50844 ORG061714808

Distributed by Target Corporation
Minneapolis, MN 55403
TM & ©2019 Target Brands, Inc.

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

	<p>Drug Facts (continued)</p> <p>Do not use</p> <ul style="list-style-type: none"> with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. if you are allergic to acetaminophen or any of the inactive ingredients in this product. <p>Ask a doctor before use if you have liver disease.</p> <p>Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.</p> <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> pain gets worse or lasts more than 10 days fever gets worse or lasts more than 3 days new symptoms occur redness or swelling is present <p>These could be signs of a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.</p> <p>Directions</p> <ul style="list-style-type: none"> do not take more than directed adults and children 12 years and over take 2 tablets every 6 hours while symptoms last 	
<p>extra strength acetaminophen tablets, 500 mg</p>	<p>Compare to active ingredient in Extra Strength Tylenol®*</p> <p>extra strength acetaminophen tablets, 500 mg</p> <p>up&up pain reliever/fever reducer contains no aspirin</p> <p>24 TABLETS</p> <p>Warnings</p> <p>Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take</p> <ul style="list-style-type: none"> more than 4,000 mg of acetaminophen in 24 hours with other drugs containing acetaminophen 3 or more alcoholic drinks every day while using this product <p>Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:</p> <ul style="list-style-type: none"> skin reddening hives skin rash blisters itching <p>If a skin reaction occurs, stop use and seek medical help right away.</p>	<p>B-1920-148-08 ORG061714808</p>
<p>Drug Facts (continued)</p> <ul style="list-style-type: none"> do not take more than 6 tablets in 24 hours, unless directed by a doctor do not take for more than 10 days unless directed by a doctor children under 12 years: ask a doctor <p>Other information</p> <ul style="list-style-type: none"> store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) see end flap for expiration date and lot number <p>Inactive ingredients corn starch, povidone, sodium starch glycolate, stearic acid</p> <p>Questions? Call 1-800-910-6874</p> <p>This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Extra Strength Tylenol®. 50844 ORG061714808 Distributed by Target Corporation Minneapolis, MN 55403 TM & ©2019 Target Brands, Inc.</p>	<p>NDC 11673-148-08</p> <p>ACTUAL SIZE</p> <p>24 TABLETS</p>	<p>TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING</p> <p>094.01 0193 R02 C-000974-01-003</p> <p>3 11673 14808 2</p> <p>No print/No varnish Lot & Exp date</p>

ACETAMINOPHEN

acetaminophen tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-148
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
POVIDONE (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	WHITE	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	44;148
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-148-08	1 in 1 CARTON	04/01/2019	10/08/2022
1		24 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part343	04/01/2019	10/08/2022

Labeler - Target Corporation (006961700)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	MANUFACTURE(11673-148)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(11673-148)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	PACK(11673-148)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	PACK(11673-148)

Revised: 12/2019

Target Corporation