

CITROMA- magnesium citrate liquid
Old East Main Co.

Rexall 162.000/162AA rev 1-AB
Grape Magnesium Citrate

Active ingredient (in each fl oz)

Magnesium citrate 1.745 g

Purpose

Saline laxative

Uses

- for relief of occasional constipation (irregularity).
- Generally produces bowel movement in 1/2 to 6 hours

Warnings

for this product

Ask a doctor before use if you have

- kidney disease
- a magnesium restricted diet
- abdominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist before use if you are

- taking any other drug.
- Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if

you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

if pregnant or breast-feeding,

ask health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away

Storage

Store at temperatures between 46° and 86°F (8° and 30° C)

Directions

- shake well before using
- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over - 6.5 to 10 fl oz maximum 10 fl oz in 24 hours

children 6 to under 12 years of age - 3 to 7 fl oz maximum 7 fl oz in 24 hours

children 2 to under 6 years of age - 2 to 3 fl oz maximum 3 fl oz in 24 hours

children under 2 years of age - ask a doctor

other information

- **each fl oz contains:** magnesium 290 mg
- **each fl oz contains:** sodium 1 mg

Inactive ingredients

benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

ADVERSE REACTION

Non-USP: Non-Carbonated, Non-Pasteurized; Contains Preservatives

Since 1903 Rexall is a registered trademark of Rexall Sundown, Inc.

Visit us at Rexall.com or call 1-866-4-REXALL

DISTRIBUTED BY OLD EAST MAIN CO.

100 MISSION RIDGE

GOODLETTSVILLE, TN 37072

Principal display panel

Since 1903

Rexall®

Magnesium

Citrate


Saline Laxative

- Oral solution
- Relief of occasional constipation

DO NOT USE IF TAMPER EVIDENT TWIST-OFF CAP IS MISSING, BROKEN OR SEPARATED FROM NECK RING

Grape Flavored

10 FL OZ (296 mL)



Since 1903
Rexall®

Magnesium Citrate
Saline Laxative

- Oral solution
- Relief of occasional constipation

DO NOT USE IF TAMPER EVIDENT TWIST-OFF CAP IS MISSING, BROKEN OR SEPARATED FROM NECK RING

10 FL OZ (296 mL)

Grape Flavored

Drug Facts
Active ingredient (in each fl oz) Purpose
Magnesium citrate 1.745 g..... Saline laxative

Uses ■ for relief of occasional constipation (irregularity).
■ Generally produces bowel movement in ½ to 6 hours

Warnings
Ask a doctor before use if you have
■ kidney disease ■ a magnesium restricted diet
■ abdominal pain, nausea, or vomiting
■ noticed a sudden change in bowel habits that persists over a period of 2 weeks
■ already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist before use if you are
■ taking any other drug.
■ Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help ▶

Drug Facts (continued)
or contact a Poison Control Center right away.
Store at temperatures between 46° and 86° F (8° and 30° C)

Directions ■ shake well before using ■ drink a full glass (8 ounces) of liquid with each dose ■ may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over	6.5 to 10 fl oz maximum 10 fl oz in 24 hours
children 6 to under 12 years of age	3 to 7 fl oz maximum 7 fl oz in 24 hours
children 2 to under 6 years of age	2 to 3 fl oz maximum 3 fl oz in 24 hours
children under 2 years of age	ask a doctor

Other information
■ each fl oz contains: magnesium 290 mg
■ each fl oz contains: sodium 1 mg

Inactive ingredients benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

Questions? Call 1-866-4-REXALL

Visit us at: Rexall.com or call 1-866-4-REXALL 0 7278514404

DISTRIBUTED BY OLD EAST MAIN CO. A0090
100 MISSION RIDGE
GOODLETTSVILLE, TN 37072 L0017572SD

Non-USP: Non-Carbonated, Non-Pasteurized; Contains Preservatives
Since 1903 Rexall® is a registered trademark of Rexall Sundown, Inc.

CITROMA

magnesium citrate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-615
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM CITRATE (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CITRATE	1.745 g in 29.6 mL

Inactive Ingredients

Ingredient Name	Strength
BENZOIC ACID (UNII: 8SKNOB0MIM)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-615-38	296 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/04/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	09/04/2019	

Labeler - Old East Main Co. (068331990)

Registrant - Nice-Pak Products, LLC (119091520)

Establishment

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(55910-615)

Revised: 3/2026

Old East Main Co.