

**PRAZIQUANTEL - praziquantel tablet, chewable  
FELIX PHARMACEUTICALS PRIVATE LIMITED**

---

**Praziquantel Tablets**

**23 mg**

**Feline Cestocide**

**SPL UNCLASSIFIED SECTION**

**CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.**

Each Chewable Tablet contains 23 mg praziquantel.

**DESCRIPTION**

Praziquantel Tablets 23 mg Feline Cestocide are sized for easy oral administration to either adult cats or kittens. The tablets may be crumbled and mixed with the feed.

**INDICATIONS**

Praziquantel Tablets 23 mg Feline Cestocide are indicated for the removal of the following canine cestodes: *Dipylidium caninum* and *Taenia,taeniaeformis*.<sup>1</sup>

**CONTRAINDICATIONS**

There are no known contraindications to the use of praziquantel in cats.

**ACTION**

Praziquantel Tablets are absorbed, metabolized in the liver and excreted in the bile. Upon entering the digestive tract from the bile, cestocidal activity is exhibited.<sup>1</sup>

Following exposure to praziquantel, the tapeworm loses its ability to resist digestion by the mammalian host. Because of this, whole tapeworms, including the scolex, are very rarely passed after administration of praziquantel. In many instances only disintegrated and partially digested pieces of tapeworms will be seen in the stool. The majority of tapeworms killed are digested and are not found in the feces.

## USE DIRECTIONS

Praziquantel Tablets 23 mg Feline Cestocide may be administered directly per os or crumbled and mixed with the feed. The recommended dosage of praziquantel varies according to body weight. Smaller animals require a relatively larger dosage because of their higher metabolic rate. The optimum dose for each individual animal will be achieved by utilizing the following dosage schedule:

Cats and Kittens*	
4 pound and under	$\frac{1}{2}$ tablet
5-11 pounds.	1 tablet
Over 11 pounds	$1\frac{1}{2}$ tablets

\*Not intended for use in kittens less than 6 weeks of age.

## FASTING

The recommended dosage of praziquantel is not affected by the presence or absence of food in the gastrointestinal tract, therefore, **FASTING IS NEITHER NECESSARY NOR RECOMMENDED.**

## RETREATMENT

For those animals maintained on premises where reinfections are likely to occur, clients should be instructed in the steps necessary to prevent reinfection; otherwise, retreatment may be necessary. This is especially true in cases of *Dipylidium caninum* infections where reinfection is almost certain to occur if fleas are not removed from the animal and its environment.

## ANIMAL SAFETY

The safety index has been derived from controlled safety evaluations, clinical trials and prior approved use in foreign countries.

Dosages of 5 times the labeled rate at 14 day intervals to cats as young as  $5\frac{1}{2}$  weeks did not produce clinical signs of toxicity. No significant clinical chemistry, hematological, or histopathological changes occurred. Symptoms of gross overdosage include vomition, salivation, diarrhea and depression.

## PREGNANCY

Praziquantel tablets have been tested in breeding and pregnant dogs. No adverse effects were noted.

## ADVERSE REACTIONS

One instance of diarrhea and one of salivation (1.5%) were reported during the field trials in which 135 cats were administered praziquantel tablets 23 feline cestocide.

## **CONTACT INFORMATION**

Contact Felix Pharmaceuticals Private Limited at 1-833-571-1525. To report suspected adverse drug experiences, contact Felix Pharmaceuticals Private Limited at 1-833-571-1525. For additional information about reporting adverse drug experiences for animal drugs, contact FDA at 1-888-FDA-VETS or <http://www.fda.gov/reportanimalae>. To obtain a Safety Data Sheet(s), contact Felix Pharmaceuticals Private Limited at 1-833-571-1525.

## **WARNING**

Keep out of the reach of children. Not for human use.

## **STORAGE**

Store at 20° to 25°C (68° to 77°F); excursions permitted between 15° to 30°C (59° to 86°F) [see USP Controlled Room Temperature].

## **HOW SUPPLIED**

Bottle of 3, 50 and 150 scored tablets.

Each scored tablet contains 23 mg praziquantel.

NDC Number	Tablet Size	Tablets/Bottle
86101-020-21	23 mg	3 Tablets
86101-020-50	23 mg	50 Tablets
86101-020-13	23 mg	150 Tablets

## **REFERENCES**

<sup>1</sup>Andrews, P. Pharmacokinetic Studies with Droncit® in Animals Using a Biological Assay. *Veterinary Medical Review* 2/76: 154-165.

**Distributed by:**

Felixvet Inc.,  
1300 NW Briarcliff Parkway,  
Suite 100, Kansas City, Missouri 64150

**Made in India**

Neutral Code No. MP/DRUGS/25/90/2020

Rev. November 2025

**PACKAGE LABEL.PRINCIPAL DISPLAY PANEL**

NDC 86101-020-21

**Praziquantel Tablets**

**23 mg**

**Feline Cestocide**


**CAUTION:** Federal (U.S.A) law restricts this drug to use by or on the order of a licensed veterinarian.

**WARNING:** KEEP OUT OF REACH OF CHILDREN. NOT FOR HUMAN USE.

**EACH TABLET CONTAINS:** 23 mg praziquantel

**3 Chewable Tablets**

Approved by FDA under ANADA # 200-834

**PACKAGE LABEL.PRINCIPAL DISPLAY PANEL**

NDC 86101-020-50

**Praziquantel Tablets**

**23 mg**

**Feline Cestocide**


**CAUTION:** Federal (U.S.A) law restricts this drug to use by or on the order of a licensed veterinarian.

**WARNING:** KEEP OUT OF REACH OF CHILDREN. NOT FOR HUMAN USE.

**EACH TABLET CONTAINS:** 23 mg praziquantel

## 50 Chewable Tablets

Approved by FDA under ANADA # 200-834



## PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

NDC 86101-020-13

### Praziquantel Tablets

**23 mg**

**Feline Cestocide**

**CAUTION:** Federal (U.S.A) law restricts this drug to use by or on the order of a licensed veterinarian.

**WARNING:** KEEP OUT OF REACH OF CHILDREN. NOT FOR HUMAN USE.

**EACH TABLET CONTAINS:** 23 mg praziquantel

### 150 Chewable Tablets

Approved by FDA under ANADA # 200-834

**DOSAGE AND ADMINISTRATION:**  
Administer orally to cats as follows:

Body Weight (lbs.)	No. of Tablets
4 and under	0.5
5-11	1.0
over 11	1.5

For removal of *Dipylidium caninum* and  
*Taenia taeniaeformis*

Tablets may be given directly or crumbled and offered with the feed. FASTING IS NEITHER NECESSARY NOR RECOMMENDED.

STORAGE: Store at 20° to 25°C (68° to 77°F); excursions permitted between 15° to 30°C (59° to 86°F) [see USP Controlled Room Temperature].

See package leaflet for complete details.

NDC: 86101-020-13 150 Chewable Tablets

**Praziquantel Tablets****23 mg****Feline Cestocide**

**CAUTION:** Federal law restricts this drug to use by or on the order of a licensed veterinarian.

**WARNING:** KEEP OUT OF REACH OF CHILDREN.

**EACH TABLET CONTAINS:**  
23 mg praziquantel.

**Felix**

Approved by FDA under ANADA # 200-834



3 86101 02013 1

Distributed by: Felixvet Inc.,  
1300 NW Briarcliff Parkway,  
Suite 100, Kansas City, Missouri 64150

Neutral Code No. MP/DRUGS/25/90/2020

Manufactured in India  
Rev. November 2025

12001996



## PRAZIQUANTEL

praziquantel tablet, chewable

### Product Information

<b>Product Type</b>	PREScription ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:86101-020
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PRAZIQUANTEL (UNII: 6490C9U457) (PRAZIQUANTEL - UNII:6490C9U457)	PRAZIQUANTEL	23 mg

### Product Characteristics

<b>Color</b>	BROWN (off white to brown)	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND (biconvex)	<b>Size</b>	10mm
<b>Flavor</b>	MEAT	<b>Imprint Code</b>	F;9;23
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:86101-020-21	3 in 1 BOTTLE		
2	NDC:86101-020-50	50 in 1 BOTTLE		
3	NDC:86101-020-13	150 in 1 BOTTLE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANADA	ANADA200834	01/20/2026	

**Labeler** - FELIX PHARMACEUTICALS PRIVATE LIMITED (985612369)

Revised: 1/2026

FELIX PHARMACEUTICALS PRIVATE LIMITED