

**ESOKALLI TESTOSTERONE BOOSTER ORAL DISSOLVING FILM- esokalli
testosterone booster oral dissolving film liquid
Guangzhou Yixin Cross-border E-commerce Co., Ltd.**

Active ingredients (in each film)

Tadalafil 20 mg – Erectile dysfunction treatment
Vardenafil 20 mg – Erectile dysfunction treatment

Purpose

Phosphodiesterase type 5 (PDE5) inhibitors

Uses

For the treatment of erectile dysfunction (ED)

Warnings

For prescription use only (Rx only).

Do not use if you are taking any form of nitrate medications (such as nitroglycerin) due to the risk of severe hypotension.

Do not use if allergic to tadalafil, vardenafil, or any component of this product.

Dosage and administration

For external use only.

Do not use

heart problems, history of heart attack, irregular heartbeat, or chest pain
high or low blood pressure
liver or kidney disease
vision or hearing problems
history of priapism (painful or prolonged erection lasting >4 hours)

When using this product you may experience:

headache, flushing, indigestion, nasal congestion, dizziness, muscle pain, back pain, nausea, rash, or visual disturbances

Stop use and ask a doctor if:

you experience chest pain, fainting, sudden vision or hearing loss





Esokalli OTC USA

TESTOSTERONE BOOSTER ORAL DISSOLVING FILM

30-minute quick release
Powerful Formula Works Quickly
make men tough enough

🔄 Lasts for 36 hours

2film Tadalafil 20mg + Vardenafil 20mg



As thin as butterfly feathers, melts in the mouth.

Drug Facts

Active ingredients (in each film)

- Tadalafil 20 mg - Erectile dysfunction treatment
- Vardenafil 20 mg - Erectile dysfunction treatment

Purpose

Phosphodiesterase type 5 (PDE5) inhibitor

Uses

- For the treatment of erectile dysfunction (ED)

Warnings

For adult men only.

Do not use if you:

- take nitrate medicines (such as nitroglycerin)
- have severe heart disease or very low blood pressure
- are allergic to tadalafil, vardenafil, or any ingredient in this product
- have glucose intolerance, total lactose deficiency, or glucose-galactose maldigestion

Do not drink alcohol when using this product.

Alcohol may increase the risk of low blood pressure, dizziness, or fainting.

Ask a doctor before use if you have:

- heart conditions, history of heart attack, irregular heartbeat, or chest pain
- high or low blood pressure
- liver or kidney disease
- vision or hearing problems
- history of priapism (painful or prolonged erection lasting >4 hours)
- are over 65 years of age (higher risk of side effects, medical supervision advised)

When using this product you may experience:

- headache, flushing, indigestion, nasal congestion, dizziness, muscle pain, back pain, nausea, rash, or visual disturbances

Stop use and ask a doctor if:

- you experience chest pain, burning, sudden vision or hearing loss
- an erection lasts longer than 4 hours (priapism). This is a medical emergency.

Contraindications

- Not for use in pregnant or breastfeeding women
- Not for use in children under 18 years

Directions

- Take one film by mouth, placed on the tongue to dissolve.
- Use 0.5 to 4 hours before sexual activity.
- Do not take more than once per day.

Other information

- Store at 20° to 25°C (68° to 77°F).
- Protect from moisture and light.

Inactive ingredients

Film-forming polymers, stabilizers, sweeteners, flavoring agents.

Distributed by:
HK XINSHI TRADE CO., LIMITED
Flatiron 203, QIE Ho King Commercial Centre,
2-16 Fa Yuen Street, Mong Kok,
Kowloon, Hong Kong.

Made in China

Shelf Life: 3 years



Esokalli **OTC** USA

TESTOSTERONE BOOSTER ORAL DISSOLVING FILM

30-minute quick release
Powerful Formula Works Quickly
make men tough enough

🔄 Lasts for 36 hours

4film Tadalafil 20mg + Vardenafil 20mg

🦋 As thin as butterfly feathers, melts in the mouth.

Drug Facts

Active ingredients (in each film)

- Tadalafil 20 mg – Erectile dysfunction treatment
- Vardenafil 20 mg – Erectile dysfunction treatment

Purpose

Phosphodiesterase type 5 (PDE5) inhibitor

Uses

- For the treatment of erectile dysfunction (ED)

Warnings

For adult men only.

Do not use if you:

- take nitrate medicines (such as nitroglycerin)
- have severe heart disease or very low blood pressure
- are allergic to tadalafil, vardenafil, or any ingredient in this product
- have galactose intolerance, total lactase deficiency, or glucose-galactose maldigestion

Do not drink alcohol when using this product.

Alcohol may increase the risk of low blood pressure, dizziness, or fainting.

Ask a doctor before use if you have:

- heart conditions, history of heart attack, irregular heartbeat, or chest pain
- high or low blood pressure
- liver or kidney disease
- vision or hearing problems
- history of priapism (painful or prolonged erection lasting >4 hours)
- are over 65 years of age (higher risk of side effects, medical supervision advised)

When using this product you may experience:

• headache, flushing, indigestion, nasal congestion, dizziness, muscle pain, back pain, nausea, rash, or visual disturbances

Stop use and ask a doctor if:

- you experience chest pain, fainting, sudden vision or hearing loss
- an erection lasts longer than 4 hours (priapism). This is a medical emergency.

Contraindications

- Not for use in pregnant or breastfeeding women
- Not for use in children under 18 years

Directions

- Take one film by mouth, placed on the tongue to dissolve.
- Use 0.5 to 4 hours before sexual activity.
- Do not take more than once per day.

Other information

- Store at 20° to 25°C (68° to 77°F).
- Protect from moisture and light.

Inactive ingredients

film-forming polymers, stabilizers, sweeteners, flavoring agents.

Distributed by:

HE XINGHA TRADE CO., LIMITED
Huihui 2003, 2/F, Ho King Commercial Centre,
2-16 Fio Yuen Street, Mong Kok,
Kowloon, Hong Kong

Made in China

Shelf Life: 3 years





ESOKALLI TESTOSTERONE BOOSTER ORAL DISSOLVING FILM

esokalli testosterone booster oral dissolving film liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84778-079
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TADALAFIL (UNII: 742SXX0ICT) (TADALAFIL - UNII:742SXX0ICT)	TADALAFIL	20 mg in 100 mg
VARDENAFIL (UNII: UCE6F4125H) (VARDENAFIL - UNII:UCE6F4125H)	VARDENAFIL	20 mg in 100 mg

Inactive Ingredients

Ingredient Name	Strength
HYPROMELLOSES (UNII: 3NXW29V3WO)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SUCROSE (UNII: C151H8M554)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84778-079-01	1 in 1 BOX	08/24/2025	
1		40 mg in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:84778-079-02	2 in 1 BOX	08/24/2025	
2		40 mg in 1 PATCH; Type 0: Not a Combination Product		
3	NDC:84778-079-03	4 in 1 BOX	08/24/2025	
3		40 mg in 1 PATCH; Type 0: Not a Combination Product		
4	NDC:84778-079-04	8 in 1 BOX	08/24/2025	
4		40 mg in 1 PATCH; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		505G(a)(3)	08/24/2025	

Labeler - Guangzhou Yixin Cross-border E-commerce Co., Ltd. (455800881)

Establishment				
Name		Address	ID/FEI	Business Operations
Guangzhou Yixin Cross-border E-commerce Co., Ltd.			455800881	manufacture(84778-079) , label(84778-079)

Revised: 8/2025

Guangzhou Yixin Cross-border E-commerce Co., Ltd.