

INTENSIVE HEALING ECZEMA- hydrocortisone lotion

Walgreens

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active Ingredient

Hydrocortisone 1%

Purpose

Anti-Itch

Uses

Temporarily relieves the itching and discomfort associated with minor skin irritations, rashes and inflammation due to excema.

Other uses of this product should only be under the advice and supervision of a doctor.

Warnings

For external use only.

Do not use

Do not use for the treatment of diaper rash. Consult a doctor.

When using this product

avoid contact with the eyes.

do not use more than directed unless told to do so by a doctor.

Stop use and ask a doctor if

condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children 2 years of age or older: apply to affected area not more than 3 to 4 times daily.

children under 2 years of age: ask a doctor.

Inactive Ingredients

glycerin, methylparaben, propylparaben, petrolatum, cetearyl alcohol, cetyl palmitate, isostearyl

neopentanoate, isopropyl myristate, PEG-40 stearate, cetareth 20, benzyl alcohol, aloe, dimethicone, vitamin A, vitamin D, vitamin E, chamomile extract, sodium citrate, magnesium ascorbyl phosphate (vitamin C), shea butter, EDTA, water

Directions

Apply to affected area not more than 3 to 4 times daily.

Label

Walgreens

Intensive Healing Eczema Lotion

HYDROCORTISONE 1% /
ANTI-ITCH LOTION

+ VITAMINS A, C & E

MAXIMUM STRENGTH

+ BOTANICALS

- Temporarily relieves eczema & itchy, dry skin
- Infused with 7 intensive moisturizers
- Clinical strength

NET WT 3.5 OZ (99.2 g)

Drug Facts

Active Ingredient

Hydrocortisone 1% Anti-itch

Purpose

Uses • temporarily relieves the itching and discomfort associated with minor skin irritations, rashes and inflammation due to eczema

- other uses of this product should only be under the advice and supervision of a doctor

Warnings

For external use only.

Do not use • for the treatment of diaper rash. Consult a doctor.

When using this product • avoid contact with eyes • do not use more than directed unless told to do so by a doctor

Stop use and ask a doctor if • condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • **adults and children 2 years of age and older:** apply to affected area not more than 3 to 4 times daily

- **children under 2 years of age:** ask a doctor

Inactive ingredients glycerin, methylparaben, propylparaben, petrolatum, cetearyl alcohol, cetyl palmitate, isostearyl neopentanoate, isopropyl myristate, PEG-40 stearate, cetearth 20, benzyl alcohol, aloe, dimethicone, vitamin A, vitamin D, vitamin E, chamomile extract, sodium citrate, magnesium ascorbyl phosphate (vitamin C), shea butter, EDTA, water

Walgreens Pharmacist Recommended
Walgreens Pharmacist Survey
†† This product is not manufactured or distributed by Chattem, Inc., distributor of Cortizone-10® Intensive Healing Lotion.

Questions or comments?

1-800-925-4733

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED

walgreens.com

©2017 Walgreen Co.

ORG0517-F



Walgreens

Intensive Healing Eczema Lotion

HYDROCORTISONE 1% / ANTI-ITCH LOTION

+ VITAMINS A, C & E

MAXIMUM STRENGTH

+ BOTANICALS

- Temporarily relieves eczema & itchy, dry skin
- Infused with 7 intensive moisturizers
- Clinical strength

NET WT 3.5 OZ (99.2 g)

Drug Facts

Active Ingredient

Hydrocortisone 1% Anti-itch

Purpose

Uses • temporarily relieves the itching and discomfort associated with minor skin irritations, rashes and inflammation due to eczema

- other uses of this product should only be under the advice and supervision of a doctor

Warnings

For external use only.

Do not use • for the treatment of diaper rash. Consult a doctor.

When using this product • avoid contact with eyes • do not use more than directed unless told to do so by a doctor

Stop use and ask a doctor if • condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • **adults and children 2 years of age and older:** apply to affected area not more than 3 to 4 times daily

- **children under 2 years of age:** ask a doctor

Inactive ingredients glycerin, methylparaben, propylparaben, petrolatum, cetearyl alcohol, cetyl palmitate, isostearyl neopentanoate, isopropyl myristate, PEG-40 stearate, cetearth 20, benzyl alcohol, aloe, dimethicone, vitamin A, vitamin D, vitamin E, chamomile extract, sodium citrate, magnesium ascorbyl phosphate (vitamin C), shea butter, EDTA, water

Walgreens Pharmacist Recommended
Walgreens Pharmacist Survey
†† This product is not manufactured or distributed by Chattem, Inc., distributor of Cortizone-10® Intensive Healing Lotion.

Questions or comments?

1-800-925-4733


DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED

walgreens.com

©2017 Walgreen Co.

ORG0517-F



Walgreens

Intensive Healing Eczema Lotion

HYDROCORTISONE 1% /
ANTI-ITCH LOTION

+ VITAMINS A, C & E

MAXIMUM STRENGTH

+ BOTANICALS

- Temporarily relieves eczema & itchy, dry skin
- Infused with 7 intensive moisturizers
- Clinical strength

NET WT 3.5 OZ (99.2 g)

Drug Facts

Active Ingredient

Hydrocortisone 1% Anti-itch

Purpose

Uses • temporarily relieves the itching and discomfort associated with minor skin irritations, rashes and inflammation due to eczema

- other uses of this product should only be under the advice and supervision of a doctor

Warnings

For external use only.

Do not use • for the treatment of diaper rash. Consult a doctor.

When using this product • avoid contact with eyes • do not use more than directed unless told to do so by a doctor

Stop use and ask a doctor if • condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • **adults and children 2 years of age and older:** apply to affected area not more than 3 to 4 times daily

- **children under 2 years of age:** ask a doctor

Inactive ingredients glycerin, methylparaben, propylparaben, petrolatum, cetearyl alcohol, cetyl palmitate, isostearyl neopentanoate, isopropyl myristate, PEG-40 stearate, cetearth 20, benzyl alcohol, aloe, dimethicone, vitamin A, vitamin D, vitamin E, chamomile extract, sodium citrate, magnesium ascorbyl phosphate (vitamin C), shea butter, EDTA, water

Walgreens Pharmacist Recommended
Walgreens Pharmacist Survey
†† This product is not manufactured or distributed by Chattem, Inc., distributor of Cortizone•10® Intensive Healing Lotion.

Questions or comments?

1-800-925-4733


DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED

walgreens.com

©2017 Walgreen Co.

ORG0517-F



Walgreens

Intensive Healing Eczema Lotion

HYDROCORTISONE 1% / ANTI-ITCH LOTION

+ VITAMINS A, C & E

MAXIMUM STRENGTH

+ BOTANICALS

- Temporarily relieves eczema & itchy, dry skin
- Infused with 7 intensive moisturizers
- Clinical strength

NET WT 3.5 OZ (99.2 g)

Drug Facts

Active Ingredient

Hydrocortisone 1% Anti-itch

Purpose

Uses • temporarily relieves the itching and discomfort associated with minor skin irritations, rashes and inflammation due to eczema

- other uses of this product should only be under the advice and supervision of a doctor

Warnings

For external use only.

Do not use • for the treatment of diaper rash. Consult a doctor.

When using this product • avoid contact with eyes • do not use more than directed unless told to do so by a doctor

Stop use and ask a doctor if • condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • **adults and children 2 years of age and older:** apply to affected area not more than 3 to 4 times daily

- **children under 2 years of age:** ask a doctor

Inactive ingredients glycerin, methylparaben, propylparaben, petrolatum, cetearyl alcohol, cetyl palmitate, isostearyl neopentanoate, isopropyl myristate, PEG-40 stearate, cetearth 20, benzyl alcohol, aloe, dimethicone, vitamin A, vitamin D, vitamin E, chamomile extract, sodium citrate, magnesium ascorbyl phosphate (vitamin C), shea butter, EDTA, water



Walgreens Pharmacist Recommended
Walgreens Pharmacist Survey
†† This product is not manufactured or distributed by Chattem, Inc., distributor of Cortizone•10® Intensive Healing Lotion.

Questions or comments?

1-800-925-4733

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED

walgreens.com

©2017 Walgreen Co.

ORG0517-F



INTENSIVE HEALING ECZEMA

hydrocortisone lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0670
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE (UNII: W14X0X7BPJ) (HYDROCORTISONE - UNII:W14X0X7BPJ)	HYDROCORTISONE	1.02 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	64.89 g in 100 g
GLYCERIN (UNII: PDC6A3C0OX)	15 g in 100 g
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	5 g in 100 g
CETYL PALMITATE (UNII: 5ZA2S6B08X)	3 g in 100 g
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	3 g in 100 g
PETROLATUM (UNII: 4T6H12BN9U)	2 g in 100 g
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	1.5 g in 100 g
ALOE VERA LEAF (UNII: ZY81Z83H0X)	1.0 g in 100 g
BENZYL ALCOHOL (UNII: LKG8494WBH)	1.0 g in 100 g
ISO STEARYL NEOPENTANOATE (UNII: 411THY156Q)	.5 g in 100 g
PEG-40 STEARATE (UNII: ECU18C66Q7)	.5 g in 100 g
EDETATE DISODIUM (UNII: 7FLD91C86K)	.5 g in 100 g
SHEA BUTTER (UNII: K49155WL9Y)	.5 g in 100 g
METHYL PARABEN (UNII: A218C7H9T)	.2 g in 100 g
PROPYL PARABEN (UNII: Z8IX2SC1OH)	.1 g in 100 g
CHAMOMILE (UNII: FGL3685T2X)	.1 g in 100 g
SODIUM CITRATE (UNII: 1Q73Q2JULR)	.1 g in 100 g
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	.02 g in 100 g
CHOLECALCIFEROL (UNII: 1C6V77QF41)	.02 g in 100 g
.ALPHA.-TOCOPHEROL ACETATE, D- (UNII: A7E6112E4N)	.02 g in 100 g
MAGNESIUM ASCORBYL PHOSPHATE (UNII: 0R822556M5)	.02 g in 100 g
DIMETHICONE (UNII: 92RU3N3Y1O)	.01 g in 100 g

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0670-04	99.2 g in 1 TUBE; Type 0: Not a Combination Product	03/25/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	03/25/2018	

Labeler - Walgreens (008965063)

Establishment

Name	Address	ID/FEI	Business Operations
Unipack, Inc.		009248480	manufacture(0363-0670)

Revised: 2/2018

Walgreens