

**EQUATE NIGHTTIME SLEEP-AID- diphenhydramine hydrochloride capsule, liquid filled**  
**WALMART INC.**

-----  
**equate™ NIGHTTIME Sleep-Aid**

***Drug Facts***

***Active ingredient (in each softgel)***

Diphenhydramine HCl 25 mg

***Purpose***

Nighttime sleep-aid

***Uses***

- for relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

***Warnings***

**Do not use** • for children under 12 years of age

- with any other product containing diphenhydramine, even one used on skin
- with other drugs that cause drowsiness such as antihistamines and nighttime cold/flu products

**Ask a doctor before use if you have** • glaucoma • heart diseases

- a breathing problem such as emphysema, asthma, or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are** taking sedatives, tranquilizers, or any other sleep aid

**When using this product** • avoid alcoholic beverages and other drugs that cause drowsiness. Be careful when driving a motor vehicle or operating machinery.

**Stop use and ask a doctor if** sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

**Directions**

- take only one dose (2 softgels) per day (24 hours)

adults and children 12 years and over	take 2 softgels at bedtime if needed or as directed by a doctor
children under 12 years	do not use

**Other information**

- protect from light, heat and moisture
- store at controlled room temperature 20-25°C (68-77°F)

**Inactive ingredients**

FD&C Blue No. 1, FD&C Red No. 40, gelatin, glycerin, polyethylene glycol 400, sorbitol sorbitan solution, titanium dioxide

**Questions or comments?**

**1-888-287-1915**

**Compare to Vicks® ZzzQuil™ NIGHTTIME SLEEP-AID LiquiCaps™ active ingredient\***

- Fall asleep fast
- Not for treating pain, cold or flu

**READ AND KEEP OUTER CARTON FOR COMPLETE PRODUCT WARNINGS AND INFORMATION**

**Satisfaction Guaranteed** For more information call 1-888-287-1915 or visit [Walmart.com/help](http://Walmart.com/help)

**DISTRIBUTED BY: Walmart Inc.,  
Bentonville, AR 72716**

PRODUCT OF INDIA

\*This product is not manufactured or distributed by The Procter & Gamble Co., owner of the registered trademarks Vicks®, ZzzQuil™, and LiquiCaps™.

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.**

**Packaging**

**Package: 12 Softgels**

**Drug Facts**

**Active ingredient (in each softgel)** ..... **Purpose**  
Diphenhydramine HCl 25 mg.....Nighttime sleep-aid

**Uses**

- for relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

**Warnings**

**Do not use** ■ for children under 12 years of age  
■ with any other product containing diphenhydramine, even one used on skin  
■ with other drugs that cause drowsiness such as antihistamines and nighttime cold/flu products

**Ask a doctor before use if you have** ■ glaucoma ■ heart diseases  
■ a breathing problem such as emphysema, asthma, or chronic bronchitis  
■ difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are** taking sedatives, tranquilizers, or any other sleep aid

**When using this product** ■ avoid alcoholic beverages and other drugs that cause drowsiness. Be careful when driving a motor vehicle or operating machinery.

**Stop use and ask a doctor if** sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

**Directions** ■ take only one dose (2 softgels) per day (24 hours)  
adults and children take 2 softgels at bedtime if needed or as directed by a doctor  
children under 12 years do not use

**Other information** ■ protect from light, heat and moisture  
■ store at controlled room temperature 20–25°C (68–77°F)

**Inactive ingredients**  
FD&C Blue No. 1, FD&C Red No. 40, gelatin, glycerin, polyethylene glycol 400, sorbitol sorbitan solution, titanium dioxide

**Questions or comments?** 1-888-287-1915

NDC 79903-400-42



**NIGHTTIME**

**Sleep-Aid**  
Diphenhydramine HCl 25 mg  
Nighttime Sleep-Aid



**NIGHTTIME**

**Sleep-Aid**  
Diphenhydramine HCl 25 mg  
Nighttime Sleep-Aid

- Fall asleep fast
- Not for treating pain, cold or flu



Actual Size

**25**  
mg  
EACH

**12**  
SOFTGELS



**NIGHTTIME**  
**Sleep-Aid**  
Diphenhydramine HCl 25 mg  
Nighttime Sleep-Aid

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

LOT:

EXP:

CT7990340012

REV.00-082025

**Package: 24 Softgels**

**Drug Facts**

**Active ingredient (in each softgel)** ..... **Purpose**  
Diphenhydramine HCl 25 mg.....Nighttime sleep-aid

**Uses**

- for relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

**Warnings**

**Do not use** ■ for children under 12 years of age  
■ with any other product containing diphenhydramine, even one used on skin  
■ with other drugs that cause drowsiness such as antihistamines and nighttime cold/flu products

**Ask a doctor before use if you have** ■ glaucoma ■ heart diseases  
■ a breathing problem such as emphysema, asthma, or chronic bronchitis  
■ difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are** taking sedatives, tranquilizers, or any other sleep aid

**When using this product** ■ avoid alcoholic beverages and other drugs that cause drowsiness. Be careful when driving a motor vehicle or operating machinery.

**Stop use and ask a doctor if** sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

**Directions** ■ take only one dose (2 softgels) per day (24 hours)  
adults and children take 2 softgels at bedtime if needed or as directed by a doctor  
children under 12 years do not use

**Other information** ■ protect from light, heat and moisture  
■ store at controlled room temperature 20–25°C (68–77°F)

**Inactive ingredients**  
FD&C Blue No. 1, FD&C Red No. 40, gelatin, glycerin, polyethylene glycol 400, sorbitol sorbitan solution, titanium dioxide

**Questions or comments?** 1-888-287-1915

NDC 79903-400-24



**NIGHTTIME**

**Sleep-Aid**  
Diphenhydramine HCl 25 mg  
Nighttime Sleep-Aid



**NIGHTTIME**

**Sleep-Aid**  
Diphenhydramine HCl 25 mg  
Nighttime Sleep-Aid

- Fall asleep fast
- Not for treating pain, cold or flu



Actual Size

**25**  
mg  
EACH

**24**  
SOFTGELS



**NIGHTTIME**  
**Sleep-Aid**  
Diphenhydramine HCl 25 mg  
Nighttime Sleep-Aid

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

LOT:  
EXP:

CT7990340024  
REV.00-082025

## EQUATE NIGHTTIME SLEEP-AID

diphenhydramine hydrochloride capsule, liquid filled

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79903-400
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GELATIN, UNSPECIFIED</b> (UNII: 2G86QN327L)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SORBITAN</b> (UNII: 6O92ICV9RU)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

### Product Characteristics

Color	purple	Score	no score
Shape	OVAL	Size	14mm
Flavor		Imprint Code	912
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79903-400-12	1 in 1 CARTON	10/21/2025	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:79903-400-24	2 in 1 CARTON	10/21/2025	
2		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

4	Product		
<b>Marketing Information</b>			
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M010	10/21/2025	

**Labeler -** WALMART INC. (051957769)

Revised: 10/2025

WALMART INC.