

MGC HEALTH CALCIUM CARBONATE ANTACID ASSORTED FRUITS- calcium carbonate tablet

Xiamen Kang Zhongyuan Biotechnology Co., Ltd.

MGC-Xiamen Antacid (1000 mg) Assorted Fruits

Active ingredient (in each tablet)

Calcium carbonate 1000 mg

Purpose

Antacid

Uses

relieves

- heartburn
- acid indigestion
- sour stomach
- upset stomach associated with these symptoms

Warnings

Ask a doctor or pharmacist before use if you are

- presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

- do not take more than 8 tablets in 24 hours.
- do not use the maximum dosage of this product for more than 2 weeks except under advice and supervision of a doctor
- if pregnant do not take more than 5 tablets in 24 hours.

If pregnant or breast-feeding,

ask a health professional before use

Keep out of reach of children.

Directions

- adults and children 12 years of age and over: chew 2-4 tablets, completely as symptoms occur, 2 times daily or as directed by a doctor. Do not swallow tablets whole.
- do not take for symptoms that persist for more than 2 weeks unless advised by a

doctor.

Other information

- **each tablet contains:**calcium 200 mg
- store at room temperature (20-25°C (68-75°F)). Keep the container tightly closed.
- do not use if printed seal under cap is torn or missing
- Contains FD&C Yellow No. 5 (tartrazine) as a color additive

Inactive ingredients

Corn starch, FD&C Blue No.1, FD&C Red No. 40, FD&C Yellow No. 5 (tartrazine), flavors, magnesium stearate, maltitol, sucralose, sucrose

Questions or comments?

+1-866-306-9136

You may also report serious side effects to this phone number. Mon-Fri 9:00 AM - 5:00 PM Eastern Time.



MGC
HEALTH

COMPARE TO THE ACTIVE INGREDIENT IN
ULTRA STRENGTH TUMS®

Calcium Carbonate Antacid

Chewable Tablets
1000mg

Chew or crush tablets completely before swallowing



**ASSORTED
FRUITS
FLAVOR**



160
TABLETS

Drug Facts

Active ingredient (in each tablet)	Purpose
Calcium carbonate 1000 mg	Antacid

Uses relieves

- heartburn
- acid indigestion
- sour stomach
- upset stomach associated with these symptoms

Warnings

Ask a doctor or pharmacist before use if you are

- presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

- do not take more than 8 tablets in 24 hours.
- do not use the maximum dosage of this product for more than 2 weeks except under advice and supervision of a doctor.
- if pregnant do not take more than 5 tablets in 24 hours.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions

- adults and children 12 years of age and over: chew 2-4 tablets, completely as symptoms occur, 2 times daily or as directed by a doctor. Do not swallow tablets whole.
- do not take for symptoms that persist for more than 2 weeks unless advised by a doctor.

Other information ■ each tablet contains: calcium 400 mg

- store at room temperature (20-25°C (68-75°F)). Keep the container tightly closed.
- do not use if printed seal under cap is torn or missing.
- Contains FD&C Yellow No. 5 (tartrazine) as a color additive

Inactive ingredients corn starch, FD&C Blue No. 1, FD&C Red No. 40, FD&C Yellow No. 5, FD&C Yellow No. 6, flavors, magnesium stearate, maltitol, sucralose, sucrose

Questions or comments? +1-866-306-9136


You may also report serious side effects to this phone number. Mon-Fri 9:00 AM - 5:00 PM Eastern Time.

Distributed by:
MEDICAL GROUP
CARE, LLC,
1035 COLLIER CENTER
WAY, STE. 5,
NAPLES, FL 34110
MADE IN CHINA

IT000132-4-16Q/V662



* THIS PRODUCT IS NOT MANUFACTURED OR
DISTRIBUTED BY HALEON US IP LLC, OWNER OF THE
REGISTERED TRADEMARK TUMS®



MGC HEALTH CALCIUM CARBONATE ANTACID ASSORTED FRUITS

calcium carbonate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83698-136
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	1000 mg

Inactive Ingredients				
Ingredient Name			Strength	
STARCH, CORN (UNII: O8232NY3SJ)				
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
FD&C RED NO. 40 (UNII: WZB9127XOA)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
MALTITOL (UNII: D65DG142WK)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
SUCROSE (UNII: C151H8M554)				
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)				
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)				
Product Characteristics				
Color	red, orange, yellow, green	Score	no score	
Shape	ROUND	Size	20mm	
Flavor	FRUIT	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83698-136-16	160 in 1 PACKAGE; Type 0: Not a Combination Product	08/12/2025	
2	NDC:83698-136-72	72 in 1 PACKAGE; Type 0: Not a Combination Product	08/12/2025	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M001	08/12/2025	

Labeler - Xiamen Kang Zhongyuan Biotechnology Co., Ltd. (411759931)

Registrant - Medical Group Care LLC (085137089)