# MIGRAINE RELIEF- ibuprofen capsule, liquid filled WALGREENS

-----

Ibuprofen Capsules - Migraine Relief - Walgreens

### Active ingredient (in each orange oval capsule)

Solubilized ibuprofen equal to 200 mg ibuprofen (NSAID)\* (present as the free acid and potassium salt) \*nonsteroidal anti-inflammatory drug

### Purpose

Pain reliever

#### Uses

• treats migraine

#### Warnings

**Allergy alert:** Ibuprofen may cause a severe allergic reaction, especially in people allergic to aspirin. Symptoms may include:

- hives
- facial swelling
- asthma (wheezing)
- shock
- skin reddening
- rash
- blisters

If an allergic reaction occurs, stop use and seek medical help right away.

**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs [aspirin, ibuprofen, naproxen, or others]
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

**Heart attack and stroke warning:** NSAIDs, except aspirin, increase the risk of heart attack, heart failure, and stroke. These can be be fatal. The risk is higher if you use more than directed or for longer than directed.

Medication overuse headache warning: Headaches may worsen if this product is

used for 10 or more days per month.

#### Do not use

- if you have ever had an allergic reaction to any other pain reliever/fever reducer
- right before or after heart surgery

#### Ask a doctor before use if

- you have never had migraines diagnosed by a health professional
- you have a headache that is different from your usual migraines
- you have the worst headache of your life
- you have fever and stiff neck
- you have headaches beginning after or caused by head injury, exertion, coughing or bending
- you have experienced your first headache after the age of 50
- you have daily headaches
- you have a migraine so severe as to require bed rest
- stomach bleeding warning applies to you
- you have problems or serious side effects from taking pain relievers or fever reducers
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, kidney disease, asthma, or had a stroke
- you are taking a diuretic

## Ask a doctor or pharmacist before use if you are

- under a doctor's care for any serious condition
- taking aspirin for heart attack or stroke, because ibuprofen may decrease this benefit of aspirin
- taking any other drug

## When using this product

take with food or milk if stomach upset occurs

## Stop use and ask a doctor if

- you experience any of the following signs of stomach bleeding:
- feel faint
- vomit blood
- have bloody or black stools
- have stomach pain that does not get better
- you have symptoms of heart problems or stroke:
- chest pain
- trouble breathing
- weakness in one part or side of body
- slurred speech

- leg swelling
- migraine headache pain is not relieved or gets worse after the first dose
- any new symptoms appear

#### If pregnant or breast-feeding,

**If pregnant or breast-feeding**, ask a health professional before use. It is especially important not to use ibuprofen at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

#### **Directions**

- do not take more than directed
- the smallest effective dose should be used
- adults: take 2 capsules with a glass of water; if symptoms persist or worsen, ask your doctor; do not take more than 2 capsules in 24 hours, unless directed by a doctor
- under 18 years of age: ask a doctor

#### Other information

- each capsule contains: potassium 20 mg
- read all warnings and directions before use. Keep carton.
- store at 20° to 25°C (68° to 77°F)
- avoid excessive heat above 40°C (104°F). Protect from light.

## Inactive ingredients

FD&C Red #40, FD&C Yellow #6, gelatin, pharmaceutical ink, polyethylene glycol, potassium hydroxide, purified water, sorbitan and sorbitol

#### Questions or comments?

call toll free **1-888-235-2466** (Mon - Fri 9AM - 5 PM)

READ AND KEEP CARTON FOR COMPLETE WARNINGS AND INFORMATION

DO NOT USE IF TAMPER-EVIDENT SEAL UNDER BOTTLE CAP IMPRINTED WITH "SEALED for YOUR PROTECTION" IS BROKEN OR MISSING.

<sup>†</sup>Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.

††This product is not manufactured or distributed by PF Consumer

Healthcare1 LLC, owner of the registered trademark Advil ®.

L0000518

DISTRIBUTED BY: WALGREEN CO.,

200 WILMOT RD., DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED

walgreens.com © 2021 Walgreen Co.

ITEM 531921 W10071-1221-L

R0921

Lot No.:

Exp. Date:

#### 80's Bottle Carton

Walgreens

Compare to the active ingredient

in Advil ® Migraine ††

NDC 0363-0240-78

**Migraine Relief** 

**IBUPROFEN CAPSULES, 200 mg / PAIN RELIEVER (NSAID)** 

80 SOFTGELS\*\*

(\*\*liquid-filled capsules)

**ACTUAL SIZE** 

READ AND KEEP CARTON FOR COMPLETE WARNINGS AND INFORMATION



#### **MIGRAINE RELIEF**

ibuprofen capsule, liquid filled

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0240
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
IBUPROFEN (UNII: WK2XYI10QM) (IBUPROFEN - UNII:WK2XYI10QM)	IBUPROFEN	200 mg		

Inactive Ingredients			
Ingredient Name	Strength		
FD&C RED NO. 40 (UNII: WZB9127XOA)			
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)			
GELATIN (UNII: 2G86QN327L)			
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)			
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)			
WATER (UNII: 059QF0KO0R)			
SORBITAN (UNII: 6092ICV9RU)			
SORBITOL (UNII: 506T60A25R)			

Product Characteristics			
Color	orange	Score	no score
Shape	OVAL	Size	20mm
Flavor		Imprint Code	IB200
Contains			

F	Packaging				
#	tem Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:0363-0240- 78	1 in 1 CARTON	03/13/2019		
1		80 in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA078682	03/13/2019	

## Labeler - WALGREENS (008965063)

## Registrant - Bionpharma Inc. (079637826)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
Patheon Softgels Inc.		002193829	manufacture(0363-0240)	

Revised: 12/2022 WALGREENS