

NICDUIC QUIT SMOKING NICOTINE PATCHES- nicotine transdermal patches patch
Shenzhen Paxi Trading Co., Ltd.

85835-003

Active Ingredient

Nicotine 28mg

Purpose

Stopsmoking aid

Use

reduces withdrawal symptoms, including nicotine craving, associated with quitting smoking.

Apply one new patch every 24 hours on skin that is dry, clean and hairless. Remove backing from patch and immediately press onto skin. Hold for 10 seconds. Wash hands after applying or removing patch. Save pouch to use for patch disposal. Dispose of the used patches by folding sticky ends together and putting in pouch. The used patch should be removed and a new one applied to a different skin site at the same time each day.

If you have vivid dreams, you may remove the patch at bedtime and apply a new one in the morning.

Do not wear more than one patch at a time.

Do not cut patch in half or into smaller pieces.

Do not leave patch on for more than 24 hours because it may irritate your skin and loses strength after 24 hours.

To avoid possible burns, remove patch before undergoing any MRI (magnetic resonance imaging) procedures.

It is important to complete treatment. If you feel you need to use the patch for a longer period to keep from smoking, talk to your healthcare provider.

Warnings

If you are pregnant or breast feeding, only use this medicine on the advice of your health care provider.

Smoking can seriously harm your child. Try to stop smoking without using any nicotine replacement medicine. This medicine is believed to be safer than smoking. However, the risks to your child from this medicine are not fully known.

Do not use

Ask a doctor or pharmacist before use:

- Contraindicated in heart disease, recent MI, or arrhythmia. Nicotine may increase heart rate.
- Uncontrolled hypertension. Nicotine may elevate blood pressure.
- If allergic to adhesive or with pre-existing skin conditions, higher risk of dermal reactions may occur.
- Stomach ulcer or diabetes.
- History of seizures.

Ask Doctor

Ask a doctor or pharmacist before use if you:

- are using non-nicotine smoking cessation drug .
- are taking prescription medications for depression or asthma, your dosage may require adjustment.

When Using

When using this product

- if you experience vivid dreams or other sleep disturbances, remove the patch at bedtime.
- Divide into four portions (7 mg each) before using for the first time. Non-smokers should not use this product.

Stop Use

Discontinue use and consult a physician if:

- Patch-induced erythema persists beyond 4 days, localized edema develops, or a cutaneous rash appears.
- irregular heartbeat or palpitations occur.
- Symptoms of nicotine overdose may include persistent nausea, vomiting, dizziness, weakness, and rapid heartbeat.
- You have symptoms of an allergic reaction (such as difficulty breathing or rash).

Keep Out Of Reach Of Children

KEEP OUT OF REACH OF CHILDREN AND PETS.

Used patches contain enough nicotine to poison children and pets. If swallowed, seek medical help immediately or contact a Poison Control Center 1-800-222-1222 right away. Save the pouch for patch disposal. Dispose of used patches by folding the sticky ends together and placing them in the pouch.

Directions

If you are under 18 years of age, ask a doctor before use.

Before using this product, read the enclosed self-help guide for complete directions and other information.

Begin using the patch on your quit day.

If you smoke more than 20 cigarettes per day, use the following schedule below:

Weeks 1 and 2

STEP 1+

use 1½

patch/day

Weeks 3 and 6

STEP 1

use 1

patch/day

Weeks 7 and 8

STEP 2

use 1/2

patch/day

Weeks 9 and 10

STEP 3

use 1/4

patch/day

If you smoke more than 10 but not more than 20 cigarettes, start with Step 1, if you smoke 10 or less cigarettes per day, start with Step 2 for 4 weeks (Start with 1 patch or 3/4 patch for the first week), then on to Step 3 for 2 weeks. (Read the enclosed self-help guide for additional information.)

Apply one new patch every 24 hours on skin that is dry, clean and hairless.

Wash hands after applying or removing patch. Save pouch to use for patch disposal.

Dispose of the used patches by folding sticky ends together and putting in pouch.

The used patch should be removed and a new one applied to a different skin site at the same time each day.

If you have vivid dreams, you may remove the patch at bedtime and apply a new one in the morning.

Do not wear more than one patch at a time.

Do not cut patch in half or into smaller pieces.

Do not leave patch on for more than 24 hours because it may irritate your skin and loses strength after 24 hours.

To avoid possible burns, remove patch before undergoing any MRI (magnetic resonance imaging) procedures.

It is important to complete treatment. If you feel you need to use the patch for a longer period to keep from smoking, talk to your healthcare provider.

Other information

Store at room temperature

Inactive ingredients

acrylate adhesive, aluminized polyester, cellulose paper, methacrylic acid copolymer.

Questions

After-sales service contact information:
For any product inquiries, contact us: ParuiTrade@outlook.com

PRINCIPAL DISPLAY PANEL

NicDuiC

Drug Facts

Active ingredient (in each patch)
Nicotine, 28 mg delivered over 24 hours

Purpose
Stop smoking aid

Use reduces withdrawal symptoms, including nicotine craving, associated with quitting smoking.

Warnings If you are pregnant or breast feeding, only use this medicine on the advice of your health care provider. Smoking can seriously harm your child. Try to stop smoking without using any nicotine replacement medicine. This medicine is believed to be safer than smoking. However, the risks to your child from this medicine are not fully known.

Ask a doctor or pharmacist before use:

- Contraindicated in heart disease, recent MI, or arrhythmia. Nicotine may increase heart rate.
- Uncontrolled hypertension. Nicotine may elevate blood pressure.
- If allergic to adhesive or with pre-existing skin conditions, higher risk of dermal reactions may occur.
- Stomach ulcer or diabetes.
- History of seizures.

Ask a doctor or pharmacist before use if you:

- are using non-nicotine smoking cessation drug.
- are taking prescription medications for depression or asthma, your dosage may require adjustment.

When using this product • If you experience vivid dreams or other sleep disturbances, remove the patch at bedtime. Divide into four portions (7 mg each) before using for the first time. **Non-smokers should not use this product.**

Discontinue use and consult a physician if:

- Patch-induced erythema persists beyond 4 days, localized edema develops, or a cutaneous rash appears.
- Irregular heartbeat or palpitations occur.
- Symptoms of nicotine overdose may include persistent nausea, vomiting, dizziness, weakness, and rapid heartbeat.
- You have symptoms of an allergic reaction (such as difficulty breathing or rash).

KEEP OUT OF REACH OF CHILDREN AND PETS. Used patches contain enough nicotine to poison children and pets. If swallowed, seek medical help immediately or contact a Poison Control Center 1-800-222-1222 right away. Save the pouch for patch disposal. Dispose of used patches by folding the sticky ends together and placing them in the pouch.

Directions • If you are under 18 years of age, ask a doctor before use. • before using this product, read the enclosed self-help guide for complete directions and other information. • begin using the patch on your quit day

If you smoke more than 20 cigarettes per day, follow the schedule below:

Weeks 1 and 2	Weeks 3 and 4	Weeks 5 and 6	Weeks 7 and 8	Weeks 9 and 10
STEP1+	STEP1	STEP2	STEP3	
use 1 patch/day	use 1 patch/day	use 1/2 patch/day	use 1/4 patch/day	

• If you smoke more than 10 but not more than 20 cigarettes, start with Step 1, if you smoke 10 or less cigarettes per day, start with Step 2 for 4 weeks (Start with 1 patch or 3/4 patch for the first week), then on to Step 3 for 2 weeks. (Read the enclosed self-help guide for additional information.) • apply one new patch every 24 hours on skin that is dry, clean, and hairless • remove backing from patch and immediately press onto skin. Hold for 10 seconds. • wash hands after applying or removing patch. Save pouch to use for patch disposal. Dispose of the used patches by folding sticky ends together and putting in pouch. • the used patch should be removed and a new one applied to a different skin site at the same time each day • if you have vivid dreams, you may remove the patch at bedtime and apply a new one in the morning • do not wear more than one patch at a time • do not cut patch in half or into smaller pieces • do not leave patch on for more than 24 hours because it may irritate your skin and loses strength after 24 hours • it is important to complete treatment. If you feel you need to use the patch for a longer period to keep from smoking, talk to your health care provider.

Other information: Store at room temperature

Manufactured for: Shenzhen Paxi Trading Co., Ltd.

Inactive ingredients: acrylate adhesive, aluminumized polyester, cellulose paper, methacrylic acid copolymer

Address: 102, 48 Zhenye Road, Huhua Community, Pinghu Street, Longgang District, Shenzhen, Guangdong 518000, China

After-sales service contact information:
For any product inquiries, contact us: ParuiTrade@outlook.com

See bottom panel for lot number and expiration date.

NicDuiC

Nicotine Patches

QUIT SMOKING

STOP SMOKING AID

ALL-DAY! 24 HOURS

UPGRADED TO 28 mg

15 Patches

Trade Mark: NicDuiC
Lot number: PR4-15
MF Date: 07/28/2025
EXP Date: 07/27/2028

MADE IN CHINA

For your family's protection, patches are not for use on children or child-resistant pouches. Do not use if individual pouch is open or torn.

Not for sale to persons under 18 years of age.
• Proof of age required.
• Not for sale in vending machines or from any source where proof of age cannot be verified.

Statements regarding dietary supplements have not been evaluated by the FDA and are not intended to diagnose, treat, cure, or prevent any disease or health condition.

NicDuiC

Drug Facts

Active ingredient (in each patch)
Nicotine, 28 mg delivered over 24 hours

Purpose
Stop smoking aid

Use reduces withdrawal symptoms, including nicotine craving, associated with quitting smoking.

Warnings If you are pregnant or breast feeding, only use this medicine on the advice of your health care provider. Smoking can seriously harm your child. Try to stop smoking without using any nicotine replacement medicine. This medicine is believed to be safer than smoking. However, the risks to your child from this medicine are not fully known.

Ask a doctor or pharmacist before use:

- Contraindicated in heart disease, recent MI, or arrhythmia. Nicotine may increase heart rate.
- Uncontrolled hypertension. Nicotine may elevate blood pressure.
- If allergic to adhesive or with pre-existing skin conditions, higher risk of dermal reactions may occur.
- Stomach ulcer or diabetes.
- History of seizures.

Ask a doctor or pharmacist before use if you:

- are using non-nicotine smoking cessation drug.
- are taking prescription medications for depression or asthma, your dosage may require adjustment.

When using this product • If you experience vivid dreams or other sleep disturbances, remove the patch at bedtime. Divide into four portions (7 mg each) before using for the first time. **Non-smokers should not use this product.**

Discontinue use and consult a physician if:

- Patch-induced erythema persists beyond 4 days, localized edema develops, or a cutaneous rash appears.
- Irregular heartbeat or palpitations occur.
- Symptoms of nicotine overdose may include persistent nausea, vomiting, dizziness, weakness, and rapid heartbeat.
- You have symptoms of an allergic reaction (such as difficulty breathing or rash).

KEEP OUT OF REACH OF CHILDREN AND PETS. Used patches contain enough nicotine to poison children and pets. If swallowed, seek medical help immediately or contact a Poison Control Center 1-800-222-1222 right away. Save the pouch for patch disposal. Dispose of used patches by folding the sticky ends together and placing them in the pouch.

Directions • If you are under 18 years of age, ask a doctor before use. • before using this product, read the enclosed self-help guide for complete directions and other information. • begin using the patch on your quit day

If you smoke more than 20 cigarettes per day, follow the schedule below:

Weeks 1 and 2	Weeks 3 and 4	Weeks 5 and 6	Weeks 7 and 8	Weeks 9 and 10
STEP1+	STEP1	STEP2	STEP3	
use 1 patch/day	use 1 patch/day	use 1/2 patch/day	use 1/4 patch/day	

• If you smoke more than 10 but not more than 20 cigarettes, start with Step 1, if you smoke 10 or less cigarettes per day, start with Step 2 for 4 weeks (Start with 1 patch or 3/4 patch for the first week), then on to Step 3 for 2 weeks. (Read the enclosed self-help guide for additional information.) • apply one new patch every 24 hours on skin that is dry, clean, and hairless • remove backing from patch and immediately press onto skin. Hold for 10 seconds. • wash hands after applying or removing patch. Save pouch to use for patch disposal. Dispose of the used patches by folding sticky ends together and putting in pouch. • the used patch should be removed and a new one applied to a different skin site at the same time each day • if you have vivid dreams, you may remove the patch at bedtime and apply a new one in the morning • do not wear more than one patch at a time • do not cut patch in half or into smaller pieces • do not leave patch on for more than 24 hours because it may irritate your skin and loses strength after 24 hours • it is important to complete treatment. If you feel you need to use the patch for a longer period to keep from smoking, talk to your health care provider.

Other information: Store at room temperature

Manufactured for: Shenzhen Paxi Trading Co., Ltd.

Inactive ingredients: acrylate adhesive, aluminumized polyester, cellulose paper, methacrylic acid copolymer

Address: 102, 48 Zhenye Road, Huhua Community, Pinghu Street, Longgang District, Shenzhen, Guangdong 518000, China

NicDuiC

Nicotine Patches

QUIT SMOKING

STOP SMOKING AID

ALL-DAY! 24 HOURS

UPGRADED TO 28 mg

30 Patches

Trade Mark: NicDuiC
Lot number: PR4-15
MF Date: 07/28/2025
EXP Date: 07/27/2028

MADE IN CHINA

For your family's protection, patches are not for use on children or child-resistant pouches. Do not use if individual pouch is open or torn.

Not for sale to persons under 18 years of age.
• Proof of age required.
• Not for sale in vending machines or from any source where proof of age cannot be verified.

Statements regarding dietary supplements have not been evaluated by the FDA and are not intended to diagnose, treat, cure, or prevent any disease or health condition.

INACTIVE INGREDIENTS: acrylate adhesive, aluminumized polyester, cellulose paper, methacrylic acid copolymer.

After-sales service contact information:
For any product inquiries, contact us: ParaTrade@outlook.com

ADDRESS: 1002, No. 4290000 Road, Hengshui Community, Pinggu Street, Longgang District, Shenzhen, Guangdong 518000, China

See bottom panel for lot number and expiration date.

28 mgSTEP 121 mgSTEP 214 mgSTEP 37 mg

Patches

Trade Mark: NicDuic
Lot number: PR4-30
MF Date: 07/28/2025
EXP Date: 07/27/2028


MADE IN CHINA



Statements evaluated by 1st class, or phase

NICDUIC QUIT SMOKING NICOTINE PATCHES

nicotine transdermal patches patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85835-003
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NICOTINE (UNII: 6M3C89ZY6R) (NICOTINE - UNII:6M3C89ZY6R)	NICOTINE	28 mg in 100

Inactive Ingredients

Ingredient Name	Strength
POWDERED CELLULOSE (UNII: SMD1X3XO9M)	
POLYESTER-7 (UNII: 0841698D2F)	
ACRYLIC ACID (UNII: J94PBK7X8S)	
METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) (UNII: 74G4R6TH13)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85835-003-01	15 in 1 BOX; Type 0: Not a Combination Product	08/27/2025	
2	NDC:85835-003-02	30 in 1 BOX; Type 0: Not a Combination Product	08/27/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	08/27/2025	

Labeler - Shenzhen Paxi Trading Co., Ltd. (633886766)

Establishment

Name	Address	ID/FEI	Business Operations
Shenzhen Paxi Trading Co., Ltd.		633886766	manufacture(85835-003)

Revised: 8/2025

Shenzhen Paxi Trading Co., Ltd.