

MEDIQUE MEDI-SELTZER PAIN RELIEF- aspirin tablet, effervescent
Unifirst First Aid Corporation

Medique Medi-Seltzer Pain Relief

Drug Facts

Active Ingredients (in each effervescent tablet)

Buffered aspirin 325 mg (NSAID)*

*nonsteroidal anti-inflammatory drug

Purpose

Pain Reliever / Fever Reducer

Uses

- for the temporary relief of minor aches and pains due to:
- headache
- muscle pain
- backache
- toothache
- menstrual pain
- colds
- minor arthritis pain
- temporarily reduces fever

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy Alert: Aspirin may cause a severe allergic reaction which may include:

hives
facial swelling
asthma (wheezing)
shock

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:

are age 60 or older
have had stomach ulcers or bleeding problems
take a blood thinning (anticoagulant) or steroid drug
take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
have 3 or more alcoholic drinks every day while using this product
take more or for a longer time than directed

Do not use

- if you are allergic to aspirin or any other pain reliever/ fever reducer
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma
- you have a sodium-restricted diet

Ask a doctor or pharmacist before use if you are taking a prescription drug for:

- diabetes
- gout
- arthritis

When using this product do not take exceed recommended dosage

Stop use and ask a doctor if

- you experience any of the following signs of stomach bleeding
- you feel faint
- vomit blood
- have bloody or black stools
- have stomach pain that does not get better
- an allergic reaction occurs. Seek medical help right away
- pain lasts for more than 10 days or gets worse
- fever gets worse or lasts more than 3 days
- new symptoms appear
- redness or swelling is present
- ringing in the ears or a loss of hearing occurs

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin **at 20 weeks or later in pregnancy, unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.**

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed recommended dosage
- to avoid serious injury, completely dissolve tablets in 4 oz. of water before taking.

Adults and children 12 years and over:

2 tablets every 4 hours, or as directed by a doctor. Do not exceed 8 tablets in 24 hours

Adults 60 years and over:

2 tablets every 4 hours, or as directed by a doctor. Do not exceed 4 tablets in 24 hours

Children under 12 years of age:

Consult a doctor

Other information

- each tablet contains: Sodium 524mg
- store at room temperature 59°-86° F (15°-30° C) avoid excessive heat.
- tamper evident sealed packets
- do not use any opened or torn packets

Inactive ingredients: anhydrous citric acid, sodium bicarbonate

Questions or comments? 1-800-634-7680

Medique®

Medi-Seltzer

Pain Relief

Effervescent Antacid / Pain Reliever

Pull to Open

This Package is for Households without Young Children.

Aches, Fever ● Aspirin (NSAID) 325 mg

Antacid ● Citric Acid 1000 mg Sodium Bicarbonate 1916 mg

36 Tablets

(18 x 2)

Tamper Evident Unit Dose Packets

The image shows the packaging for Medique Medi-Seltzer Pain Relief. It features a central graphic of a blue and white blister pack with the product name and 'Effervescent Pain Reliever / Fever Reducer' text. Below this, it says 'THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN.' and 'Aches & Pains • Aspirin (NSAID) 325 mg'. To the right, there is a red banner indicating '36 Tablets (18 x 2)'. The packaging also includes detailed drug facts, directions, and warnings in both English and Spanish. A barcode is visible at the bottom right with the number 3 47682 16534 5.

MEDIQUE MEDI-SELTZER PAIN RELIEF			
aspirin tablet, effervescent			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-147
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength

ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	325 mg
---	---------	--------

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	25mm
Flavor		Imprint Code	L421
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-147-20	18 in 1 BOX, UNIT-DOSE	03/17/2025	
1		2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-147-24	36 in 1 BOX, UNIT-DOSE	03/17/2025	
2		2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	03/17/2025	

Labeler - Unifirst First Aid Corporation (832947092)

Establishment

Name	Address	ID/FEI	Business Operations
Medique Products		086911794	pack(47682-147)

Establishment

Name	Address	ID/FEI	Business Operations
Tower laboratories LTD		869024500	manufacture(47682-147)