

**ESOKALLI SLIMMING MICROCRYSTALLINE PATCH- esokalli slimming
microcrystalline patch patch
Guangzhou Yixin Cross-border E-commerce Co., Ltd.**

Active ingredient (in each patch)

Retatrutide 20 mg Weight management / blood sugar control

Purpose

Weight loss aid

Improves blood sugar control (when used with diet and exercise)

Uses

To support weight management

To improve glycemic control in adults with type 2 diabetes mellitus

Provides long-acting sustained-release delivery via soluble microneedle patch

Warnings

For external use only

Dosage and administration

- Apply one transdermal patch containing 20 mg Retatrutide to the wrist or the back of the hand.
- Leave the patch in place for 30 to 60 minutes, then remove.
- Administer once every 3 to 7 days.
- Do not reuse a patch.
- Use only as directed.

Do not use if you

- have type 1 diabetes
- need treatment for diabetic ketoacidosis
- are pregnant or breastfeeding
- are under 18 years of age
- have severe heart disease
- have skin disease or broken skin at the application site
- have a history of hypoglycemia
- are allergic to any ingredient in this product

When using this product

- monitor blood glucose regularly
- possible side effects include:
 - hypoglycemia
 - nausea, vomiting, or diarrhea
 - acute pancreatitis
 - complications of diabetic retinopathy
 - increased heart rate
 - hypersensitivity or allergic reactions

Stop use and ask a doctor if

- you develop severe abdominal pain (possible acute pancreatitis)
- symptoms of hypersensitivity occur (rash, swelling, difficulty breathing)
- persistent gastrointestinal problems occur

Keep out of reach of children.

In case of accidental ingestion, get medical help or contact a Poison Control Center right away.

Inactive ingredients

Microcrystalline matrix, soluble microneedle polymer blend, stabilizers, adhesive layer.

PRINCIPAL DISPLAY PANEL





Drug Facts

Active ingredient (in each patch)
Retatrutide 20mg (Weight management) (Blood sugar control)

Purpose
• Weight loss aid
• Blood sugar control (when used with diet and exercise)

Uses
• To support weight management
• To manage diabetes, used in adults with type 2 diabetes mellitus
• To manage hypoglycemia (when used with diet and exercise)

Warnings

For external use only

Do not use if you
• Have type 1 diabetes
• Have treatment for diabetic ketoacidosis
• Are pregnant or breastfeeding
• Are under 18 years of age
• Have severe liver disease
• Have liver disease or hepatitis at the application site
• Have a history of hypoglycemia
• Are allergic to any ingredient in this product

Ask a doctor before use if you have
• A history of pancreatitis
• Diabetes mellitus
• Gastrointestinal disorders
• Heart rhythm problems

Keep out of reach of children
In case of accidental ingestion, get medical help or contact a Poison Control Center right away.

When using this product

• Remove blood sugar regularly
• Possible side effects include:
• Hypoglycemia
• Nausea, vomiting, or diarrhea
• Head pain
• Complications of diabetic retinopathy
• Hypoglycemia (low blood sugar)
• Hypoglycemia (low blood sugar)

Stop use and ask a doctor if
• You develop severe abdominal pain (possible acute pancreatitis)
• Symptoms of hypoglycemia occur (faint, sweating, difficulty breathing)
• Symptoms of gastrointestinal problems occur

Directions
• Adults: Ask a doctor (Retatrutide 20mg) to the site or back of hand once every 3 to 7 days.
• Place patch for 10-12 hours, then remove.
• Do not reuse patch.
• Use only as directed.

Other information
• Apply in the morning for best results.
• Wash or bathe 12 hours before using or changing after use.
• Do not use if the patch is damaged or if the patch is not sealed.
• Opened patch can last up to 12 months.
• Store at 15-30°C (59-86°F).
• Protect from moisture and direct sunlight.

Inactive ingredients
Microcrystalline matrix, soluble microcrystalline polymer (skin), adhesive, release liner.



ESOKALLI SLIMMING MICROCRYSTALLINE PATCH

esokalli slimming microcrystalline patch patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84778-082
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
RETATRUTIDE (UNII: NOP2Y096GV) (RETATRUTIDE - UNII: NOP2Y096GV)	RETATRUTIDE	20 mg in 100 mg

Inactive Ingredients

Ingredient Name	Strength
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
SUCROSE (UNII: C151H8M554)	
DIMETHICONE, UNSPECIFIED (UNII: 92RU3N3Y1O)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84778-082-01	1 in 1 BOX	08/24/2025	
1		20 mg in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:84778-082-02	2 in 1 BOX	08/24/2025	
2		20 mg in 1 PATCH; Type 0: Not a Combination Product		
3	NDC:84778-082-03	4 in 1 BOX	08/24/2025	
3		20 mg in 1 PATCH; Type 0: Not a Combination Product		
4	NDC:84778-082-04	8 in 1 BOX	08/24/2025	
4		20 mg in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	08/24/2025	

Labeler - Guangzhou Yixin Cross-border E-commerce Co., Ltd. (455800881)

Establishment

Name	Address	ID/FEI	Business Operations
Guangzhou Yixin Cross-border E-commerce Co., Ltd.		455800881	manufacture(84778-082) , label(84778-082)

Revised: 9/2025

Guangzhou Yixin Cross-border E-commerce Co., Ltd.