DAKINS FULL- sodium hypochlorite solution Century Pharmaceuticals, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

dakins full

Sodium Hypochlorite 0.50%

Antimicrobial

Uses

To prevent and treat infections of the skin and tissue.

Pre and post surgery Cuts, abrasions and skin ulcers

For external use only.

Stop use and ask a doctor if redness, irritation, swelling or pain persists or increases.

Do not use if sensitive to chlorine compounds.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Pour on or apply to affected area. For wound management, use as an irrigant, cleanser, or the wetting agent for a wet-to-moist dressing.

Apply once daily for lightly to moderately exudative wounds. Apply twice daily for highly exudative or highly contaminated wounds. Protect intact skin

with a moisture barrier ointment or skin sealant as needed.

Other Information

Store at room temperature.

May bleach clothing.

Keep container closed when not using.

Purified Water, Sodium Bicarbonate, Sodium Hydroxide

Questions or Comments?

(317) 849-4210 or 1-866-343-2576, Mon-Fri, 9AM to 4PM EST

Century Pharmaceuticals, Inc. - Indianapolis, IN 46256



CENTURY Pharmaceuticals, Inc.

473ml (16 FL, OZ.)

Drug Facts

Active Ingredient

Purpose . Antimicrobial Sodium Hypochlorite 0.50%.

- to prevent and treat infection of the skin and tissue.
- pre and post surgery. cuts. abrasions and skin ulcers.

Warnings

For external use only.

Stop use and ask a doctor if redness, irritation, swelling or pain persists or increases.

Do not use if sensitive to chlorine compounds.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Pour on or apply to affected area. For wound management, use as an irrigant, cleanser or the wetting agent for a wet-to-moist dressing. Apply once daily for lightly to moderately exudative wounds. Apply twice daily for heavily exudative or highly contaminated wounds. Protect surrounding intact skin with a moisture barrier ointment or skin sealant as needed.

Other Information

- Store at room temperature (20-25° C / 68-77° F).
- May bleach clothing.
- Keep container closed when not using.

Inactive Ingredients

Purified Water, Sodium Bicarbonate, Sodium Hydroxide.

Questions or Comments?

(317) 849-4210 or 1-866-343-2576, Mon-Fri, 9 AM to 4 PM EST Century Pharmaceuticals, Inc. - Indianapolis, IN 46256



www.dakins.net

DAKINS FULL

sodium hypochlorite solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0436-0946
--------------	----------------	--------------------	---------------

Route of Administration TOPICAL

Active Ingredient/Active Moiety

I	ngredient Name	Basis of Strength	Strength
SODIUM HYPOCHLORITE (UNII: D	Y38 VHM5OD) (HYPOCHLORITE ION -	SODIUM	5 mg
UNII:T5UM7HB19N)		HYPOCHLORITE	in 1 mL

Inactive Ingredients		
Ingredient Name	Strength	
SO DIUM HYDRO XIDE (UNII: 55X0 4QC32I)		
SODIUM BICARBONATE (UNII: 8 MDF5 V39 QO)		
WATER (UNII: 059QF0KO0R)		

	Pa	ckaging			
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1 N	IDC:0436-0946-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/24/2006	
ı					

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/08/1983	

Labeler - Century Pharmaceuticals, Inc. (042815464)

Establishment				
Name	Address	ID/FEI	Business Operations	
Century Pharmaceuticals, Inc.		042815464	analysis(0436-0946), label(0436-0946), manufacture(0436-0946), pack(0436-0946)	

Revised: 2/2019 Century Pharmaceuticals, Inc.