GOODSENSE ANTIBIOTIC PLUS PAIN RELIEF- neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride cream

Geiss, Destin & Dunn, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

GoodSense® Antibiotic Cream + Pain Relief

Drug Facts

Active ingredients (in each gram)	Purpose
Neomycin sulfate 3.5 mg	First aid antibiotic
Polymyxin B sulfate 10,000 units	First aid antibiotic
Pramoxine hydrochloride 10 mg	External analgesic

Uses

First aid to help prevent infection and temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

Warnings

For external use only.

Not for prolonged use.

Do Not Use

- in the eyes, nose, or over large areas of the body
- if you are allergic to any of the ingredients
- longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition persists for more than 7 days, gets worse, or clears up and occurs again within a few days
- a rash or other allergic reaction develops
- redness, irritation, swelling, or pain persists or increases

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away: 800-222-1222.

Directions

Adults and children 2 years of age and older:

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- the affected area may be covered with a sterile bandage

Children under 2 years of age: ask a doctor

Other information

- store at 15 to 30°C (59 to 86°F)
- contents filled by weight, not volume
- Tamper Evident: DO NOT USE IF FLAPS ON CARTON ARE NOT SEALED OR MISSING

Inactive ingredients

cetearyl alcohol, methylparaben, mineral oil, petrolatum, polysorbate 60, propylene glycol, purified water

Questions or comments?

866-323-0107

Distributed by Geiss, Destin & Dunn, Inc Peachtree City, GA 30269

PRINCIPAL DISPLAY PANEL - 14.2 g Tube Carton

 $GOODSENSE_{\mathbb{R}}$ NDC 50804-076-01

Maximum Strength

Antibiotic Cream + Pain Relief Neomycin Sulfate • Polymyxin B Sulfate • Pramoxine HCl First Aid Antibiotic Pain Relieving Cream

Compare to active ingredients in Neosporin® + Pain Relief*

100% SATISFACTION GUARANTEED

NET WT 0.5 oz (14.2 g)

GOODSENSE.

Maximum Strength

Antibiotic Cream + Pain Relief

Neomycin Sulfate

Polymyxin B Sulfate • Pramoxine HCl

First Aid Antibiotic Pain Relieving Cream

Antibiotic Cream + Pain Relief

Neomycin Sulfate • Polymyxin B Sulfate • Pramoxine HCl

First Aid Antibiotic Pain Relieving Cream

Helps Prevent Infection in Minor Cuts, Scrapes and Burns Plus Maximum Strength Pain Relief.

GOODSENSE.

Maximum Strength

NDC 50804-076-01

Antibiotic Cream + Pain Relief

Neomycin Sulfate • Polymyxin B Sulfate • Pramoxine HCI First Aid Antibiotic Pain Relieving Cream

NET WT 0.5 oz (14.2 g)

Compare to active ingred Neosporin® + Pain Relief *



Antibiotic Cream

+ Pain Relief

*This product is not manufactured by or distributed by Johnson & Johnson Corporation, owner of the registered trademark Neosporin®+ Pain Relief.



Distributed by Gelss, Destin & Dunn, Inc Peachtree City, GA 30269 www.valuelabels.com

MADE IN ARU SHT

Questions or comments? 866-323-0107

polysorbate 60, propylene glycol, purified water **Inactive ingredients** cetearyl alcohol, methylparaben, mineral oll, petrolatum,

> CARTON ARE NOT SEALED OR MISSING contents filled by weight, not volume
> Tamper Evident: DO NOT USE IF FLAPS ON atole at 15 to 30°C (59 to 86°F) Other information

Children under 2 years of age: ask a doctor

- the affected area may be covered with a sterile edual to the surface area of the tip of a finger) on the area 1 to 3 times daily
- apply a small amount of this product (an amount dean the affected area Adults and children 2 years of age and older.

medical help or contact a Polson Control Center right away: 800-222-1222. Keep out of reach of children. If swallowed, get

It bregnant or breast-feeding, ask a health professional before use.

nund Lacts (confined)

suund snoues =

Stop use and ask a doctor #

- deep or puncture wounds
 animal bites Ask a doctor before use if you have
- In the eyes, nose, or over large areas of the body
 In you are allergic to any of the ingredients
 In you are allergic to any of the ingredients

 redness, irritation, swelling, or pain persists or condition persists for more than 7 days, gets worse, or clears up and occurs again within a few days
 a rash or other allergic reaction develops
 respect to receive the residual or the resets or the resets of the r

Do Not Use

Not for prolonged use.


Warnings For external use only.

e cuts e scrapes e bums

First aid to help prevent infection and temporary relief

Neomycin sulfate 3.5 mg....atimu 000,01 sulfate Polymycin B sulfate 10,000 mg... Pramoxine hydrochloride 10 mg... First aid antibiotic Active ingredients (in each gram) Aurpose

STORY BUTU





GOODSENSE ANTIBIOTIC PLUS PAIN RELIEF

neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride cream

Pro	duct	Information	
PIU	CILICI	THIOTHALION	

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50804-076
--------------	----------------	--------------------	---------------

Route of Administration TOPICAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Neomycin Sulfate (UNII: 057Y626693) (Neomycin - UNII:116QD7X297)	Neomycin	3.5 mg in 1 g	
Polymyxin B Sulfate (UNII: 19371312D4) (Polymyxin B - UNII:J2VZ07J96K)	Polymyxin B	10000 [iU] in 1 g	
Pramoxine Hydrochloride (UNII: 88AYB867L5) (Pramoxine - UNII:068X84E056)	Pramoxine Hydrochloride	10 mg in 1 g	

Inactive Ingredients			
Ingredient Name	Strength		
methylparaben (UNII: A2I8C7HI9T)			
mineral oil (UNII: T5L8T28FGP)			
propylene glycol (UNII: 6DC9Q167V3)			
water (UNII: 059QF0KO0R)			
petrolatum (UNII: 4T6H12BN9U)			

	Packaging			
ı	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	1 NDC:50804-076-01	1 in 1 CARTON	03/21/2012	
ľ	1	14.2 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333B	03/21/2012	

Labeler - Geiss, Destin & Dunn, Inc. (076059836)

Registrant - Taro Pharmaceuticals U.S. A., Inc. (145186370)

Establishment

Name	Address	ID/FEI	Business Operations
Natureplex LLC		062808196	MANUFACTURE(50804-076)

Revised: 1/2020 Geiss, Destin & Dunn, Inc.