

TKTALKER NUMBING- numbing cream
Shenzhen Shandian Jingling Technology Co., Ltd.

83804-113

Active Ingredient

Lidocaine 4%

Purpose

Topical Anesthetic

Use

For the temporary relief of pain, burning and soreness.

Warnings

Warnings (For external use only)

- Do not bandage tightly; do not use with heating pad; do not apply to large areas or on broken/irritated skin.
- Do not this product if pregnant or breastfeeding, ask a health professional before use.
- Do not use on large areas, on puncture wounds, on damaged skin, or with heating pad,avoid contact with eyes.
- Stop use and ask a doctor if symptoms persist >7 days, worsen, or clear up and occur again within a few days.

Do not use

- Do not bandage tightly; do not use with heating pad; do not apply to large areas or on broken/irritated skin.
- Do not this product if pregnant or breastfeeding, ask a health professional before use.
- Do not use on large areas, on puncture wounds, on damaged skin, or with heating pad,avoid contact with eyes.

When Using

When using this product

- Do not exceed the recommended daily dosage unless directed by a doctor.
- Children under 12 years of age; consult a doctor.

Stop Use

If Condition worsens, or does not improve within 7 days. Certain persons can develop allergic reactions to ingredients in this product. If the symptom being treated does not

subside or if redness, irritation, swelling, pain, or other symptoms develop or increase, discontinue use.

● Stop use and ask a doctor if symptoms persist >7 days, worsen, or clear up and occur again within a few days.

Ask Doctor

● Stop use and ask a doctor if symptoms persist >7 days, worsen, or clear up and occur again within a few days.

Keep Out Of Reach Of Children

In case of accidental ingestion, seek medical attention immediately.

Directions

● Adults and Children 12 years and older: When practical, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or a soft cloth, before application of this product. Apply externally to the affected area up to 3-4 times daily.

Other information

● Keep away from direct sunlight or heat.

● Store in room temperature (59-86°F/15-30°C).

■ This package is child-resistant. Keep out of reach of children.

■ In case of accidental overdose or ingestion, call a doctor or poison control center immediately.

CORRECT USE STEPS BEFORE :

1. Clean hands and treatment area with mild soap and warm water (to open pores to help absorb numbing cream), then gently dry.
2. Apply a thick layer of about 2mm to the treated area.(Make sure the area and surroundings are white cream)
3. Wipe away residue, wait another 20-30 minutes for the numbness to peak. And begin procedure.

Notice:


Due to the difference of temperature and skin type, the duration of numbness effect will be different. Recommended to test in a small area first to ensure the best numbness effect.

Inactive ingredients

Aloe barbadensis leaf juice (Aloe vera), Water, Lecithin (Soybean), Propylene Glycol, Tocopheryl Acetate, Carbomer, Triethanolamine.

Questions

PRINCIPAL DISPLAY PANEL



TKTALKER NUMBING numbing cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83804-113
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALOE VERA WHOLE (UNII: KIZ4X2EHYX)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
CARBOMER (UNII: 0A5MM307FC)	
WATER (UNII: 059QF0KO0R)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TRIETHANOLAMINE (UNII: 9O3K93S3TK)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83804-113-01	50 g in 1 BOTTLE; Type 0: Not a Combination Product	08/29/2025	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	08/29/2025	

Labeler
- Shenzhen Shandian Jingling Technology Co., Ltd. (418636058)

Establishment			
Name	Address	ID/FEI	Business Operations
Shenzhen Shandian Jingling Technology Co., Ltd.		418636058	manufacture(83804-113)