


**WANDER BEAUTY PACK UP AND GLOW PRIMING- titanium dioxide, zinc
oxide lotion
Wander Beauty**

Wander Beauty Pack Up and Glow Priming

Wander Beauty Pack Up and Glow Priming



Wander Beauty Pack Up and Glow Priming



Wander Beauty Pack Up and Glow Priming

Drug Facts

Active Ingredients **Purpose**
Titanium Dioxide: 2% Sunscreen
Zinc Oxide: 1% Sunscreen

Uses
• Helps prevent sunburn. • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
• For external use only. • Do not use on damaged or broken skin. • When using this product, avoid contact with eyes. If contact occurs, rinse eyes thoroughly with water. • If irritation develops, stop use and contact a doctor. • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions
• Apply generous amount 15 minutes before sun exposure.
• **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
• Limit your time in the sun, especially from 10 a.m.–2 p.m.
• Wear long-sleeved shirts, pants, hats, and sunglasses. • Reapply at least every 2 hours. • Use a water resistant sunscreen if swimming or sweating at least every 2 hours.
• Children under 6 months of age: ask a doctor.

Continued on side panel ►

WANDER

BEAUTY



8894470000070000
WANDER BEAUTY INC.
201 10/10/18
New York, NY 10018
Made in USA
wanderbeauty.com Wander Beauty

PACK UP & GLOW
PRIMING SPF
BROAD SPECTRUM SPF 40
MINERAL SUNSCREEN


POIDS NET/NET WT
20 g/1.41 Oz

Drug Facts (continued)

Inactive Ingredients
Water/Aqua/Eau, Butyloctyl Salicylate, Octyldodecyl Neopentanoate, Ethylhexyl Isononanoate, Glycerin, Polyester-7, Polymethylsiloxesquioxane, Neopentyl Glycol Diheptanoate, Cetyl Alcohol, Glyceryl Stearate, Squalane, Cholecalciferol (Vitamin D3), PEG-75 Stearate, Phenoxylethanol, Hydrolyzed Sodium Hyaluronate, Pyrus Malus (Apple) Fruit Extract, Bisabolol, C12-15 Alkyl Benzoate, Dimethiconol/Caprylylsiloxesquioxane/Silicate Crosspolymer, Caprylyl Glycol, Allantoin, Titanium Dioxide (CI 77891), Iron Oxides (CI 77492), Triceteareth-4 Phosphate, Lysolecithin, Sclerotium Gum, Ceteth-20, Steareth-20, Synthetic Fluorophlogopite, Iron Oxides (CI 77491), Sodium Hyaluronate, Trilaureth-4 Phosphate, Ethylhexylglycerin, Hexylene Glycol, Disodium EDTA, Dimethiconol/Propylsiloxesquioxane/Silicate Crosspolymer, Xanthan Gum, Pullulan, Mica, Avena Sativa (Oat) Kernel Extract, Silica, Sodium Starch Octenylsuccinate, Maltodextrin, Sodium Citrate, Tin Oxide, Potassium Sorbate, Camellia Sinensis Leaf Extract, Lecithin, Zea Mays (Corn) Oil, Sucrose, Dicrateria Rotunda Oil, Ruttnera Lamellosa Oil, Sodium Ascorbate, Tocopherol

Other Information
Protect the product in this container from excessive heat and direct sun.

10433-001



10045 75163 4

Wander Beauty Pack Up and Glow Priming

Drug Facts

| Active Ingredients | Purpose |
|----------------------|-----------|
| Titanium Dioxide: 2% | Sunscreen |
| Zinc Oxide: 1% | Sunscreen |

Uses

• Helps prevent sunburn. • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

• For external use only. • Do not use on damaged or broken skin. • When using this product, avoid contact with eyes. If contact occurs, rinse eyes thoroughly with water. • If irritation develops, stop use and contact a doctor. • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• Apply generous amount 15 minutes before sun exposure. • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit your time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses. • Reapply at least every 2 hours. • Use a water resistant sunscreen if swimming or sweating at least every 2 hours. • Children under 6 months of age: ask a doctor.

Continued on side panel ➤

WANDER
BEAUTY



DERMATOLOGIST TESTED
WANDER BEAUTY
Star by The Wander Beauty Inc.
New York, NY 10008
Made in USA
www.wanderbeauty.com | @wander_beauty



PACK UP & GLOW
PRIMING SPF
BROAD SPECTRUM SPF 40
MINERAL SUNSCREEN

PODS: NET/NET WT
30 mL / 1.0 FL OZ

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, Butyl Octyl Salicylate, Octyldodecyl Neopentanoate, Ethylhexyl Isononanoate, Glycerin, Polyester-7, Polymethylsilsesquioxane, Neopentyl Glycol Diheptanoate, Cetyl Alcohol, Glyceryl Stearate, Squalane, Cholecalciferol (Vitamin D3), PEG-75 Stearate, Phenoxylethanol, Hydrolyzed Sodium Hyaluronate, Pyrus Malus (Apple) Fruit Extract, Bisabolol, C12-15 Alkyl Benzoate, Dimethiconol/ Caprylylsilsesquioxane/Silicate Crosspolymer, Caprylyl Glycol, Allantoin, Titanium Dioxide (CI 77891), Iron Oxides (CI 77492), Triceteareth-4 Phosphate, Lysolcithin, Sclerotium Gum, Ceteth-20, Steareth-20, Synthetic Fluorophlogopite, Iron Oxides (CI 77491), Sodium Hyaluronate, Trilaureth-4 Phosphate, Ethylhexylglycerin, Hexylene Glycol, Disodium EDTA, Dimethiconol/ Propylsilsesquioxane/Silicate Crosspolymer, Xanthan Gum, Pullulan, Mica, Avena Sativa (Oat) Kernel Extract, Silica, Sodium Starch Octenylsuccinate, Maltodextrin, Sodium Citrate, Tin Oxide, Potassium Sorbate, Camellia Sinensis Leaf Extract, Lecithin, Zea Mays (Corn) Oil, Sucrose, Dicrateia Rotunda Oil, Ruttnera Lamellosa Oil, Sodium Ascorbate, Tocopherol

Other Information

Protect the product in this container from excessive heat and direct sun.



Wander Beauty Pack Up and Glow Priming

Drug Facts
Active Ingredients Purpose
Titanium Dioxide: 2% Sunscreen
Zinc Oxide: 1% Sunscreen
Uses
• Helps prevent sunburn. • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.
Warnings
• For external use only. • Do not use on damaged or broken skin. • When using this product, avoid contact with eyes. If contact occurs, rinse eyes thoroughly with water. • If irritation develops, stop use and contact a doctor. • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.
Directions
• Apply generous amount 15 minutes before sun exposure.
• **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
• Limit your time in the sun, especially from 10 a.m.–2 p.m.
• Wear long-sleeved shirts, pants, hats, and sunglasses. • Reapply at least every 2 hours. • Use a water resistant sunscreen if swimming or sweating at least every 2 hours.
• Children under 6 months of age: ask a doctor.
Continued on side panel ▶

10433-001



10043 75163 4

WANDER
BEAUTY

GORGEOUS ON THE GO
AIR MAIL • PARFUMS
Official Delivery
WANDER BEAUTY

SEWING/QUILT TESTED
WANDER BEAUTY
Dist. by The Wander Beauty Co.
New York, NY 10008
Made in USA
wanderbeauty.com | @wander_beauty



PACK UP & GLOW
PRIMING SPF
BROAD SPECTRUM SPF 40
MINERAL SUNSCREEN

PONDS NET/NET WT
3.0 FL. OZ./85 g

Drug Facts (continued)
Inactive Ingredients
Water/Aqua/Eau, Butyloctyl Salicylate, Octyldodecyl Neopentanoate, Ethylhexyl Isononanoate, Glycerin, Polyester-7, Polymethylsilsesquioxane, Neopentyl Glycol Diheptanoate, Cetyl Alcohol, Glyceryl Stearate, Squalane, Cholecalciferol (Vitamin D3), PEG-75 Stearate, Phenoxylethanol, Hydrolyzed Sodium Hyaluronate, Pyrus Malus (Apple) Fruit Extract, Bisabolol, C12-15 Alkyl Benzoate, Dimethiconol/ Caprylsilsesquioxane/Silicate Crosspolymer, Caprylyl Glycol, Allantoin, Titanium Dioxide (CI 77891), Iron Oxides (CI 77492), Triceteareth-4 Phosphate, Lysolcithin, Sclerotium Gum, Ceteth-20, Steareth-20, Synthetic Fluorophlogopite, Iron Oxides (CI 77491), Sodium Hyaluronate, Trilaureth-4 Phosphate, Ethylhexylglycerin, Hexylene Glycol, Disodium EDTA, Dimethiconol/ Propylsilsesquioxane/Silicate Crosspolymer, Xanthan Gum, Pullulan, Mica, Avena Sativa (Oat) Kernel Extract, Silica, Sodium Starch Octenylsuccinate, Maltodextrin, Sodium Citrate, Tin Oxide, Potassium Sorbate, Camellia Sinensis Leaf Extract, Lecithin, Zea Mays (Corn) Oil, Sucrose, Dicrateria Rotunda Oil, Ruttneria Lamellosa Oil, Sodium Ascorbate, Tocopherol
Other Information
Protect the product in this container from excessive heat and direct sun.

Wander Beauty Pack Up and Glow Priming

Drug Facts

| Active Ingredients | Purpose |
|----------------------|-----------|
| Titanium Dioxide: 2% | Sunscreen |
| Zinc Oxide: 1% | Sunscreen |

Uses

- Helps prevent sunburn. • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- For external use only. • Do not use on damaged or broken skin. • When using this product, avoid contact with eyes. If contact occurs, rinse eyes thoroughly with water. • If irritation develops, stop use and contact a doctor. • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply generous amount 15 minutes before sun exposure.
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit your time in the sun, especially from 10 a.m.–2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses. • Reapply at least every 2 hours. • Use a water resistant sunscreen if swimming or sweating at least every 2 hours.
 - Children under 6 months of age: ask a doctor.

Continued on side panel >

WANDER

BEAUTY



PACK UP & GLOW
PRIMING SPF
BROAD SPECTRUM SPF 40
MINERAL SUNSCREEN

POIDS NET/NET WT
20 mL/1.4 FL OZ

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, Butyloctyl Salicylate, Octyldodecyl Neopentanoate, Ethylhexyl Isononanoate, Glycerin, Polyester-7, Polymethylsilsesquioxane, Neopentyl Glycol Diheptanoate, Cetyl Alcohol, Glyceryl Stearate, Squalane, Cholecalciferol (Vitamin D3), PEG-75 Stearate, Phenoxylethanol, Hydrolyzed Sodium Hyaluronate, Pyrus Malus (Apple) Fruit Extract, Bisabolol, C12-15 Alkyl Benzoate, Dimethiconol/ Caprylsilsesquioxane/Silicate Crosspolymer, Caprylyl Glycol, Allantoin, Titanium Dioxide (CI 77891), Iron Oxides (CI 77492), Triceteareth-4 Phosphate, Lysolecithin, Sclerotium Gum, Ceteth-20, Steareth-20, Synthetic Fluorophlogopite, Iron Oxides (CI 77491), Sodium Hyaluronate, Trilaureth-4 Phosphate, Ethylhexylglycerin, Hexylene Glycol, Disodium EDTA, Dimethiconol/ Propylsilsesquioxane/Silicate Crosspolymer, Xanthan Gum, Pullulan, Mica, Avena Sativa (Oat) Kernel Extract, Silica, Sodium Starch Octenylsuccinate, Maltodextrin, Sodium Citrate, Tin Oxide, Potassium Sorbate, Camellia Sinensis Leaf Extract, Lecithin, Zea Mays (Corn) Oil, Sucrose, Dicrateira Rotunda Oil, Ruttnera Lamellosa Oil, Sodium Ascorbate, Tocopherol

Other Information

Protect the product in this container from excessive heat and direct sun.

10433-001



8 10045 75163 4

Wander Beauty Pack Up and Glow Priming

Drug Facts

| Active Ingredients | Purpose |
|----------------------|-----------|
| Titanium Dioxide: 2% | Sunscreen |
| Zinc Oxide: 1% | Sunscreen |

Uses

- Helps prevent sunburn. • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- For external use only. • Do not use on damaged or broken skin. • When using this product, avoid contact with eyes. If contact occurs, rinse eyes thoroughly with water. • If irritation develops, stop use and contact a doctor. • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions


- Apply generous amount 15 minutes before sun exposure.
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit your time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses. • Reapply at least every 2 hours. • Use a water resistant sunscreen if swimming or sweating at least every 2 hours.
 - Children under 6 months of age: ask a doctor.

Continued on side panel ►

WANDER
BEAUTY



SEWING/QUILT TISSUES
WANDER BEAUTY INC.
One Up/The Wander Beauty Inc.
New York, NY 10008
Made in USA
wanderbeauty.com Pawnder_Beauty

PACK UP & GLOW
PRIMING SPF
BROAD SPECTRUM SPF 40
MINERAL SUNSCREEN

POUNDS 145Z/NET WT
30 mL/1.68 Oz

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, Butyloctyl Salicylate, Octyldodecyl Neopentanoate, Ethylhexyl Isononanoate, Glycerin, Polyester-7, Polymethylsilsesquioxane, Neopentyl Glycol Diheptanoate, Cetyl Alcohol, Glyceryl Stearate, Squalane, Cholecalciferol (Vitamin D3), PEG-75 Stearate, Phenoxyethanol, Hydrolyzed Sodium Hyaluronate, Pyrus Malus (Apple) Fruit Extract, Bisabolol, C12-15 Alkyl Benzoate, Dimethiconol/ Caprylsilsesquioxane/Silicate Crosspolymer, Caprylyl Glycol, Allantoin, Titanium Dioxide (CI 77891), Iron Oxides (CI 77492), Triceteareth-4 Phosphate, Lysolcithin, Sclerotium Gum, Ceteth-20, Steareth-20, Synthetic Fluorophlogopite, Iron Oxides (CI 77491), Sodium Hyaluronate, Trilaureth-4 Phosphate, Ethylhexylglycerin, Hexylene Glycol, Disodium EDTA, Dimethiconol/ Propylsilsesquioxane/Silicate Crosspolymer, Xanthan Gum, Pullulan, Mica, Avena Sativa (Oat) Kernel Extract, Silica, Sodium Starch Octenylsuccinate, Maltodextrin, Sodium Citrate, Tin Oxide, Potassium Sorbate, Camellia Sinensis Leaf Extract, Lecithin, Zea Mays (Corn) Oil, Sucrose, Dicrateria Rotunda Oil, Ruttnera Lamellosa Oil, Sodium Ascorbate, Tocopherol

Other Information

Protect the product in this container from excessive heat and direct sun.

10433-001



10043 75163 4

Wander Beauty Pack Up and Glow Priming

Drug Facts

Active Ingredients Purpose
Titanium Dioxide: 2% Sunscreen
Zinc Oxide: 1% Sunscreen

Uses
• Helps prevent sunburn. • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
• For external use only. • Do not use on damaged or broken skin. • When using this product, avoid contact with eyes. If contact occurs, rinse eyes thoroughly with water. • If irritation develops, stop use and contact a doctor. • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions
• Apply generous amount 15 minutes before sun exposure.
• **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
• Limit your time in the sun, especially from 10 a.m.–2 p.m.
• Wear long-sleeved shirts, pants, hats, and sunglasses. • Reapply at least every 2 hours. • Use a water resistant sunscreen if swimming or sweating at least every 2 hours.
• Children under 6 months of age: ask a doctor.

Continued on side panel >

WANDER

BEAUTY



PACK UP & GLOW
PRIMING SPF
BROAD SPECTRUM SPF 40
MINERAL SUNSCREEN

DERMATOLOGIST TESTED
WANDER BEAUTY®
One Six Two Wander Beauty Inc.
New York, NY 10018
Made in USA
wanderbeauty.com | wander_beauty



POIDS NET/NET WT
33.4g/1.18 OZ

Drug Facts (continued)

Inactive Ingredients
Water/Aqua/Eau, Butyloctyl Salicylate, Octyldodecyl Neopentanoate, Ethylhexyl Isononanoate, Glycerin, Polyester-7, Polymethylsilsesquioxane, Neopentyl Glycol Diheptanoate, Cetyl Alcohol, Glyceryl Stearate, Squalane, Cholecalciferol (Vitamin D3), PEG-75 Stearate, Phenoxethanol, Hydrolyzed Sodium Hyaluronate, Pyrus Malus (Apple) Fruit Extract, Bisabolol, C12-15 Alkyl Benzoate, Dimethiconol/ Caprylylsilsesquioxane/Silicate Crosspolymer, Caprylyl Glycol, Allantoin, Titanium Dioxide (CI 77891), Iron Oxides (CI 77492), Triceteareth-4 Phosphate, Lysolecithin, Sclerolium Gum, Ceteth-20, Steareth-20, Synthetic Fluorphlogopite, Iron Oxides (CI 77491), Sodium Hyaluronate, Tri-laureth-4 Phosphate, Ethylhexylglycerin, Hexylene Glycol, Disodium EDTA, Dimethiconol/ Propylsilsesquioxane/Silicate Crosspolymer, Xanthan Gum, Pullulan, Mica, Avena Sativa (Oat) Kernel Extract, Silica, Sodium Starch Octenylsuccinate, Maltodextrin, Sodium Citrate, Tin Oxide, Potassium Sorbate, Camellia Sinensis Leaf Extract, Lecithin, Zea Mays (Corn) Oil, Sucrose, Dicrateria Rotunda Oil, Ruttneria Lamellosa Oil, Sodium Ascorbate, Tocopherol

Other Information
Protect the product in this container from excessive heat and direct sun.



WANDER BEAUTY PACK UP AND GLOW PRIMING

titanium dioxide, zinc oxide lotion

| Product Information | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:82510-296 |
| Route of Administration | TOPICAL | | |

| Active Ingredient/Active Moiety | | |
|--|--|----------------------------------|
| Ingredient Name | | Strength |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | | TITANIUM DIOXIDE 19.4 mg in 1 mL |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | | ZINC OXIDE 9.7 mg in 1 mL |

| Inactive Ingredients | |
|---|----------|
| Ingredient Name | Strength |
| TOCOPHEROL (UNII: R0ZB2556P8) | |
| OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| POLYESTER-7 (UNII: 0841698D2F) | |
| TRICETEARETH-4 PHOSPHATE (UNII: 69534Y66NO) | |
| ETHYLHEXYL ISONONANOATE (UNII: I6KB4GE3K4) | |
| HEXYLENE GLYCOL (UNII: KEH0A3F75J) | |
| LECITHIN, SOYBEAN (UNII: 1DI56QDM62) | |
| ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ) | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | |
| CETYL ALCOHOL (UNII: 936JST6JCN) | |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| WATER (UNII: 059QF0KO0R) | |
| XANTHAN GUM (UNII: TTV12P4NEE) | |
| ALLANTOIN (UNII: 344S277G0Z) | |
| AVENA SATIVA FLOWERING TOP (UNII: MA9CQJ3F7F) | |
| DIMETHICONOL/PROPYLSILSESQUIOXANE/SILICATE CROSSPOLYMER (450000000 MW) (UNII: 9KB5R958PB) | |
| .ALPHA.-BISABOLOL, (+)- (UNII: 105S6I733Z) | |
| TRILAURETH-4 PHOSPHATE (UNII: M96W2OLL2V) | |
| BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3) | |
| CETETH-20 (UNII: I835H2IHHX) | |
| PEG-75 STEARATE (UNII: OT38R0N74H) | |
| PULLULAN (UNII: 8ZQ0AYU1TT) | |
| SODIUM CITRATE (UNII: 1Q73Q2JULR) | |
| SQUALANE (UNII: GW89575KF9) | |
| STEARETH-20 (UNII: L0Q8IK9E08) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |

MICA (UNII: V8A1AW0880)

SODIUM ASCORBATE (UNII: S033EH8359)

Product Characteristics

| | | | |
|-----------------|-------|---------------------|--|
| Color | brown | Score | |
| Shape | | Size | |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:82510-296-02 | 1 in 1 CARTON | 03/16/2022 | |
| 1 | NDC:82510-296-01 | 50 mL in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 03/16/2022 | |

Labeler - Wander Beauty (044376185)

Revised: 8/2025

Wander Beauty