

WANDER BEAUTY PACK UP AND GLOW PRIMING- titanium dioxide, zinc oxide lotion

Wander Beauty

Wander Beauty Pack Up and Glow Priming

Wander Beauty Pack Up and Glow Priming

Drug Facts

Active Ingredients Purpose
Titanium Dioxide: 2% Sunscreen
Zinc Oxide: 1% Sunscreen

Uses
• Helps prevent sunburn. • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
• For external use only. • Do not use on damaged or broken skin. • When using this product, avoid contact with eyes. If contact occurs, rinse eyes thoroughly with water. • If irritation develops, stop use and contact a doctor. • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions
• Apply generous amount 15 minutes before sun exposure.
• **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
• Limit your time in the sun, especially from 10 a.m. – 2 p.m.
• Wear long-sleeved shirts, pants, hats, and sunglasses. • Reapply at least every 2 hours. • Use a water resistant sunscreen if swimming or sweating at least every 2 hours.
• Children under 6 months of age: ask a doctor.
Continued on side panel >

WANDER
BEAUTY



PACK UP & GLOW
PRIMING SPF
BROAD SPECTRUM SPF 40
MINERAL SUNSCREEN

POZS 142/142 WT
30 mL / 1.4 FL OZ

Drug Facts (continued)

Inactive Ingredients
Water/Aqua/Eau, Butyloctyl Salicylate, Octyldodecyl Neopentanoate, Ethylhexyl Isononanoate, Glycerin, Polyester-7, Polymethylsilsesquioxane, Neopentyl Glycol Diheptanoate, Cetyl Alcohol, Glyceryl Stearate, Squalane, Cholecalciferol (Vitamin D3), PEG-75 Stearate, Phenoxethanol, Hydrolyzed Sodium Hyaluronate, Pyrus Malus (Apple) Fruit Extract, Bisabolol, C12-15 Alkyl Benzoate, Dimethiconol/ Caprylylsilsesquioxane/Silicate Crosspolymer, Caprylyl Glycol, Allantoin, Titanium Dioxide (CI 77891), Iron Oxides (CI 77492), Triceteareth-4 Phosphate, Lysolecithin, Sclerotium Gum, Ceteth-20, Steareth-20, Synthetic Fluorophlogopite, Iron Oxides (CI 77491), Sodium Hyaluronate, Trilaureth-4 Phosphate, Ethylhexylglycerin, Hexylene Glycol, Disodium EDTA, Dimethiconol/ Propylsilsesquioxane/Silicate Crosspolymer, Xanthan Gum, Pullulan, Mica, Avena Sativa (Oat) Kernel Extract, Silica, Sodium Starch Octenylsuccinate, Maltodextrin, Sodium Citrate, Tin Oxide, Potassium Sorbate, Camellia Sinensis Leaf Extract, Lecithin, Zea Mays (Corn) Oil, Sucrose, Dicrateria Rotunda Oil, Ruttnera Lamellosa Oil, Sodium Ascorbate, Tocopherol

Other Information
Protect the product in this container from excessive heat and direct sun.

10439-001



10045 75163 4

Wander Beauty Pack Up and Glow Priming



Drug Facts

Active Ingredients	Purpose
Titanium Dioxide: 2%	Sunscreen
Zinc Oxide: 1%	Sunscreen

Uses

• Helps prevent sunburn. • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

• For external use only. • Do not use on damaged or broken skin. • When using this product, avoid contact with eyes. If contact occurs, rinse eyes thoroughly with water. • If irritation develops, stop use and contact a doctor. • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• Apply generous amount 15 minutes before sun exposure.
Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 • Limit your time in the sun, especially from 10 a.m.–2 p.m.
 • Wear long-sleeved shirts, pants, hats, and sunglasses. • Reapply at least every 2 hours. • Use a water resistant sunscreen if swimming or sweating at least every 2 hours.
 • Children under 6 months of age: ask a doctor.

Continued on side panel >

WANDER
BEAUTY



8884100007 0003
 WANDER BEAUTY®
 500 1st St. | Wander Beauty, Inc.
 New York, NY 10018
 Made in USA
 wanderbeauty.com | @wander_beauty

PACK UP & GLOW
 PRIMING SPF
 BROAD SPECTRUM SPF 40
 MINERAL SUNSCREEN

POZD 142/142 WT
 3.0 FL OZ / 84.9 mL

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, Butyloctyl Salicylate, Octyldodecyl Neopentanoate, Ethylhexyl Isononanoate, Glycerin, Polyester-7, Polymethylsilsesquioxane, Neopentyl Glycol Diheptanoate, Cetyl Alcohol, Glyceryl Stearate, Squalane, Cholecalciferol (Vitamin D3), PEG-75 Stearate, Phenoxethanol, Hydrolyzed Sodium Hyaluronate, Pyrus Malus (Apple) Fruit Extract, Bisabolol, C12-15 Alkyl Benzoate, Dimethiconol/ Caprylylsilsesquioxane/Silicate Crosspolymer, Caprylyl Glycol, Allantoin, Titanium Dioxide (CI 77891), Iron Oxides (CI 77492), Triceteareth-4 Phosphate, Lysolecithin, Sclerotium Gum, Ceteth-20, Steareth-20, Synthetic Fluorphlogopite, Iron Oxides (CI 77491), Sodium Hyaluronate, Trilaureth-4 Phosphate, Ethylhexylglycerin, Hexylene Glycol, Disodium EDTA, Dimethiconol/ Propylsilsesquioxane/Silicate Crosspolymer, Xanthan Gum, Pullulan, Mica, Avena Sativa (Oat) Kernel Extract, Silica, Sodium Starch Octenylsuccinate, Maltodextrin, Sodium Citrate, Tin Oxide, Potassium Sorbate, Camellia Sinensis Leaf Extract, Lecithin, Zea Mays (Corn) Oil, Sucrose, Dicrate ria Rotunda Oil, Ruttnera Lamellosa Oil, Sodium Ascorbate, Tocopherol

Other Information

Protect the product in this container from excessive heat and direct sun.



Wander Beauty Pack Up and Glow Priming



Drug Facts

Active Ingredients	Purpose
Titanium Dioxide: 2%	Sunscreen
Zinc Oxide: 1%	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- For external use only.
- Do not use on damaged or broken skin.
- When using this product, avoid contact with eyes. If contact occurs, rinse eyes thoroughly with water.
- If irritation develops, stop use and contact a doctor.
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply generous amount 15 minutes before sun exposure.
- Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit your time in the sun, especially from 10 a.m. – 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses.
 - Reapply at least every 2 hours.
 - Use a water resistant sunscreen if swimming or sweating at least every 2 hours.
 - Children under 6 months of age: ask a doctor.

Continued on side panel >

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, Butyloctyl Salicylate, Octyldodecyl Neopentanoate, Ethylhexyl Isononanoate, Glycerin, Polyester-7, Polymethylsilsesquioxane, Neopentyl Glycol Diheptanoate, Cetyl Alcohol, Glyceryl Stearate, Squalane, Cholecalciferol (Vitamin D3), PEG-75 Stearate, Phenoxyethanol, Hydrolyzed Sodium Hyaluronate, Pyrus Malus (Apple) Fruit Extract, Bisabolol, C12-15 Alkyl Benzoate, Dimethiconol/ Caprylylsilsesquioxane/Silicate Crosspolymer, Caprylyl Glycol, Allantoin, Titanium Dioxide (CI 77891), Iron Oxides (CI 77492), Triceteareth-4 Phosphate, Lysolecithin, Sclerotium Gum, Ceteth-20, Steareth-20, Synthetic Fluorphlogopite, Iron Oxides (CI 77491), Sodium Hyaluronate, Trilaureth-4 Phosphate, Ethylhexylglycerin, Hexylene Glycol, Disodium EDTA, Dimethiconol/ Propylsilsesquioxane/Silicate Crosspolymer, Xanthan Gum, Pullulan, Mica, Avena Sativa (Oat) Kernel Extract, Silica, Sodium Starch Octenylsuccinate, Maltodextrin, Sodium Citrate, Tin Oxide, Potassium Sorbate, Camellia Sinensis Leaf Extract, Lecithin, Zea Mays (Corn) Oil, Sucrose, Dicrateira Rotunda Oil, Ruttnera Lamellosa Oil, Sodium Ascorbate, Tocopherol

Other Information

Protect the product in this container from excessive heat and direct sun.



88944702027020
 WANDER BEAUTY
 301 517th Street, Jersey City,
 New York, NY 10708
 Made in USA
wanderbeauty.com/Wander_Beauty

PACK UP & GLOW
 PRIMING SPF
 BROAD SPECTRUM SPF 40
 MINERAL SUNSCREEN

POZ5 1427/1421 W1
 20-4L/1.4F Oz



Wander Beauty Pack Up and Glow Priming

Drug Facts

Active Ingredients Purpose
Titanium Dioxide: 2% Sunscreen
Zinc Oxide: 1% Sunscreen

Uses

• Helps prevent sunburn. • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

• For external use only. • Do not use on damaged or broken skin. • When using this product, avoid contact with eyes. If contact occurs, rinse eyes thoroughly with water. • If irritation develops, stop use and contact a doctor. • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• Apply generous amount 15 minutes before sun exposure.
• **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
• Limit your time in the sun, especially from 10 a.m.–2 p.m.
• Wear long-sleeved shirts, pants, hats, and sunglasses. • Reapply at least every 2 hours. • Use a water resistant sunscreen if swimming or sweating at least every 2 hours.
• Children under 6 months of age: ask a doctor.

Continued on side panel >

WANDER
BEAUTY



SKINATOLOGIST FORMULA
WANDER BEAUTY
31st St/1st Ave, New York, NY 10003
Made in USA
wanderbeauty.com @wander_beauty



PACK UP & GLOW
PRIMING SPF
BROAD SPECTRUM SPF 40
MINERAL SUNSCREEN

PODS NET WT
30 ML / 1.0 FL OZ

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, Butyloctyl Salicylate, Octyldodecyl Neopentanoate, Ethylhexyl Isononanoate, Glycerin, Polyester-7, Polymethylsilsesquioxane, Neopentyl Glycol Diheptanoate, Cetyl Alcohol, Glyceryl Stearate, Squalane, Cholecalciferol (Vitamin D3), PEG-75 Stearate, Phenoxyethanol, Hydrolyzed Sodium Hyaluronate, Pyrus Malus (Apple) Fruit Extract, Bisabolol, C12-15 Alkyl Benzoate, Dimethiconol/ Caprylylsilsesquioxane/Silicate Crosspolymer, Caprylyl Glycol, Allantoin, Titanium Dioxide (CI 77891), Iron Oxides (CI 77492), Tricetareth-4 Phosphate, Lysolecithin, Sclerotiolum Gum, Ceteth-20, Steareth-20, Synthetic Fluorophlogopite, Iron Oxides (CI 77491), Sodium Hyaluronate, Trilaureth-4 Phosphate, Ethylhexylglycerin, Hexylene Glycol, Disodium EDTA, Dimethiconol/ Propylsilsesquioxane/Silicate Crosspolymer, Xanthan Gum, Pullulan, Mica, Avena Sativa (Oat) Kernel Extract, Silica, Sodium Starch Octenylsuccinate, Maltodextrin, Sodium Citrate, Tin Oxide, Potassium Sorbate, Camellia Sinensis Leaf Extract, Lecithin, Zea Mays (Corn) Oil, Sucrose, Dicatearia Rotunda Oil, Ruttnera Lamellosa Oil, Sodium Ascorbate, Tocopherol

Other Information

Protect the product in this container from excessive heat and direct sun.



Wander Beauty Pack Up and Glow Priming

Drug Facts

Active Ingredients	Purpose
Titanium Dioxide: 2%	Sunscreen
Zinc Oxide: 1%	Sunscreen

Uses

- Helps prevent sunburn. • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- For external use only. • Do not use on damaged or broken skin. • When using this product, avoid contact with eyes. If contact occurs, rinse eyes thoroughly with water. • If irritation develops, stop use and contact a doctor. • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply generous amount 15 minutes before sun exposure.
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit your time in the sun, especially from 10 a.m.–2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses. • Reapply at least every 2 hours. • Use a water resistant sunscreen if swimming or sweating at least every 2 hours.
 - Children under 6 months of age: ask a doctor.

Continued on side panel ▶

WANDER
BEAUTY



PACK UP & GLOW
PRIMING SPF
BROAD SPECTRUM SPF 40
MINERAL SUNSCREEN

FORMULA NET WT
30 mL / 1.04 Oz

SERIALIZED/LOT CODES
WANDER BEAUTY
2019 10/17/2018
New York, NY 10018
Made in USA
wanderbeauty.com/Wander_Beauty



Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, Butyloctyl Salicylate, Octyldodecyl Neopentanoate, Ethylhexyl Isononanoate, Glycerin, Polyester-7, Polymethylsilsesquioxane, Neopentyl Glycol Diheptanoate, Cetyl Alcohol, Glyceryl Stearate, Squalane, Cholecalciferol (Vitamin D3), PEG-75 Stearate, Phenoxyethanol, Hydrolyzed Sodium Hyaluronate, Pyrus Malus (Apple) Fruit Extract, Bisabolol, C12-15 Alkyl Benzoate, Dimethiconol/ Caprylylsilsesquioxane/Silicate Crosspolymer, Caprylyl Glycol, Allantoin, Titanium Dioxide (CI 77891), Iron Oxides (CI 77492), Triceteareth-4 Phosphate, Lysolecithin, Sclerotium Gum, Ceteth-20, Steareth-20, Synthetic Fluorphlogopite, Iron Oxides (CI 77491), Sodium Hyaluronate, Trilaureth-4 Phosphate, Ethylhexylglycerin, Hexylene Glycol, Disodium EDTA, Dimethiconol/ Propylsilsesquioxane/Silicate Crosspolymer, Xanthan Gum, Pullulan, Mica, Avena Sativa (Oat) Kernel Extract, Silica, Sodium Starch Octenylsuccinate, Maltodextrin, Sodium Citrate, Tin Oxide, Potassium Sorbate, Camellia Sinensis Leaf Extract, Lecithin, Zea Mays (Corn) Oil, Sucrose, Dicrate ria Rotunda Oil, Ruttnera Lamellosa Oil, Sodium Ascorbate, Tocopherol

Other Information

Protect the product in this container from excessive heat and direct sun.



Wander Beauty Pack Up and Glow Priming

Drug Facts

Active Ingredients	Purpose
Titanium Dioxide: 2%	Sunscreen
Zinc Oxide: 1%	Sunscreen

Uses

- Helps prevent sunburn. • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- For external use only. • Do not use on damaged or broken skin. • When using this product, avoid contact with eyes. If contact occurs, rinse eyes thoroughly with water. • If irritation develops, stop use and contact a doctor. • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply generous amount 15 minutes before sun exposure.
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit your time in the sun, especially from 10 a.m.–2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses. • Reapply at least every 2 hours. • Use a water resistant sunscreen if swimming or sweating at least every 2 hours.
 - Children under 6 months of age: ask a doctor.

Continued on side panel >

WANDER

BEAUTY



PACK UP & GLOW

PRIMING SPF

BROAD SPECTRUM SPF 40

MINERAL SUNSCREEN

PODS NET WT
30 mL / 1.04 Oz

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, Butyloctyl Salicylate, Octyldodecyl Neopentanoate, Ethylhexyl Isononanoate, Glycerin, Polyester-7, Polymethylsilsesquioxane, Neopentyl Glycol Diheptanoate, Cetyl Alcohol, Glyceryl Stearate, Squalane, Cholecalciferol (Vitamin D3), PEG-75 Stearate, Phenoxethanol, Hydrolyzed Sodium Hyaluronate, Pyrus Malus (Apple) Fruit Extract, Bisabolol, C12-15 Alkyl Benzoate, Dimethiconol/ Caprylylsilsesquioxane/Silicate Crosspolymer, Caprylyl Glycol, Allantoin, Titanium Dioxide (CI 77891), Iron Oxides (CI 77492), Triceteareth-4 Phosphate, Lysolecithin, Sclerotium Gum, Ceteth-20, Steareth-20, Synthetic Fluorophlogopite, Iron Oxides (CI 77491), Sodium Hyaluronate, Trilaureth-4 Phosphate, Ethylhexylglycerin, Hexylene Glycol, Disodium EDTA, Dimethiconol/ Propylsilsesquioxane/Silicate Crosspolymer, Xanthan Gum, Pullulan, Mica, Avena Sativa (Oat) Kernel Extract, Silica, Sodium Starch Octenylsuccinate, Maltodextrin, Sodium Citrate, Tin Oxide, Potassium Sorbate, Camellia Sinensis Leaf Extract, Lecithin, Zea Mays (Corn) Oil, Sucrose, Dicrate ria Rotunda Oil, Ruttnera Lamellosa Oil, Sodium Ascorbate, Tocopherol

Other Information

Protect the product in this container from excessive heat and direct sun.



Wander Beauty Pack Up and Glow Priming

Drug Facts

Active Ingredients	Purpose
Titanium Dioxide: 2%	Sunscreen
Zinc Oxide: 1%	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- For external use only.
- Do not use on damaged or broken skin.
- When using this product, avoid contact with eyes. If contact occurs, rinse eyes thoroughly with water.
- If irritation develops, stop use and contact a doctor.
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply generous amount 15 minutes before sun exposure.
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit your time in the sun, especially from 10 a.m.–2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses.
 - Reapply at least every 2 hours.
 - Use a water resistant sunscreen if swimming or sweating at least every 2 hours.
 - Children under 6 months of age: ask a doctor.

Continued on side panel ▶

W
A
N
D
E
R

B
E
A
U
T
Y



PACK UP & GLOW
PRIMING SPF
BROAD SPECTRUM SPF 40
MINERAL SUNSCREEN

POU3 142/142 W1
30 ML/1.04 Oz

8884760001 10433-001
 10433-001
 8 10043 75163 4

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, Butyloctyl Salicylate, Octyldodecyl Neopentanoate, Ethylhexyl Isononanoate, Glycerin, Polyester-7, Polymethylsilsesquioxane, Neopentyl Glycol Diheptanoate, Cetyl Alcohol, Glyceryl Stearate, Squalane, Cholecalciferol (Vitamin D3), PEG-75 Stearate, Phenoxethanol, Hydrolyzed Sodium Hyaluronate, Pyrus Malus (Apple) Fruit Extract, Bisabolol, C12-15 Alkyl Benzoate, Dimethiconol/Caprylylsilsesquioxane/Silicate Crosspolymer, Caprylyl Glycol, Allantoin, Titanium Dioxide (CI 77891), Iron Oxides (CI 77492), Triceteareth-4 Phosphate, Lysolecithin, Sclerotium Gum, Ceteth-20, Steareth-20, Synthetic Fluorphlogopite, Iron Oxides (CI 77491), Sodium Hyaluronate, Trilaureth-4 Phosphate, Ethylhexylglycerin, Hexylene Glycol, Disodium EDTA, Dimethiconol/Propylsilsesquioxane/Silicate Crosspolymer, Xanthan Gum, Pullulan, Mica, Avena Sativa (Oat) Kernel Extract, Silica, Sodium Starch Octenylsuccinate, Maltodextrin, Sodium Citrate, Tin Oxide, Potassium Sorbate, Camellia Sinensis Leaf Extract, Lecithin, Zea Mays (Corn) Oil, Sucrose, Dicrate ria Rotunda Oil, Ruttnera Lamellosa Oil, Sodium Ascorbate, Tocopherol

Other Information

Protect the product in this container from excessive heat and direct sun.

Wander Beauty Pack Up and Glow Priming



WANDER BEAUTY PACK UP AND GLOW PRIMING

titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82510-296
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	19.4 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	9.7 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
TOCOPHEROL (UNII: R0ZB2556P8)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYESTER-7 (UNII: 0841698D2F)	
TRICETEARETH-4 PHOSPHATE (UNII: 69534Y66NO)	
ETHYLHEXYL ISONONANOATE (UNII: I6KB4GE3K4)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
GLYCERIN (UNII: PDC6A3C0OX)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
WATER (UNII: 059QF0KO0R)	
XANTHAN GUM (UNII: TTV12P4NEE)	
ALLANTOIN (UNII: 344S277G0Z)	
AVENA SATIVA FLOWERING TOP (UNII: MA9CQJ3F7F)	
DIMETHICONOL/PROPYLSILSESQUIOXANE/SILICATE CROSSPOLYMER (450000000 MW) (UNII: 9KB5R958PB)	
.ALPHA.-BISABOLOL, (+)- (UNII: 105S6I733Z)	
TRILAURETH-4 PHOSPHATE (UNII: M96W2OLL2V)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CETETH-20 (UNII: I835H2IHHX)	
PEG-75 STEARATE (UNII: OT38R0N74H)	
PULLULAN (UNII: 8ZQ0AYU1TT)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SQUALANE (UNII: GW89575KF9)	
STEARETH-20 (UNII: L0Q8IK9E08)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	

MICA (UNII: V8A1AW0880)

SODIUM ASCORBATE (UNII: S033EH8359)

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82510-296-02	1 in 1 CARTON	03/16/2022	
1	NDC:82510-296-01	50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/16/2022	

Labeler - Wander Beauty (044376185)

Revised: 11/2025

Wander Beauty