

RID LICE ELIMINATION ESSENTIALS- piperonyl butoxide, pyrethrum extract
Bayer HealthCare LLC.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

RID Lice Elimination Essentials Kit

Drug Facts

Shampoo

Active ingredients

Piperonyl butoxide (4%)

Pyrethrum extract (equivalent to 0.33% pyrethrins)

Purpose

Lice treatment

Uses

Uses treats head, pubic (crab), and body lice

Warnings

For external Use only

Do not use

- near the eyes
- inside the nose, mouth, or vagina
- on lice in eyebrows or eyelashes. See a doctor if lice are present in these areas.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you are allergic to ragweed. May cause breathing difficulty or an asthmatic attack.

When using this product

- keep eyes tightly closed and protect eyes with a washcloth or towel
- if product gets in eyes, flush with water right away
- scalp itching or redness may occur

Stop use and ask a doctor if

- breathing difficulty occurs
- eye irritation occurs
- skin or scalp irritation continues or infection occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Directions

- Important: Read warnings before use

Adults and children 2 years and over:

Inspect

- check each household member with a magnifying glass in bright light for lice/nits (eggs)
- look for tiny nits near scalp, beginning at back of neck and behind ears
- examine small sections of hair at a time
- unlike dandruff which moves when touched, nits stick to the hair
- if either lice or nits are found, treat with this product

Treat

- apply thoroughly to **DRY HAIR** or other affected area. For head lice, first apply behind ears and to back of neck.
- allow product to remain for 10 minutes, but no longer
- use warm water to form a lather, shampoo, then thoroughly rinse
- for head lice, towel dry hair and comb out tangles

Remove lice and their eggs (nits)

- use a fine-tooth or special lice/nit comb. Remove any remaining nits by hand (using a throw-away glove).
- hair should remain slightly damp while removing nits
- if hair dries during combing, dampen slightly with water
- for head lice, part hair into sections. Do one section at a time starting on top of head. Longer hair may take 1 to 2 hours.
- lift a 1- to 2-inch wide strand of hair. Place comb as close to scalp as possible and comb with a firm, even motion away from scalp.
- pin back each strand of hair after combing
- clean comb often. Wipe nits away with tissue and discard in a plastic bag. Seal bag and discard to prevent lice from coming back.
- after combing, thoroughly recheck for lice/nits. Repeat combing if necessary.
- check daily for any lice/nits that you missed

- a second treatment must be done in 7 to 10 days to kill any newly hatched lice
- if infestation continues, see a doctor for other treatments

Children under 2 years: ask a doctor

Other information

- keep carton for important product information
- see Consumer Information Insert for additional information
- avoid excessive heat

Inactive ingredients ammonium laureth sulfate, dehydrated alcohol, fragrance, isopropyl alcohol, PEG-25 hydrogenated castor oil, polyquaternium-10, purified water

RID Lice & Egg Comb Out Spray

Use

Use

RID® Lice & Egg Comb-Out Spray detangles hair in order to make lice and egg comb-out easier.

Warnings

For external use only. Keep out of reach of children. Avoid contact with eyes. Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Directions

Directions For Use

- **Before using, read Consumer Information Insert for complete directions.**
- Use **AFTER** shampooing with **RID® Lice Killing Shampoo**.
- Towel dry hair. Apply a small amount of **RID® Lice & Egg Comb-Out Spray** and use a wide-toothed comb to remove any tangles.
- Comb out the dead lice, eggs, and nits, one small section at a time, with the enclosed **RIDvantage® Jr.**

Lice Comb. (See insert for additional combing instructions). **This step is very important.**

- Use additional **RID® Lice & Egg Comb-Out Spray** to remove tangles, if needed, during the comb-out process.
- After you have combed entire head, rinse hair thoroughly with warm water. Disinfect combs with hot water (130°F).

Other Information

Other Information

- It is important to wash in hot water (130°F) all clothing, bedding, towels, and hair products (combs, brushes) used by infested persons in the two days prior to treatment.

- Dry clean non-washable fabrics.
- To eliminate infestation of furniture and bedding that cannot be washed or dry cleaned, a multi-use lice spray such as **RID® Home Lice, Bedbug & Dust Mite Spray** may be used.
- **RID® Lice & Egg Comb-Out Spray does not kill lice or their eggs.** Use this product only after treating with RID® Lice Killing Shampoo.
- Store in a cool, dry place. Keep from freezing.

Ingredients

Ingredients

Water, Glycerin, Propylene Glycol, Polysorbate 20, Cetrimonium Chloride, Amodimethicone, Phenoxyethanol, Fragrance, DL Panthenol, Trideceth-12, Methylchloroisoithiazolinone, Methylisothiazolinone.

Questions?

1-800-RID-LICE (1-800-743-5423) (Mon – Fri 9AM – 8PM EST)

Questions or comments? 1-800-RID-LICE (1-800-743-5423) (Mon – Fri 9AM – 8PM EST)
www.ridlice.com

85063898



**America's #1 Lice Brand
LICE ELIMINATION
ESSENTIALS KIT**

- Proven, effective treatment
- Makes lice and egg comb-out easier
- Easy-to-follow illustrated instructions inside



LICE KILLING SHAMPOO

Drug Facts

Active ingredients **Purpose**
 Piperonyl butoxide (4%) Lice treatment
 Pyrethrum extract (equivalent to 0.03% pyrethrins) Lice treatment

Uses treats head, pubic (crab), and body lice

Warnings

For external use only.
 Do not use:
 • near the eyes
 • inside the nose, mouth, or vagina
 • on lice in eyebrows or eyelashes. See a doctor if lice are present in these areas.
 • if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you are allergic to ragweed. May cause breathing difficulty or an asthmatic attack.

When using this product:
 • keep eyes tightly closed and protect eyes with a washcloth or towel
 • if product gets in eyes, flush with water right away
 • scalp itching or redness may occur

Stop use and ask a doctor if:
 • breathing difficulty occurs
 • eye irritation occurs
 • skin or scalp irritation continues or infection occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Important: Read warnings before use
- Adults and children 2 years and over: inspect
 - check each household member with a magnifying glass in bright light for lice/nits (eggs)
 - look for tiny nits near scalp, beginning at back of neck and behind ears
 - examine small sections of hair at a time
 - unlike dandruff which moves when touched, nits stick to the hair
 - if other lice or nits are found, treat with this product
- Treat
 - apply thoroughly to DRY HAIR or other affected area. For head lice, first apply behind ears and to back of neck.
 - allow product to remain for 10 minutes, but no longer
 - use warm water to form a lather, shampoo, then thoroughly rinse
 - for head lice, towel dry hair and comb out tangles
- Remove lice and their eggs (nits)
 - use a fine-tooth or special lice/nit comb. Remove any remaining nits by hand (using a throw-away glove).
 - hair should remain slightly damp while removing nits
 - if hair dries during combing, dampen slightly with water
 - for head lice, part hair into sections. Do one section at a time starting on top of head. Longer hair may take 1 to 2 hours.
 - lift a 1- to 2-inch wide strand of hair. Place comb as close to scalp as possible and comb with a firm, even motion away from scalp.
 - pin back each strand of hair after combing
 - clean comb often. Wipe nits away with tissue and discard in a plastic bag. Seal bag and discard to prevent lice from coming back.
 - after combing, thoroughly recheck for lice/nits. Repeat combing if necessary.
 - check daily for any lice/nits that you missed
 - a second treatment must be done in 7 to 10 days to kill any newly hatched lice
 - if infestation continues, see a doctor for other treatments
- Children under 2 years: ask a doctor

Other information

- keep carton for important product information
- see Consumer Information insert for additional information
- avoid excessive heat

Inactive ingredients ammonium laureth sulfates, dehydrated alcohol, fragrance, isopropyl alcohol, PEG-25 hydrogenated castor oil, polyquaternium-10, purified water

Questions or comments?
 1-800-RID-LICE (1-800-743-5423) (Mon - Fri 9AM - 8PM EST) www.ridlice.com

LICE & EGG COMB-OUT SPRAY

Product Information

Use
 RID® Lice & Egg Comb-Out Spray detangles hair in order to make lice and egg comb-out easier.

Warnings
 For external use only. Keep out of reach of children. Avoid contact with eyes. Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Directions For Use
 • Before using, read Consumer Information Insert for complete directions.
 • Use AFTER shampooing with RID® Lice Killing Shampoo.
 • Towel dry hair. Apply a small amount of RID® Lice & Egg Comb-Out Spray and use a wide-toothed comb to remove any tangles.
 • Comb out the dead lice, eggs, and nits, one small section at a time, with the enclosed RID® Advantage® Jr. Lice Comb. (See insert for additional combing instructions). This step is very important.
 • Use additional RID® Lice & Egg Comb-Out Spray to remove tangles, if needed, during the comb-out process.
 • After you have combed entire head, rinse hair thoroughly with warm water. Desinted combs with hot water (130°F).

Other information
 • It is important to wash in hot water (130°F) all clothing, bedding, towels, and hair products (combs, brushes) used by infested persons in the two days prior to treatment.
 • Dry clean non-washable fabrics.
 • To eliminate infestation of furniture and bedding that cannot be washed or dry cleaned, a multi-use lice spray such as RID® Home Lice, Bedbug & Dust Mite Spray may be used (sold separately).
 • RID® Lice & Egg Comb-Out Spray does not kill lice or their eggs. Use this product only after treating with RID® Lice Killing Shampoo.
 • Store in a cool, dry place. Keep from freezing.

Ingredients
 Water, Glycerin, Propylene Glycol, Polysorbate 20, Cetrimonium Chloride, Amodimethicone, Phenoxyethanol, Fragrance, DL Panthenol, Triclosin-12, Methylchlorothiazole, Methylthiazolizone.

Questions?
 1-800-RID-LICE (1-800-743-5423) (Mon - Fri 9AM - 8PM EST) www.ridlice.com

This kit contains RID® Lice Killing Shampoo, RID® Lice & Egg Comb-Out Spray, and the patented RID® Lice Comb. The shampoo and comb-out spray are enough for at least one treatment.
 The amount of shampoo needed will vary by hair length. You may need additional shampoo for the second required treatment 7 to 10 days later, or to treat other members of your household. See guidelines below.

Hair Length	Approximate Amount For 1 Adult/Child:
Short (ear length or shorter)	First Application: 1 oz - 2 oz
	Second Application: 1 oz - 2 oz
	Total: 2 oz - 4 oz
Medium (shoulder length)	First Application: 2 oz - 3 oz
	Second Application: 2 oz - 3 oz
	Total: 4 oz - 6 oz
Long (past shoulder length)	First Application: 3 oz - 4 oz
	Second Application: 3 oz - 4 oz
	Total: 6 oz - 8 oz

**America's #1 Lice Brand
LICE ELIMINATION
ESSENTIALS KIT**
 L I C E T R E A T M E N T

- Proven, effective treatment
- Makes lice and egg comb-out easier
- Easy-to-follow illustrated instructions inside

24/7 SUPPORT
 CALL AN EXPERT
 1-800-RID-LICE
 HOW-TO VIDEOS
 ridlice.com

Kit esencial para eliminar los piojos de RID
 Se incluyen instrucciones en español



SHAMPOO NET WT. 4 FL OZ (118 mL)
 COMB-OUT SPRAY NET WT. 2 FL OZ (59 mL)
 1 PATENTED RID® LICE COMB

RID® is the market leader in lice treatment and offers a complete family of products to inspect for and kill lice, remove their eggs and treat your home. Look for these other RID® products:

- RID® Lice Killing Shampoo**
 - Proven, effective treatment
 - Leaves no chemical residue behind
 - Shampoo and conditioner in one
- RID® Home Lice, Bedbug & Dust Mite Spray**
 - Kills lice and eggs on mattresses, furniture, car interiors and other non-washable items



The RID® brand recommends a 3-step process for lice elimination:

- Step 1: TREAT** with RID® Lice Killing Shampoo (included).
- Step 2: REMOVE** with patented RID® Lice Comb and RID® Lice & Egg Comb-Out Spray (included).
- Step 3: CONTROL** with RID® Home Lice, Bedbug & Dust Mite spray (sold separately).

Dist. by: Bayer HealthCare LLC, Whippany, NJ 07981
 Comb is made in China.
 Detangling Spray is made in Canada.
 Shampoo is made in the USA of US & Imported Materials
 Bayer, the Bayer Cross, RID, the RID logo and RIDVantage are registered trademarks of Bayer.



Bayer 0 16500 56490 4

piperonyl butoxide, pyrethrum extract kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0280-9070
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0280-9070-01	1 in 1 CARTON; Type 0: Not a Combination Product	09/28/2016	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	118 mL
Part 2	1 BOTTLE, SPRAY	59 mL

Part 1 of 2

RID LICE KILLING

iperonyl butoxide, pyrethrum extract shampoo

Product Information

Route of Administration	TOPICAL
--------------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PYRETHRUM EXTRACT (UNII: ZUM06L90GV) (PYRETHRUM EXTRACT - UNII:ZUM06L90GV)	PYRETHRUM EXTRACT	3.3 mg in 1 mL
PIPERONYL BUTOXIDE (UNII: LWK91TU9AH) (PIPERONYL BUTOXIDE - UNII:LWK91TU9AH)	PIPERONYL BUTOXIDE	40 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
POLYQUATERNIUM-10 (1000 MPA.S AT 2 %) (UNII: GMR4PEN8PK)	
AMMONIUM LAURETH-2 SULFATE (UNII: 698O4Z48G6)	
HYDROGENATED CASTOR OIL (UNII: ZF94AP8MEY)	
WATER (UNII: 059QF0K00R)	

Product Characteristics

Color	white (Clear)	Score	
--------------	---------------	--------------	--

Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part358G	09/28/2016	

Part 2 of 2

RID LICE AND EGG COMB OUT

tonics, dressings, and other hair grooming aids spray

Product Information

Route of Administration	TOPICAL
--------------------------------	---------

Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
INGR	DISODIUM SEC-TRIDECETH-12 SULFO SUCCINATE (UNII: 3C19U43ACC)	
INGR	WATER (UNII: 059QF0K00R)	
INGR	GLYCERIN (UNII: PDC6A3C0OX)	
INGR	POLYSORBATE 20 (UNII: 7T1F30V5YH)	
INGR	CETRIMONIUM CHLORIDE (UNII: UC9PE95IBP)	
INGR	AMODIMETHICONE (1300 CST) (UNII: 3V7U636DWN)	
INGR	METHYLISOTHIAZOLINONE (UNII: 229D0E1QFA)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		59 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Cosmetic		09/23/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part358G	09/28/2016	

Labeler - Bayer HealthCare LLC. (112117283)

Revised: 11/2019

Bayer HealthCare LLC.