

SORE THROAT CHERRY- phenol spray
MEIJER, INC.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient

Phenol 1.4%

Purpose

Oral anesthetic/analgesic

Uses

temporarily relieves sore throat pain, sore mouth, pain associated with canker sores, minor mouth irritation

Warnings

Sore throat warning: Severe or persistent sore throat or sore throat that occurs with high fever, headache, nausea, and vomiting may be serious. Ask a doctor right away. Do not use more than 2 days or give to children under 3 years of age.

When using this product,

do not exceed recommended dose

Stop use and ask a doctor if

- sore mouth symptoms do not improve in 7 days
- irritation, pain or redness persists or worsens
- swelling, rash or fever develops

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children 6 years of age and older
 - apply to affected area (one spray)
 - allow to remain in place for at least 15 seconds, then spit out
 - use every 2 hours as directed by a doctor or dentist
- children under 12 years of age should be supervised in the use of this product
- children under 6 years of age, consult a doctor or dentist

Other information

- store between 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients

alcohol, FD&C red #40, flavor, glycerin, purified water, saccharin sodium

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to Chloraseptic® active ingredient†

Sore Throat Spray

Phenol 1.4% | Oral Anesthetic

INSTANT ACTING

Relieves Sore Throat

ALCOHOL 0.10%

ASPIRIN FREE, SUGAR FREE

Cherry Flavor

FL OZ (mL)

†This product is not manufactured or distributed by Prestige Brands, Inc., distributor of Chloraseptic®.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND CAP IS BROKEN OR MISSING.

DIST. BY MEIJER

DISTRIBUTION, INC.

GRAND RAPIDS, MI 49544

www.meijer.com

Package Label

*This product is not manufactured or distributed by Prestige Brands, Inc., distributor of Chloraseptic®.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND CAP IS BROKEN OR MISSING.

DIST. BY MEIJER DISTRIBUTION, INC. GRAND RAPIDS, MI 49644 www.meijer.com



meijer

NDC 41250-164-06

Compare to Chloraseptic® active ingredient!

sore throat spray

Phenol 1.4% | Oral Anesthetic

INSTANT ACTING
Relieves Sore Throat

ALCOHOL 0.10%
ASPIRIN FREE, SUGAR FREE



Cherry Flavor

6 fl oz (177 mL)

Drug Facts

Active ingredient Phenol 1.4%	Purpose Oral anesthetic/analgesic
Uses temporarily relieves sore throat, pain, sore mouth, pain associated with canker sores, minor mouth irritation	
Warnings Sore throat warning: Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult a doctor promptly. Do not use more than 2 days or administer to children under 3 years of age unless directed by a doctor. When using this product, do not exceed recommended dose.	
Stop use and ask a dentist or doctor if <ul style="list-style-type: none"> ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain or redness persists or worsens ■ swelling, rash or fever develops 	
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) night away.	
Directions <ul style="list-style-type: none"> ■ adults and children 6 years of age and older ■ apply to affected area (one spray) ■ allow to remain in place for at least 15 seconds, then spit out ■ use every 2 hours as directed by a doctor or dentist ■ children under 12 years of age should be supervised in the use of this product ■ children under 6 years of age, consult a doctor or dentist 	
Other information ■ store between 20-25°C (68-77°F). Do not refrigerate.	
Inactive ingredients alcohol, FD&C red #40, flavor, glycerin, purified water, saccharin sodium anhydrous	
Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST	

MEIJER Sore Throat Spray Cherry

SORE THROAT CHERRY

phenol spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-164
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PHENOL (UNII: 339NCG44TV) (PHENOL - UNII:339NCG44TV)	PHENOL	1.4 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0K00R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	

Product Characteristics

Color	RED (clear)	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	

Contains**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-164-06	177 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	05/01/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part356	05/01/2014	

Labeler - MEIJER, INC. (006959555)

Revised: 12/2019

MEIJER, INC.