

CVS ACETAMINOPHEN- acetaminophen capsule
CVS Pharmacy

CVS Acetaminophen

Drug Facts

Active ingredient (in each tablet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to: • the common cold • headache • backache • minor pain of arthritis • toothache • muscular aches • premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning:This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert:acetaminophen may cause severe skin reactions. Symptoms may include: •skin reddening •blisters •rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning:In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none"> • take 2 caplets every 6 hours while symptoms last • do not take more than 6 caplets in 24 hours, unless directed by a doctor • do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Other information

- store between 20°-25°C (68°-77°F), protect from light

Inactive ingredients

hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, stearic acid, talc, titanium dioxide.

Questions or comments?

Call 1-908-242-6108 Mon-Fri 8:00 AM to 5:00 PM EST

51316-188-00





actual size

ACETAMINOPHEN

Acetaminophen, 500 mg
Pain Reliever, Fever Reducer
For adults

Compare to the active ingredient
in Extra Strength Tylenol®*

Infinitely Recyclable Aluminum

500 CAPLETS

NDC 51316-188-00

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

IMPORTANT: READ THE DIRECTIONS AND WARNINGS BEFORE USE

Drug Facts	
Active ingredients (in each caplet)	Purpose
Acetaminophen 500 mg.....	Pain reliever/fever reducer
Uses	
<ul style="list-style-type: none"> ■ temporarily relieves minor aches and pains due to: <ul style="list-style-type: none"> ■ the common cold ■ headache ■ backache ■ minor pain of arthritis ■ toothache ■ muscular aches ■ premenstrual and menstrual cramps ■ temporarily reduces fever 	
Warnings	
<p>Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take</p> <ul style="list-style-type: none"> ■ more than 4,000 mg of acetaminophen in 24 hours ■ with other drugs containing acetaminophen ■ 2 or more alcoholic drinks every day while using this product 	

■ 5 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions.

Symptoms may include: ■ skin reddening ■ blisters ■ rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

■ if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

■ pain gets worse or lasts more than 10 days

■ fever gets worse or lasts more than 3 days

■ new symptoms occur

■ redness or swelling is present.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

■ do not take more than directed (see overdose warning)

adults and children
12 years and over

■ take 2 caplets every 6 hours while symptoms last

■ do not take more than 6 caplets in 24 hours, unless directed by a doctor

■ do not use for more than 10 days unless directed by a doctor

children under 12 years

ask a doctor

Other information

■ store between 20°–25°C (68°–77°F)

Inactive ingredients

hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, stearic acid, talc, titanium dioxide.

Questions or comments?

Call 1-800-SHOP CVS

†This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Tylenol® Extra Strength.

Distributed by: CVS Pharmacy, Inc.

One CVS Drive, Woonsocket, RI 02895

© 2021 CVS/pharmacy

CVS.com® 1-800-SHOP CVS

Made in India ITEM# 923789

Lot No. and Exp.
Date: see bottom
of bottle



0 50428 16017 6

Compare to the active ingredient in
Tylenol® Extra Strength†

Acetaminophen 500 mg
Pain Reliever, Fever Reducer

For adults

500 caplets

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

IMPORTANT: READ THE DIRECTIONS AND WARNINGS BEFORE USE

Drug Facts

Active ingredients (in each caplet)	Purpose
Acetaminophen 500 mg.....	Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold ■ headache ■ backache ■ minor pain of arthritis ■ toothache
 - muscular aches ■ premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions.

Symptoms may include: ■ skin reddening ■ blisters ■ rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see overdose warning)

adults and children 12 years and over	■ take 2 caplets every 6 hours while symptoms last ■ do not take more than 6 caplets in 24 hours, unless directed by a doctor ■ do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Other information

- store between 20°–25°C (68°–77°F)

Inactive ingredients

hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, stearic acid, talc, titanium dioxide.

Questions or comments?

Call 1-800-SHOP CVS

[†]This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Tylenol® Extra Strength.

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895

Made in India

ITEM# 923789

© 2021 CVS/pharmacy
CVS.com® 1-800-SHOP CVS
Lot No. and Exp. Date:
see bottom of bottle



150 CAPLETS[†] Contains **No Aspirin** For **Adults**
†Capsule-Shaped Tablets

THIS PACKAGE FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN

Compare to Tylenol® Extra Strength active ingredient*

Extra Strength
ACETAMINOPHEN
Pain Reliever / Fever Reducer
500 mg

actual size 

NDC 51316-188-01

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

IMPORTANT: READ THE DIRECTIONS AND WARNINGS BEFORE USE

Drug Facts

Active ingredients (in each caplet)	Purpose
Acetaminophen 500 mg.....	Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - headache
 - backache
 - minor pain of arthritis
 - toothache
 - muscular aches
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include: skin reddening, blisters, rash. If a skin reaction occurs, stop use and seek medical help right away.

Distributed by: CVS Pharmacy, Inc.
 One CVS Drive, Woonsocket, RI 02895
 © 2026 CVS/pharmacy
 CVS.com® 1-800-SHOP CVS

100% money back guaranteed. (Continued on back of label)
 CVS.com/returnpolicy

Made in India
 V-41117

#346027

*This product is not manufactured or distributed by Kenvue Inc., distributor of Tylenol® Extra Strength.



Lot No. and Exp. Date: see bottom of bottle



Drug Facts (continued)

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
 - fever gets worse or lasts more than 3 days
 - new symptoms occur
 - redness or swelling is present.
- These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.**

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

do not take more than directed (see overdose warning)

adults and children 12 years and over	<ul style="list-style-type: none"> take 2 caplets every 6 hours while symptoms last do not take more than 6 caplets in 24 hours, unless directed by a doctor do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Other information

store between 20°–25°C (68°–77°F), protect from light

Inactive ingredients

hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, stearic acid, talc, titanium dioxide.

Questions or comments?

contact 1-908-242-6108 Mon-Fri 8:00 AM to 5:00 PM EST

CVS ACETAMINOPHEN

acetaminophen capsule

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51316-188
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I3O)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	white	Score	no score
Shape	CAPSULE	Size	18mm
Flavor		Imprint Code	S;500
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-188-00	500 in 1 BOTTLE; Type 0: Not a Combination Product	10/01/2025	
2	NDC:51316-188-01	150 in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	10/01/2025	

Labeler - CVS Pharmacy (062312574)**Registrant** - Cabinet Health P.B.C. (117102391)

