CVS ACETAMINOPHEN- acetaminophen capsule CVS Pharmacy

CVS Acetaminophen

Drug Facts

Active ingredient (in each tablet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to: the common cold headache backache minor pain of arthritis toothache muscular aches premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning:This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert:acetaminophen may cause severe skin reactions. Symptoms may include: •skin reddening •blisters •rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning:In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

do not take more than directed (see overdose warning)

adults and children 12 years

- take 2 caplets every 6 hours while symptoms last
- do not take more than 6 caplets in 24 hours, unless directed by a doctor
- do not use for more than 10 days unless directed by a doctor

children under 12 years

ask a doctor

Other information

store between 20°-25°C (68°-77°F)

Inactive ingredients

hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, stearic acid, talc, titanium dioxide.

Questions or comments?

Call 1-800-SHOP CVS

Package Labeling:

tely Recyclable Aluminum 500 CAPLETS

Acetaminophen, 500 mg

Pain Reliever, Fever Reducer

For adults

actual size



NDC 51316-188-00

IMPORTANT: READ THE DIRECTIONS AND WARNINGS BEFORE USE

Drug Facts

Active ingredients (in each caplet)

Compare to the active ingredient

In Extra Strength Tylenol®*

Purpose

■ toothache

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold headache ■ backache minor pain of arthritis
 - muscular aches premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen

■ 3 or more according uninks every day write using this product

Allergy alert: acetaminophen may cause severe skin reactions.

Symptoms may include: ■ skin reddening ■ blisters ■ rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

do not take more than directed (see overdose warning)

12 years and over	 ■ take 2 caplets every 6 hours while symptoms last ■ do not take more than 6 caplets in 24 hours, unless directed by a doctor ■ do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Other information

■ store between 20°-25°C (68°-77°F)

Inactive ingredients

hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, stearic acid, talc, titanium dioxide.

Questions or comments?

Call 1-800-SHOP CVS

[†]This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Tylenol[®] Extra Strength.

Distributed by: CVS Pharmacy, Inc.

One CVS Drive, Woonsocket, RI 02895

© 2021 CVS/pharmacy

CVS.com® 1-800-SHOP CVS

Made in India ITEM# 923789

Lot No. and Exp. Date: see bottom of bottle



Compare to the active ingredient in Tylenol® Extra Strength[†]

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Acetaminophen 500 mg

Pain Reliever, Fever Reducer

IMPORTANT: READ THE DIRECTIONS AND WARNINGS BEFORE USE

Drug Facts

Active ingredients (in each caplet)

Purpose

■ toothache

Acetaminophen 500 mg.......Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold headache ■ backache
 - minor pain of arthritis premenstrual and menstrual cramps
 - muscular aches
- temporarily reduces fever

iver warning. This product contains acetaminophen. Severe liver damage may occur if you take

varining, tino product contains acctaninophon. Covere nver damage may occur n you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions.

Symptoms may include: ■ skin reddening ■ blisters ■ rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

do not take more than directed (see overdose warning)

adults and children
12 years and over

- take 2 caplets every 6 hours while symptoms last
- do not take more than 6 caplets in 24 hours, unless directed by a doctor
- do not use for more than 10 days unless directed by a doctor

children under 12 years ask a doctor

Other information

■ store between 20°-25°C (68°-77°F)

Inactive ingredients

hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, stearic acid, talc, titanium dioxide.

Questions or comments?

Call 1-800-SHOP CVS

[†]This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Tylenol® Extra Strength. Made in India

Distributed by: CVS Pharmacy, Inc.

One CVS Drive, Woonsocket, RI 02895

© 2021 CVS/pharmacy

CVS.com® 1-800-SHOP CVS

Lot No. and Exp. Date: see bottom of bottle

ITEM# 923789

CVS ACETAMINOPHEN

acetaminophen capsule

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:51316-188

Route of Administration ORAL

Active Ingredient/Active Moiety

	Ingredient Name	Basis of Strength	Strength
ı	ACETAMINOPHEN (LINII: 36209ITI 9D) (ACETAMINOPHEN - LINII: 36209ITI 9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients		
Ingredient Name	Strength	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)		
MAGNESIUM STEARATE (UNII: 70097M6I30)		
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
POVIDONE (UNII: FZ 989GH94E)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
TALC (UNII: 7SEV7J4R1U)		
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)		

Product Characteristics			
Color	white	Score	no score
Shape	CAPSULE	Size	18mm
Flavor		Imprint Code	S;500
Contains			

Packaging				
	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:51316-188-	500 in 1 BOTTLE; Type 0: Not a Combination Product	10/01/2025	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	10/01/2025	

Labeler - CVS Pharmacy (062312574)

Registrant - Cabinet Health P.B.C. (117102391)

Revised: 10/2025 CVS Pharmacy