

BEHATMH 17% SALICYLIC ACID WART REMOVER SERUM PEN- salicylic acid liquid

Guangzhou Borderless Technology Co., Ltd.

85304-015 BEHATMH 17% Salicylic acid Wart Remover Serum Pen

Salicylic acid 17%

Wart remover

For the removal of common warts and plantar warts. Common warts have a rough "cauliflower-like" surface and are easily recognizable. Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern.

For external use only.

Do not use on irritated skin or on any area that is infected or reddened. Do not use on moles, birthmark warts with hair growing from them, genital warts, or warts on the face or mucous membranes. If you have diabetes or poor blood circulation.

Avoid contact with eyes. If product gets into the eye, flush with Water for 15 minutes. Non-edible.

Cap tightly and store at room temperature, away from heat.

Keep out of reach of children. If swallowed, get medical help or contact the Poison Control Center (1-800-222-1222) right away.

Stop use and ask a doctor if discomfort persists.

1. Wash the affected area. May soak wart in warm water for 5 minutes.

2. With the pen tip facing down pull open the cap.

3. Aim the pen tip at the treatment area, rotate the tail of the pen, wait for the liquid to come out, apply the liquid evenly, and let it dry.

4. Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks.

Water

Polyethylene Glycol

Glycerin

Borneol

BEHATMH®

Wart Removal Treatment Extra Strength Pen

instructions

Drug Facts**Active ingredient:** Salicylic acid 17% Wart remover**Purpose****Uses**

For the removal of common warts and plantar warts. Common warts have a rough "cauliflower-like" surface and are easily recognizable. Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern.

Warnings

For external use only.

Do not use on irritated skin or on any area that is infected or reddened. On moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes if you have diabetes or poor blood circulation.

When using this product

Avoid contact with eyes. If product gets into the eye, flush with Water for 15 minutes. Non-edible.

Cap tightly and store at room temperature, away from heat.

Stop use and ask a doctor if discomfort persists.**Keep out of reach of children.** If swallowed, get medical help or contact the Poison Control Center (1-800-222-1222) right away.**Directions**

1. Wash the affected area. May soak wart in warm water for 5 minutes.
2. With the pen tip facing down pull open the cap.
3. Aim the pen tip at the treatment area, rotate the tail of the pen, wait for the liquid to come out, apply the liquid evenly, and let it dry.

4. Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks.

Other information

Store at room temperature. Avoid excessive heat (37°C / 99°F).

Skin discoloration may occur during or after use.

Inactive ingredients:

Water 52.5%

Polyethylene Glycol 16%

Glycerin 8%

Borneol 6%

BEHATMH®

Wart Removal Treatment Extra Strength Pen

- ✓ **HIGHLY EFFICIENT**
Easy to use, fast-acting, safe and effective.
- ✓ **ADVANCED TECHNOLOGY**
The liquid turns into a mask in seconds.
- ✓ **SAFE & HYGIENIC**
Doesn't hurt dermis and prevents spreading.

NET: 0.4 fl oz (12ml)

BEHATMH®

BEHATMH®

Wart Removal Treatment Extra Strength Pen

- ✓ **HIGHLY EFFICIENT**
Easy to use, fast-acting, safe and effective.
- ✓ **ADVANCED TECHNOLOGY**
The liquid turns into a mask in seconds.
- ✓ **SAFE & HYGIENIC**
Doesn't hurt dermis and prevents spreading.



NET: 0.4 fl oz (12ml)

**Drug Facts****Active ingredient:** Salicylic acid 17% Wart remover**Purpose**

For the removal of common warts and plantar warts.

Common warts have a rough "cauliflower-like" surface and are easily recognizable. Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern.

Warnings

For external use only.

Do not use

on irritated skin or on any area that is infected or reddened. On moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes if you have diabetes or poor blood circulation.

When using this product Avoid contact with eyes. If product gets into the eye, flush with Water for 15 minutes. Non-edible.

Cap tightly and store at room temperature, away from heat.

Stop use and ask a doctor if discomfort persists.

Keep out of reach of children. If swallowed, get medical help or contact the Poison Control Center (1-800-222-1222) right away.

Directions

1. Wash the affected area. May soak wart in warm water for 5 minutes.
2. With the pen tip facing down pull open the cap.

3. Aim the pen tip at the treatment area, rotate the tail of the pen, wait for the liquid to come out, apply the liquid evenly, and let it dry.

4. Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks.

Other information

Store at room temperature. Avoid excessive heat (37°C / 99°F). Skin discoloration may occur during or after use.

Inactive ingredients:

Water 52.5%

Polyethylene Glycol 16%

Glycerin 8%

Borneol 6%

BEHATMH 17% SALICYLIC ACID WART REMOVER SERUM PEN

salicylic acid liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85304-015
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	17 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BORNEOL (UNII: M89NIB437X)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85304-015-01	3 in 1 PACKAGE	09/03/2025	
1		4 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a		

Combination Product			
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	09/03/2025	

Labeler - Guangzhou Borderless Technology Co., Ltd. (452282332)

Establishment			
Name	Address	ID/FEI	Business Operations
Guangzhou Borderless Technology Co., Ltd.		452282332	manufacture(85304-015)

Revised: 9/2025

Guangzhou Borderless Technology Co., Ltd.