TACRUITF 17% SALICYLIC ACID WART REMOVER SERUM PEN- salicylic acid liquid

Guangzhou Borderless Technology Co., Ltd.

85304-015 TACRUITF 17% Salicylic acid Wart Remover Serum Pen

Salicylic acid 17%

Wart remover

For the removal of common warts and plantar warts. Common warts have a rough cauliflower-like surface and are easily recognizable. Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern.

For external use only.

on irritated skin or on any area that is infected or reddened.On moles, birthmarkswarts with hair growing from them, genital warts, or warts on the face or mucousmembranes. If you have diabetesor poor blood circulation.

Avoid contact with eyes. If product gets into the eye, flush with Water for 15minutes. Non-edible.

Cap tightly and store at room temperature, away from heat.

Keep out of reach of children.lfswallowed, get medical help or contact the Poison Control Center (1-800-222-1222) right away.

Stop use and ask a doctor if discomfort persists.

- $1 \square Wash$ the affected area.May soak wart inwarm water for 5 minutes.
- 2. With the pen tip facing down pull open the cap.
- 3. Aim the pen tip at the treatment area, rotate the tail of the pen, wait for the liquid to come out, apply the liquid eveny, and let it dry.
- 4 Repeat this procedure once or twice dailyas needed (until wart is removed) forupto 12 weeks.

Water Polyethylene Glycol Glycerin Borneol

BEHATMH®

Wart Removal Treatment Extra Strength Pen

instructions

Drug Facts Purpose
Active ingredient: Purpose
Active ingredient: Wart remover
Salicytic acid 17%: Wart remover
Uses
Or the removal of common warts, and plantar warts. Common warts have a rough
To rulatiflower-like" surface and are easily recognizable. Plantar warts are located
Carriers soles of the feet, tender to touch, with an interrupted footprint pattern.

Poison Control Center (1-800-222-1222) right away.

Directions

1. Wash the affected area. May soak war inwarm water for 5 minutes.

2. With the pen tip facing down pull open the cap.

3. Aim the pen tip at the treatment area, rotate the tail of the pen, wait for theliquid to come out, apply the liquid every, and let it dry.

4. Repeat this procedure once or twice dailyas needed (until wart is removed) for uren 1.7 weeks.

 upto 12 weeks

 Other information

 Ster at room temperature. Avoid excessive heat (3°C / 99°F).

 Sin discoloration may occur during or after use.

 Inactive ingredients:
 52.5%

 Polyetylene Glycol
 15%

 Glycarin
 89%

 Borneol
 6%

BEHATMH® Wart Removal Treatment Extra Strength Pen HIGHLY EFFICIENT
Easy to use, fast-acting, ADVANCED TECHNOLOGY The liquid turns into a mask



TACRUITF 17% SALICYLIC ACID WART REMOVER SERUM PEN

salicylic acid liquid

Product Information

Product Type HUMAN OTC DRUG NDC:85304-015 **Item Code (Source)**

TOPICAL Route of Administration

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ) SALICYLIC ACID 17 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
BORNEOL (UNII: M89NIB437X)	

Packaging Marketing Start Marketing End # Item Code **Package Description Date** Date NDC:85304-09/03/2025 3 in 1 PACKAGE 015-01 4 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a

Con	nbination Product				
Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	505G(a)(3)	09/03/2025			

Labeler - Guangzhou Borderless Technology Co., Ltd. (452282332)

Establishment						
Name	Address	ID/FEI	Business Operations			
Guangzhou Borderless Technology Co., Ltd.		452282332	manufacture(85304-015)			

Revised: 9/2025 Guangzhou Borderless Technology Co., Ltd.