JTOPYRT- salicylic acid pad swab Guangzhou Yixiang Trading Co., Ltd.

Active ingredient(s)

Salicylic Acid 1.0%

Purpose(s)

Acne treatment

Uses

- For the treatment of acne
- Helps clear up pimples and blackheads
- Helps prevent new acne pimples from forming

Warnings

For external use only

When using this product

- Avoid contact with eyes. If contact occurs, rinse thoroughly with water.
- Skin irritation and dryness is more likely to occur if you use another topical acne

medication at the same time. If irritation occurs, only use one topical acne medication at a time.

• Avoid unnecessary sun exposure and use a sunscreen during the day.

Stop use and ask a doctor if

You experience any discomfort, abnormal skin reactions, or if skin irritation becomes severe or worsens.

Pregnancy or breast feeding section

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children

In case of accidental ingestion, get medical help or contact a Poison Control Center right away.

Directions

- Cleanse the skin thoroughly before applying medication.
- Take out a pad and gently wipe the entire affected area.
- Because excessive drying of the skin may occur, start with one application daily, then

- gradually increase to two times daily if needed or as directed by a doctor.
- If bothersome dryness or peeling occurs, reduce application to once a day or every other day.
- Alternate Use: You can place the pad directly on the skin, leave it on for 3-5 minutes, remove it, and gently pat the remaining essence until absorbed

Other information

- Store at room temperature 15°-30°C (59°-86°F)
- Protect from excessive heat and direct sun

Inactive ingredients

WATER, GLYCOLIC ACID, PROPYLENE GLYCOL, 1,2-HEXANEDIOL, BETAINE, SODIUM HYDROXIDE, HYDROXYACETOPHENONE, NIACINAMIDE, MALTOOLIGOSYL GLUCOSIDE, HYDROGENATED STARCH HYDROLYSATE, MELALEUCA ALTERNIFOLIA (TEA TREE) LEAF OIL, CENTELLA ASIATICA, GREEN TEA LEAF, BUTYLENE GLYCOL, 3-O-ETHYL ASCORBIC ACID, SODIUM HYALURONATE, PANTHENOL.

Questions or comments?

934-935-7135 / Yiqinzhi726@gmail.com

Box Front Pane

Professional and scientific skin care Pore Deeply cleanse the skin, remove excess oil, purify pores, and refine the skin texture. 60 PADS Double Sided



Drug Facts (continued) Directions Cleanse the skin thoroughly before applying medication. Take out a pad and gently wipe the entire affected area. Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two times daily if needed or as directed by a doctor. If bothersome dryness or peeling occurs, reduce application to once a day or every other day. Alternate Use: You can place the pad directly on the skin, leave it on for 3-5 minutes, remove it, and gently pat the remaining essence until absorbed. Other information Store at room temperature 15°-30°C (59°-86°F) Protect from excessive heat and direct sun Inactive ingredients WATER, GLYCOLIC ACID, PROPYLENE GLYCOL, 1,2-HEXANEDIOL, BETAINE, SODIUM HYDROXIDE, HYDROXYACETOPHENONE NIACINAMIDE MALTOOLIGOSYL GLUCOSIDE HYDROGENATED STARCH HYDROLYSATE, MELALEUCA ALTERNIFOLIA (TEA TREE) LEAF OIL, CENTELLA ASIATICA, GREEN TEA LEAF, BUTYLENE GLYCOL, 3-O-ETHYL ASCORBIC ACID, SODIUM HYALURONATE, Questions? 934-935-7135 / Yiginzhi726@gmail.com

JTOPYRT

salicylic acid pad swab

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87084-5942
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	1 g in 100 g

Inactive Ingredients				
Ingredient Name	Strength			
MALTOOLIGOSYL GLUCOSIDE (UNII: N91S91EFOG)	0.235 g in 100 g			
BETAINE (UNII: 3SCV180C9W)	0.5 g in 100 g			
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	0.12 g in 100 g			
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	0.12 g in 100 g			
MELALEUCA ALTERNIFOLIA (TEA TREE) LEAF OIL (UNII: VIF565UC2G)	0.135 g in 100 g			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	1 g in 100 g			
WATER (UNII: 059QF0KO0R)	91.025 g in 100 g			
HYDROGENATED STARCH HYDROLYSATE (UNII: 27F77DSJ5V)	0.135 g in 100 g			
GLYCOLIC ACID (UNII: 0WT12SX38S)	2 g in 100 g			
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	0.75 g in 100 g			
NIACINAMIDE (UNII: 25X5118RD4)	0.4 g in 100 g			
SODIUM HYDROXIDE (UNII: 55X04QC32I)	0.46 g in 100 g			
CENTELLA ASIATICA (UNII: 7M867G6T1U)	0.12 g in 100 g			
SODIUM HYALURONATE (UNII: YSE9PPT4TH)	0.1 g in 100 g			
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	0.35 g in 100 g			
3-O-ETHYL ASCORBIC ACID (UNII: 6MW60CB71P)	0.75 g in 100 g			
PANTHENOL (UNII: W/9CM0067Z)	0.8 g in 100 g			

Product Characteristics			
Color		Score	
Shape	ROUND (N/A)	Size	
Flavor		Imprint Code	
Contains			

# Item Package Description Marketing Start Date	NAI I-I
	Marketing End Date
1 g in 1 CARTON; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.) 09/04/2025	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M006	09/04/2025		

Labeler - Guangzhou Yixiang Trading Co., Ltd. (602595981)

Registrant - Guangzhou Yixiang Trading Co., Ltd. (602595981)

Establishment				
Name	Address		Business Operations	
Guangzhou Yishenghe Traditional Chinese Medicine Technology Co., Ltd.		638316827	manufacture(87084- 5942)	

Establishment			
Name	Address	ID/FEI	Business Operations
Guangzhou Yixiang Trading Co., Ltd.		602595981	label(87084-5942)

Revised: 9/2025 Guangzhou Yixiang Trading Co., Ltd.