

DARISOFT IODINE CONCENTRATE- iodine solution
Gem State Dairy Supply

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

DariSoft™
Iodine Concentrate 3.5%

Active Ingredients:

Iodine.....3.5%

Sanitizing Teat Dip

Directions:

1. Before applying milking unit to cows, rinse unit with a solution of iodine concentrate and water.
2. For washing cow's udder, approximately one minute before applying milking unit, wash and massage teats with clean towel wetted with DariSoft iodine concentrate using a 1 oz. to 1 gallon of water solutions.
3. Never reuse towels or dip used towels back into solution.

Danager:

1. Do not get in eyes, on skin or on clothing.
2. Protect eyes and skin when handling. Use protective goggles and gloves.
3. Wash thoroughly with soap and water after handling.

FIRST AID:

IN CASE OF EYE CONTACT: Immediately flush eyes or skin with plenty of water for at least 15 minutes.

IF SWALLOWED: Drink a large glass of milk. If not available, drink large quantity of water and call a physician.

WARNING: DariSoft Iodine Concentrate should be stored between 40°F and 100°F.

KEEP OUT OF REACH OF CHILDREN

AVOID CONTACT WITH FOOD

DO NOT TAKE INTERNALLY

Label

DANGER:

1. Do not get in eyes, on skin, or on clothing.
2. Protect eyes and skin when handling. Use protective goggles and gloves.
3. Wash thoroughly with soap and water after handling.

FIRST AID: IN CASE OF EYE CONTACT:
Immediately flush eyes or skin with plenty of water for at least 15 minutes.

IF SWALLOWED:

Drink a large glass of milk. If not available, drink large quantity of water and call a physician

KEEP OUT OF REACH OF CHILDREN
AVOID CONTACT WITH FOOD
DO NOT TAKE INTERNALLY

**DIRECTIONS:**

1. Before applying milking unit to cows, rinse unit with a solution of Iodine Concentrate and water.
2. For washing cow's udder, approximately one minute before applying milking unit, wash and massage teats with clean towel wetted with DariSoft Iodine Concentrate using a 1 oz. to 5 gallons of water solution.
3. Never reuse towels or dip used towels back into solution.

STORAGE:

DariSoft Iodine Concentrate should be stored between 40°F and 100°F.

WARNING: Test dip should be stored between 40°F and 100°F.

PRECAUCIÓN: Si no puede leer inglés, pregunte a su supervisor sobre las instrucciones de uso apropiadas antes de trabajar con este producto.

DARISOFT IODINE CONCENTRATE

iodine solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:86186-111
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	3.5 g in 1 L

Inactive Ingredients

Ingredient Name	Strength
SURFACTIN (UNII: ZU5L4DKH78)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:86186-111-75	1041 L in 1 TANK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		07/18/2025	

Labeler - Gem State Dairy Supply (071649352)

Establishment

Name	Address	ID/FEI	Business Operations
Gem State Dairy Supply		071649352	api manufacture, manufacture, pack, label

Revised: 7/2025

Gem State Dairy Supply