

NEUTROGENA CLEAR FACE BREAKOUT FREE OIL FREE BROAD SPECTRUM SPF 55- avobenzone, homosalate, octisalate, octocrylene, and oxybenzone lotion
Kenvue Brands LLC

Neutrogena® clear face BREAK-OUT FREE liquid-lotion SUNSCREEN Broad Spectrum SPF 55

Drug Facts

<i>Active Ingredients</i>	<i>Purpose</i>
Avobenzone 2.7%	Sunscreen
Homosalate 4%	Sunscreen
Octisalate 4.5%	Sunscreen
Octocrylene 6%	Sunscreen
Oxybenzone 4.5%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- **For external use only**
- **Do not use** on damaged or broken skin
- **When using this product** keep out of eyes. Rinse with water to remove
- **Stop use and ask a doctor if** rash occurs
- **Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.**

Directions

- apply generously 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

- children under 6 months of age: Ask a doctor

Other Information

- protect this product from excessive heat and direct sun
- may stain some fabrics

Inactive Ingredients

Water, Silica, Cetyl Dimethicone, Styrene/Acrylates Copolymer, C12-15 Alkyl Benzoate, Steareth-100, Ethylhexylglycerin, Phenoxyethanol, Caprylyl Glycol, Sodium Polyacrylate, Dimethicone, Steareth-2, Polyester-7, Chlorphenesin, Propylene Glycol, Ethylhexyl Stearate, Neopentyl Glycol Diheptanoate, Bisabolol, Disodium EDTA, Butylene Glycol, Acrylates/Dimethicone Copolymer, Diethylhexyl 2,6-Naphthalate, Mannan, Xanthan Gum, BHT, Capryloyl Glycine, Trideceth-6, Sarcosine, Cedrus Atlantica Bark Extract, Cinnamomum Zeylanicum Bark Extract, Portulaca Oleracea Extract

Questions?

Call toll-free **800-582-4048** or **215-273-8755** (collect). www.neutrogena.com

Distributed by: **JOHNSON & JOHNSON CONSUMER INC.** Skillman, NJ 08558

PRINCIPAL DISPLAY PANEL - 88 mL Tube Label

Neutrogena®

#1 DERMATOLOGIST RECOMMENDED BRAND

Clear Face

BREAKOUT FREE

oil-free

sunscreen

BROAD SPECTRUM SPF 55

55

helioplex®

broad spectrum uva•uvb

won't cause breakouts

ultra-light

water resistant (80 minutes)

3.0 FL OZ (88 mL)

Neutrogena®

#1 DERMATOLOGIST RECOMMENDED BRAND

Clear Face

BREAKOUT FREE

oil-free
sunscreen

BROAD SPECTRUM SPF 55

55

helioplex®
broad spectrum uva-uvb

won't cause breakouts
ultra-light
water resistant (80 minutes)

3.0 FL OZ (88 mL)



- Fragrance-free
 - Oil-free
- 30044008

Drug Facts

Active ingredients Avobenzone (2.7%), Homosalate (4%), Octisalate (4.5%), Octocrylene (6%), Oxybenzone (4.5%) } **Purpose** Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
■ For external use only ■ Do not use on damaged or broken skin ■ When using this product, keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away


Directions ■ apply generously and evenly 15 minutes before sun exposure ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months of age: Ask a doctor

Other information ■ protect this product from excessive heat and direct sun ■ may stain some fabrics

Inactive ingredients Water, Silica, Cetyl Dimethicone, Styrene/Acrylates Copolymer, C12-15 Alkyl Benzoate, Steareth-100, Ethylhexylglycerin, Phenoxyethanol, Caprylyl Glycol, Sodium Polyacrylate, Dimethicone, Steareth-2, Polyester-7, Chlorphenesin, Propylene Glycol, Ethylhexyl Stearate, Neopentyl Glycol Diheptanoate, Bisabolol, Disodium EDTA, Butylene Glycol, Acrylates/Dimethicone Copolymer, Diethylhexyl 2,6-Naphthalate, Mannan, Xanthan Gum, BHT, Capryloyl Glycine, Trideceth-6, Sarcosine, Cedrus Atlantica Bark Extract, Cinnamomum Zeylanicum Bark Extract, Portulaca Oleracea Extract

Questions? Call toll-free 800-582-4048 or 215-273-8755 (collect). www.neutrogena.com

Distributed by: JOHNSON & JOHNSON CONSUMER INC., Skillman, NJ 08558 © J&JCI 2019



NEUTROGENA CLEAR FACE BREAKOUT FREE OIL FREE BROAD SPECTRUM SPF 55

avobenzone, homosalate, octisalate, octocrylene, and oxybenzone lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0573
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	27 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	40 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	45 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	60 mg in 1 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	45 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CETYL DIMETHICONE 25 (UNII: U4AS1BW4ZB)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
STEARETH-100 (UNII: 4OH5W9UM87)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
STEARETH-2 (UNII: V56DFE46J5)	
POLYESTER-7 (UNII: 0841698D2F)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ETHYLHEXYL STEARATE (UNII: EG3PA2K3K5)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
LEVOMENOL (UNII: 24WE03BX2T)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER (UNII: V5RS026Q0H)	
DIETHYLHEXYL 2,6-NAPHTHALATE (UNII: I0DQJ7YGXM)	
YEAST MANNAN (UNII: 91R887N59P)	
XANTHAN GUM (UNII: TTV12P4NEE)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
CAPRYLOYL GLYCINE (UNII: 8TY5YO42NJ)	
TRIDECETH-6 (UNII: 3T5PCR2H0C)	
SARCOSINE (UNII: Z711V88R5F)	
CEDRUS ATLANTICA BARK (UNII: ITP1Q41UPF)	
CINNAMON BARK OIL (UNII: XE54U569EC)	
PURSLANE (UNII: M6S840WYG5)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0573-3	88 mL in 1 TUBE; Type 0: Not a Combination Product	10/07/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/07/2019	

