

SCRUB, SCRUB-STAT, FOAM SAFE, MICRO-GUARD- chlorhexidine gluconate solution
AVA, Inc.

4% Chlorhexidine Gluconate Liquid Solution
Product Code: 128
AVA, Inc.

Active ingredient

Chlorhexidine gluconate, 4%

Purposes

Surgical hand scrub

Healthcare personnel handwash

Skin wound and general skin cleanser

Uses

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** handwash to help reduce bacteria that potentially can cause disease
- **skin wound and general cleanser:** helps reduce bacteria on the skin

Warnings

For external use only

Allergy alert

This product may cause a severe allergic reaction.

Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you are allergic to chlorhexidine gluconate or any other ingredients in this preparation
- as a preoperative skin preparation (especially on the head or face)
- in contact with meninges

- in the genital area

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated ear drums.
- if contact occurs, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when underlying condition makes it necessary to reduce the bacterial population of the skin

Stop use and ask a doctor if

irritation, sensitization, or allergic reaction occurs and lasts for 72 hours. These may be signs of a serious condition.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These product may cause irritation or chemical burns.
- use full strength
- do not dilute

Surgical hand scrub

- remove jewelry
- wet hands and forearms with water and apply 5 mL of the product
- wash/scrub hands and forearms for 3 minutes paying particular attention to the nails, cuticles, and interdigital spaces
- rinse thoroughly with water
- wash for an additional 3 minutes with 5 mL of the product and rinse under running water
- dry thoroughly

Healthcare personnel handwash

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 30 seconds
- rinse and dry thoroughly

Skin wound and general skin cleanser

- thoroughly rinse the area to be cleansed with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently. Rinse thoroughly with water.
- rinse again thoroughly

Other information

- store between 20-25 °C (68-77 °F)
- avoid excessive heat (above 104 °F/40 °C)
- for additional information, see Material Safety Data Sheet (MSDS)
- if swallowed get medical help or contact a Poison Control Center immediately

Inactive ingredients

cocamide DEA, cocamine oxide, fragrance, gluconic acid*, gluconolactone*, hydroxyethylcellulose, isopropyl alcohol 4%, PEG-75 lanolin, PEG-150 distearate, propylene glycol, quaternium-60, water

*contains one or more of these ingredients

Questions or comments?

call **1.800.581.2528**, 24 hours a day, 7 days a week

Representative label and principal display panel

SCRUB™

Chlorhexidine Gluconate 4% Liquid Solution

ANTIMICROBIAL SKIN CLEANSER

FOR EXTERNAL USE ONLY

www.SCRUBchg.com

AVA, Inc.

Willowbrook IL 60527

FDA APPROVED

MADE IN THE USA

WARNING: This product can expose you to cocamide DEA, which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov

NDC 42939-128-01

4 fl oz (118 mL)

Scrub™

Chlorhexidine Gluconate
Liquid Solution

4.0%
ANTIMICROBIAL
skin cleanser

FOR EXTERNAL
USE ONLY
www.SCRUBchg.com
AVA Inc
Willowbrook, IL 60527
4 fl oz (118 mL)

NDC 42939-128-01



WARNING: This product can expose you to cocamide DEA, which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov

Drug Facts (continued)

Skin wound and general skin cleanser:

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently. Rinse thoroughly with water.
- rinse again thoroughly.

Other information

- store between 20-25°C (68-77°F)
- avoid excessive heat (above 104°F/40°C)
- for additional information, see Safety Data Sheet (SDS)
- if swallowed get medical help or contact a Poison Control Center immediately

Inactive ingredients

cocamide DEA, cocamine oxide, fragrance, gluconic acid*, gluconolactone*, hydroxyethyl cellulose, isopropyl alcohol 4%, PEG-75 lanolin, PEG-150 distearate, erythritol glycol, galatium-60, water

*contains one or more of these ingredients

Questions or comments?

call 1.800.581.2528, 24 hours a day, 7 days a week
Keep from freezing.

Drug Facts

Active ingredient Chlorhexidine gluconate solution, 4%

Purposes Surgical hand scrub solution, 4%..... Healthcare personal handwash Skin wound and general skin cleanser

Uses

- surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- healthcare personal handwash:** handwash to help reduce bacteria that potentially can cause disease
- skin wound and general skin cleanser:** helps reduce bacteria on the skin

Lift Here For Drug Facts

Drug Facts (continued)

Warnings

For external use only

Allergy alert

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you are allergic to chlorhexidine gluconate or any other ingredient in this preparation
- as a patient preservative skin preparation (especially on the head or face)
- in contact with meningitis
- in the genital area

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated eardrums
- if contact occurs, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when an underlying condition makes it necessary to reduce the bacterial population on the skin

Stop use and ask a doctor if irritation, sensitization or allergic reaction occurs and lasts for 72 hours. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- use full strength
- do not dilute





Surgical hand scrub:

- remove jewelry
- wet hands and forearms with water and apply 5 mL of the product
- wash scrub hands and forearms for 3 minutes paying particular attention to the nails, cuticles, and interdigital spaces
- rinse thoroughly with water
- wash for an additional 3 minutes with 5 mL of the product and rinse under running water
- dry thoroughly

Healthcare personal handwash:

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 30 seconds
- rinse and dry thoroughly

NDC 42939-128-17
8 fl oz (236 mL)

<p>Drug Facts (continued)</p> <ul style="list-style-type: none"> as a patient preoperative skin preparation (especially on the head or face) in contact with meningitis in the genital area <p>When using this product</p> <ul style="list-style-type: none"> keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or may cause death when instilled in the middle ear through perforated eardrums. if contact occurs, rinse with cold water right away wounds which involve more than the superficial layers of the skin should not be routinely treated repeated general skin cleansing of large body areas should not be done except when an underlying condition makes it necessary to reduce the bacterial population of the skin <p>Stop use and ask a doctor if irritation, sensitization or allergic reaction occurs and lasts for 72 hours. These may be signs of a serious condition.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>	<p>Drug Facts (continued)</p> <p>Directions</p> <ul style="list-style-type: none"> use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns. use full strength do not dilute <p>Surgical hand scrub:</p> <ul style="list-style-type: none"> remove jewelry wet hands and forearms with water and apply 5 mL of the product wash/scrub hands and forearms for 3 minutes paying particular attention to the nails, cuticles, and interdigital spaces rinse thoroughly with water wash for an additional 3 minutes with 5 mL of the product and rinse under running water dry thoroughly <p>Healthcare personnel handwash:</p> <ul style="list-style-type: none"> wet hands with water dispense about 5 mL of product into cupped hands rinse and dry thoroughly <p>Skin wound and general skin cleanser:</p> <ul style="list-style-type: none"> thoroughly rinse the area to be cleansed with water 	 <p>4.0% ANTIMICROBIAL skin cleanser</p> <p>FOR EXTERNAL USE ONLY</p> <p>www.ScrubCHG.com AVA Inc Willowbrook IL 60527</p> <p>8 fl oz (236 mL)</p>  <p>3 42939 12817 3</p> <p>NDC 42939-128-17</p>   <p>WARNING: This product can expose you to cocamide DEA, which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov</p>
---	---	---

<p>Drug Facts (continued)</p> <ul style="list-style-type: none"> apply the minimum amount of product necessary to cover the skin or wound area and wash gently. Rinse thoroughly with water. rinse again thoroughly <p>Other information</p> <ul style="list-style-type: none"> store between 20-25°C (68-77°F) avoid excessive heat (above 104°F/40°C) for additional information, see Safety Data Sheet (SDS) if swallowed get medical help or contact a Poison Control Center immediately <p>Inactive ingredients cocamide DEA, cocamine oxide, fragrance, gluconic acid*, gluconolactone*, hydroxyethyl cellulose, isopropyl alcohol 4%, PEG-75 lanolin, PEG-150 distearate, propylene glycol, quaternium-60, water *contains one or more of these ingredients</p> <p>Questions or comments? call 1.800.561.2928, 24 hours a day, 7 days a week</p> <p>Keep from freezing</p>

<p>Drug Facts</p> <p>Active ingredient Purposes</p> <p>Chlorhexidine gluconate solution, 4%..... Surgical hand scrub Healthcare personnel handwash Skin wound and general skin cleanser</p> <p>Uses</p> <ul style="list-style-type: none"> surgical hand scrub: significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care healthcare personnel handwash: handwash to help reduce bacteria that potentially can cause disease skin wound and general skin cleanser: helps reduce bacteria on the skin <p>Warnings</p> <p>For external use only</p> <p>Allergy alert This product may cause a severe allergic reaction. Symptoms may include:</p> <ul style="list-style-type: none"> wheezing/difficulty breathing shock facial swelling hives rash <p>If an allergic reaction occurs, stop use and seek medical help right away.</p> <p>Do not use</p> <ul style="list-style-type: none"> if you are allergic to chlorhexidine gluconate or any other ingredient in this preparation 	<p>lift here for Drug Facts</p>
--	---------------------------------

16 fl oz (473 mL)



Chlorhexidine Gluconate Liquid Solution

4.0%
ANTIMICROBIAL
skin cleanser

FOR EXTERNAL
USE ONLY

www.SCRUBchg.com
AVA Inc
Willowbrook IL 60527

16 fl oz (473 mL)



NDC 42939-128-18



<p>Drug Facts</p> <p>Active ingredient Chlorhexidine gluconate solution, 4%.....</p> <p>Purposes Surgical hand scrub Healthcare personnel handwash Skin wound and general skin cleanser</p>	<p>Drug Facts (continued)</p> <p>When using this product</p> <ul style="list-style-type: none"> Keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated eardrums. If contact occurs, rinse with cold water right away. Wounds which involve more than the superficial layers of the skin should not be routinely treated. Repeated general skin cleansing of large body areas should not be done except when an underlying condition makes it necessary to reduce the bacterial population of the skin. 	<p>Drug Facts (continued)</p> <ul style="list-style-type: none"> rinse thoroughly with water wash for an additional 3 minutes with 5 mL of the product and rinse under running water dry thoroughly <p>Healthcare personnel handwash:</p> <ul style="list-style-type: none"> wet hands with water dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 30 seconds rinse and dry thoroughly
<p>Uses</p> <ul style="list-style-type: none"> surgical hand scrub: significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care healthcare personnel handwash: handwash to help reduce bacteria that potentially can cause disease skin wound and general skin cleanser: helps reduce bacteria on the skin 	<p>Stop use and ask a doctor if irritation, sensitization or allergic reaction occurs and lasts for 72 hours. These may be signs of a serious condition.</p> <p>Keep out of reach of children.</p> <p>If swallowed, get medical help or contact a Poison Control Center right away.</p>	<p>Skin wound and general skin cleanser:</p> <ul style="list-style-type: none"> thoroughly rinse the area to be cleansed with water apply the minimum amount of product necessary to cover the skin or wound area and wash gently. Rinse thoroughly with water. rinse again thoroughly
<p>Warnings</p> <p>For external use only</p> <p>Allergy alert This product may cause a severe allergic reaction. Symptoms may include:</p> <ul style="list-style-type: none"> wheezing/difficulty breathing facial swelling shock hives rash <p>If an allergic reaction occurs, stop use and seek medical help right away.</p> <p>Do not use</p> <ul style="list-style-type: none"> if you are allergic to chlorhexidine gluconate or any other ingredient in this preparation as a patient preoperative skin preparation (especially on the head or face) in contact with meninges in the genital area 	<p>Directions</p> <ul style="list-style-type: none"> use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns. use full strength do not dilute <p>Surgical hand scrub:</p> <ul style="list-style-type: none"> remove jewelry wet hands and forearms with water and apply 5 mL of the product wash/scrub hands and forearms for 3 minutes paying particular attention to the nails, cuticles, and interdigital spaces 	<p>Other information</p> <ul style="list-style-type: none"> store between 20-25°C (68-77°F) avoid excessive heat (above 104°F/40°C) for additional information, see Safety Data Sheet (SDS) if swallowed get medical help or contact a Poison Control Center immediately
<p>Warnings (continued)</p> <p>For external use only</p> <p>Allergy alert This product may cause a severe allergic reaction. Symptoms may include:</p> <ul style="list-style-type: none"> wheezing/difficulty breathing facial swelling shock hives rash <p>If an allergic reaction occurs, stop use and seek medical help right away.</p> <p>Do not use</p> <ul style="list-style-type: none"> if you are allergic to chlorhexidine gluconate or any other ingredient in this preparation as a patient preoperative skin preparation (especially on the head or face) in contact with meninges in the genital area 	<p>Directions (continued)</p> <ul style="list-style-type: none"> use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns. use full strength do not dilute <p>Surgical hand scrub (continued):</p> <ul style="list-style-type: none"> remove jewelry wet hands and forearms with water and apply 5 mL of the product wash/scrub hands and forearms for 3 minutes paying particular attention to the nails, cuticles, and interdigital spaces 	<p>Inactive ingredients cocamide DEA, cocamine oxide, fragrance, gluconic acid*, gluconolactone*, hydroxyethyl cellulose, isopropyl alcohol 4%, PEG-75 lanolin, PEG-150 distearate, propylene glycol, quaternium-60, water * contains one or more of these ingredients</p> <p>Questions or comments? call 1.800.581.2928, 24 hours a day, 7 days a week</p>

WARNING: This product can expose you to cocamide DEA, which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov

Keep from freezing

NDC 42939-128-19

32 fl oz (946 mL)



Chlorhexidine Gluconate Liquid Solution

4.0% ANTIMICROBIAL skin cleanser

FOR EXTERNAL USE ONLY
www.SCRUBchg.com
AVA Inc
Willowbrook IL 60527
32 fl oz (946 mL)



3 42939 12819 7

NDC 42939-128-19

Drug Facts

Active ingredient Chlorhexidine gluconate solution, 4%
Purposes Surgical hand scrub
Healthcare personnel handwash
Skin wound and general skin cleanser

Uses

- surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- healthcare personnel handwash:** handwash to help reduce bacteria that potentially can cause disease
- skin wound and general skin cleanser:** helps reduce bacteria on the skin

Warnings
For external use only
Allergy alert
This product may cause a severe allergic reaction. Symptoms may include:
• wheezing/difficulty breathing • shock
• facial swelling • hives • rash
If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you are allergic to chlorhexidine gluconate or any other ingredient in this preparation
- as a patient preoperative skin preparation (especially on the head or face)
- in contact with meninges
- in the genital area

Drug Facts (continued)

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated eardrums.
- if contact occurs, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when an underlying condition makes it necessary to reduce the bacterial population of the skin

Stop use and ask a doctor if irritation, sensitization or allergic reaction occurs and lasts for 72 hours. These may be signs of a serious condition.

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- use full strength
- do not dilute
- Surgical hand scrub:**
 - remove jewelry
 - wet hands and forearms with water and apply 5 mL of the product
 - wash/scrub hands and forearms for 3 minutes paying particular attention to the nails, cuticles, and interdigital spaces

Drug Facts (continued)

- rinse thoroughly with water
- wash for an additional 3 minutes with 5 mL of the product and rinse under running water
- dry thoroughly
- Healthcare personnel handwash:**
 - wet hands with water
 - dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 30 seconds
 - rinse and dry thoroughly
- Skin wound and general skin cleanser:**
 - thoroughly rinse the area to be cleansed with water
 - apply the minimum amount of product necessary to cover the skin or wound area and wash gently. Rinse thoroughly with water.
 - rinse again thoroughly

Other information

- store between 20-28°C (68-77°F)
- avoid excessive heat (above 104°F/40°C)
- for additional information, see Safety Data Sheet (SDS)
- if swallowed get medical help or contact a Poison Control Center immediately

Inactive ingredients
cocamide DEA, cocamide oxide, fragrance, gluconic acid*, glucomolane™, hydroxyethyl cellulose, isopropyl alcohol 4%, PEG-75 lanolin, PEG-150 distearate, propylene glycol, quaternium-60, water *contains one or more of these ingredients

Questions or comments?
call 1.800.581.2528, 24 hours a day, 7 days a week

Keep from freezing.

⚠️ **WARNING:** This product can expose you to cocamide DEA, which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov

NDC 42939-128-12
128 fl oz (3785 mL)



Chlorhexidine Gluconate Liquid Solution

4.0% ANTIMICROBIAL skin cleanser

FOR EXTERNAL USE ONLY

128 fl oz (3785 mL)




Drug Facts

Active ingredient Chlorhexidine gluconate solution, 4%
Purposes Healthcare personnel handwash
Surgical hand scrub

Uses

- surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- healthcare personnel handwash:** handwash to help reduce bacteria that potentially can cause disease
- skin wound and general skin cleanser:** helps reduce bacteria on the skin

Warnings
For external use only
Allergy alert
This product may cause a severe allergic reaction. Symptoms may include:
• wheezing/difficulty breathing • shock • facial swelling • hives • rash
If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you are allergic to chlorhexidine gluconate or any other ingredient in this preparation
- as a patient preoperative skin preparation (especially on the head or face)
- in contact with meninges
- in the genital area

Drug Facts (continued)

- rinse thoroughly with water
- wash for an additional 3 minutes with 5 mL of the product and rinse under running water
- dry thoroughly
- Healthcare personnel handwash:**
 - wet hands with water
 - dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 30 seconds
 - rinse and dry thoroughly
- Skin wound and general skin cleanser:**
 - thoroughly rinse the area to be cleansed with water
 - apply the minimum amount of product necessary to cover the skin or wound area and wash gently. Rinse thoroughly with water.
 - rinse again thoroughly

Other information

- store between 20-28°C (68-77°F)
- avoid excessive heat (above 104°F/40°C)
- for additional information, see Safety Data Sheet (SDS)
- if swallowed get medical help or contact a Poison Control Center immediately

Inactive ingredients
cocamide DEA, cocamide oxide, fragrance, gluconic acid*, glucomolane™, hydroxyethyl cellulose, isopropyl alcohol 4%, PEG-75 lanolin, PEG-150 distearate, propylene glycol, quaternium-60, water *contains one or more of these ingredients

Questions or comments?
call 1.800.581.2528, 24 hours a day, 7 days a week

Keep from freezing.

⚠️ **WARNING:** This product can expose you to cocamide DEA, which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov

SCRUB, SCRUB-STAT, FOAM SAFE, MICRO-GUARD

chlorhexidine gluconate solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:42939-128(NDC:47593-464)
---------------------	----------------	---------------------------	------------------------------

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	40 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
COCO DIETHANOLAMIDE (UNII: 92005F972D)	
COCAMINE OXIDE (UNII: QWA2IZI6FI)	
GLUCONIC ACID (UNII: R4R8J0Q44B)	
GLUCONOLACTONE (UNII: WQ29KQ9POT)	
HYDROXYETHYL CELLULOSE (3000 CPS AT 1%) (UNII: 7Q6P4JN1QT)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
PEG-75 LANOLIN (UNII: 09179OX7TB)	
PEG-150 DISTEARATE (UNII: 6F36Q0I0AC)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
QUATERNIUM-33 (UNII: XPS4174QZJ)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:42939-128-01	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/22/1986	
2	NDC:42939-128-02	540 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/22/1986	
3	NDC:42939-128-03	750 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	07/22/1986	
4	NDC:42939-128-04	750 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/22/1986	
5	NDC:42939-128-05	800 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/22/1986	
6	NDC:42939-128-06	946 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/22/1986	
7	NDC:42939-128-07	946 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/22/1986	
8	NDC:42939-128-08	1000 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/22/1986	
9	NDC:42939-128-09	1000 mL in 1 POUCH; Type 0: Not a Combination Product	07/22/1986	
10	NDC:42939-128-10	1250 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/22/1986	
11	NDC:42939-128-11	1250 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	07/22/1986	
12	NDC:42939-128-12	3785 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/22/1986	
13	NDC:42939-128-13	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/22/1986	

14	NDC:42939-128-14	59 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/22/1986	
15	NDC:42939-128-15	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/22/1986	
16	NDC:42939-128-16	236 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/22/1986	
17	NDC:42939-128-17	236 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/22/1986	
18	NDC:42939-128-18	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/22/1986	
19	NDC:42939-128-19	946 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/22/1986	
20	NDC:42939-128-20	59 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/22/1986	
21	NDC:42939-128-21	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/22/1986	
22	NDC:42939-128-22	236 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/22/1986	
23	NDC:42939-128-23	1000 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/22/1986	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA019258	07/22/1986	

Labeler - AVA, Inc. (615317075)

Establishment

Name	Address	ID/FEI	Business Operations
AVA, Inc.		615317075	analysis(42939-128) , api manufacture(42939-128) , manufacture(42939-128) , repack(42939-128)

Revised: 11/2023

AVA, Inc.