# BOVAPRO 110 CONC- iodine teat dip solution AgroChem USA, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

## **BOVPRO 110 CONC**

**BOVPRO 110 CONC** 

TEAT DIP CONCENTRATE

WARNING

### **KEEP OUT OF REACH OF CHILDREN**

NOT FOR HUMAN USE.

AVOID FREEZING.

KEEP OUT OF DIRECT SUNLIGHT.

**CAUSES SERIOUS EYE IRRITATION.** 

FOR FARM AND INDUSTRIAL USE ONLY.

PREVENTION: Wash skin thoroughly after handling. Wear eye protection/face protection.

FIRST AID / RESPONSE:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

STORAGE: Store locked up.

DISPOSAL: Dispose of contents/ container to an approved waste disposal

plant

EMERGENCY TELEPHONE NUMBER (Chemtrec) 800-424-9300 CCN205494

ACTIVE INGREDIENT (WHEN MIXED 1:3): Iodine 1.0% (10.0% Polyethoxy Polypropoxy Polyethoxy Ethanol - Iodine Complex) Titration via USP33 Reissue, Topical Solution

**EMOLLIENTS: 10%** 

NDC: 17307-2005-3

BovaPro 110 Concentrate is made with IoPlex technology and is NPE

free.

**NET CONTENTS: 55 GALLON (208.2L)** 

LOT:

**EXP. DATE:** 

Use BovaPro 110 Concentrate effectively to reduce the spread of mastitis causing organisms.

Recommended for pre and post milking applications.

#### **DIRECTIONS:**

IMPORTANT: THIS IS A CONCENTRATE AND MUST BE DILUTED WITH WATER PRIOR TO USE. Mix ONE part concentrate to THREE parts of clean soft water. Mix by volume.

#### General Use

Use a teat dip cup to apply. Clean dip cup just prior to use.

If cow's teats are sore or chapped, consult a veterinarian before starting or continuing to use teat dip.

If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for this product.

If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.

This product can also be foamed or sprayed using recommended equipment.

## **Pre Dipping Use**

Perform forestripping and inspect teats for clinical mastitis.

Pre-wash teats thoroughly just prior to milking with appropriate udder wash solution or pre-milking teat dip. Teats should then be dried with single-service towels.

Just before each cow is milked, dip, foam, or spray, each teat full-length into the teat dip or foam cup containing product. Allow product to stand for 30 seconds.

Wipe teats dry after dipping, using single-service towels to avoid contamination of milk.

**Post Dipping Use** 

Immediately after each milking, use product.

Dip each teat full-length into the teat dip cup containing product. Allow to air dry. Do not wipe.

If outside temperature is below freezing, allow to air dry on the teat before cow leaves the parlor.

**Extended Use** 

When a cow is being dried off, the teats should be dipped in product, once a day for 3-4 days after the last milking. Dipping should be resumed at least twice daily one week before calving.

Manufactured By:

AgroChem USA, LLC 26 Freedom Way • Saratoga Springs, NY 12866 • (518)226-4850

# **BOVAPRO 110 CONCENTRATE (1:3)**

TEAT DIP CONCENTRATE

## WARNING

AVOID FREEZING.
KEEP OUT OF DIRECT SUNLIGHT.
CAUSES SERIOUS EYE IRRITATION.
KEEP OUT OF REACH OF CHILDREN.
FOR FARM AND INDUSTRIAL USE ONLY.



PREVENTION: Wash skin thoroughly after handling. Wear eye protection/face protection.

FIRSTAID/RESPONSE:

IFIN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

STORAGE: Store locked up.

DISPOSAL: Dispose of contents/container to an approved waste disposal plant.


EMERGENCY TELEPHONE NUMBER (Chemtrec) 800-424-9300 CCN205494

ACTIVE INGREDIENT (WHEN MIXED 1:3): Iodine 1.0% (10.0% Polyethoxy Polypropoxy Polyethoxy Ethanol - Iodine Complex) Titration via USP33 Reissue, Topical Solution EMOLLIENTS: 10%

NDC: 17307-2005-3

BovaPro 110 Concentrate is made with IoPlex technology and is NPE free.

NET CONTENTS: 55 GALLONS









Use BoyaPro 110 Concentrate effectively to reduce the spread of mastitis causing organisms. Recommended for pre and post milking applications.

#### DIRECTIONS:

General Use

IMPORTANT: THIS IS A CONCENTRATE AND MUST BE DILUTED WITH WATER PRIOR TO USE. Mix ONE part concentrate to THREE parts of clean soft water. Mix by volume.

Use a teat dip cup to apply. Clean dip cup just prior to use.

If cow's teats are sore or chapped, consult a veterinarian before starting or continuing to use teat dip. If transferred from this container to any other, make sure that the other container is thoroughly precleaned and bears the proper container labeling for this product.

If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.

This product can also be foamed or sprayed using recommended equipment.

#### Pre Dipping Use

Perform forestripping and inspect teats for clinical mastitis.

Pre-wash teats thoroughly just prior to milking with appropriate udder wash solution or pre-milking teat dip. Teats should then be dried with single-service towels.

Just before each cow is milked, dip, foam, or spray, each teat full-length into the teat dip orfoam cup containing product.

Allow product to stand for 30 seconds.

Wipe teats dry afterdipping, using single-service towels to avoid contamination of milk.

### Post Dipping Use

Immediately after each milking, use product.

Dip each teat full-length into the teat dip cup containing product. Allow to air dry. Do not wipe. If outside temperature is below freezing, allow to air dry on the teat before cow leaves the parlor.

#### Extended Use

When a cow is being dried off, the teats should be dipped in product, once a day for 3-4 days after the last miking. Dipping should be resumed at least twice daily one week before calving.

Manufactured By: AgroChemUSA, LLC 26 Freedom Way Saratoga Springs, NY 12866 Phone: 518-226-4850



## **BOVAPRO 110 CONC**

iodine teat dip solution

## **Product Information**

Product Type OTC ANIMAL DRUG Item Code (Source) NDC:17307-2005

Route of Administration TOPICAL

# **Active Ingredient/Active Moiety**

•			
Ingredient Name	<b>Basis of Strength</b>	Strength	
IODINE (UNII: 9679TC07X4) (IODINF - UNII:9679TC07X4)	IODINE	0.0184 kg in 1 kg	

Packaging					
#	Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date	
1	NDC:17307-2005-1	19 kg in 1 CONTAINER			
2	NDC:17307-2005-2	57 kg in 1 DRUM			
3	NDC:17307-2005-3	208 kg in 1 DRUM			
4	NDC:17307-2005-4	1003 kg in 1 CONTAINER			

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved drug other		11/08/2024			

# Labeler - AgroChem USA, LLC (118336116)

# Registrant - AgroChem USA, LLC (118336116)

Establishment					
Name	Address	ID/FEI	Business Operations		
AgroChem USA, LLC		118336116	api manufacture, manufacture, analysis, label, pack		

Revised: 11/2024 AgroChem USA, LLC