

CHARM-TEX DEODORANT- aluminum chlorohydrate stick

Charm-Tex, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

**Charm-Tex
STICK
DEODORANT**

Drug Facts

Active Ingredient

Aluminum Chlorohydrate 7.8%

Tetrachlorohydraxgly

Purpose

Antiperspirant

Use

Reduces underarm perspiration

WARNINGS

For external use only.

Do not use on broken skin.

Discontinue use if irritation and redness develop. If condition persists for more than 72 hours consult a doctor.

Ask a doctor before use if you have kidney disease.

Keep out of reach of children. If swallowed, get medical help and contact Poison Control Center right away.

Directions

Apply to underarms only.

Inactive Ingredients

Propylene Glycol, Do-Ionized Water, Sodium Stearat, Pentadoxynol-200, Fragrance, Trichlosan

Manufactured for: **CHARM-TEX, INC.**

1618 Coney Island Ave., Brooklyn NY 11230

PRINCIPAL DISPLAY PANEL - 4.5 gr Applicator Label

**Charm-Tex
STICK**

DEODORANT

ALCOHOL FREE

Net Wt. 1.6 oz. 4.5 gr.



STICK DEODORANT

ALCOHOL FREE
Net Wt. 1.6 oz. 4.5 gr.

Drug Facts

| Active Ingredient | Purpose |
|--|----------------|
| Aluminum Chlorohydrate 7.8% Tetrachlorohydrxgly | Antiperspirant |

Use: Reduces underarm perspiration

WARNINGS For external use only. Do not use on broken skin.

Discontinue use if irritation and redness develop. If condition persists for more than 72 hours consult a doctor.

Ask a doctor before use if you have kidney disease.

Keep out of reach of children. If swallowed, get medical help and contact Poison Control Center right away.

Directions: Apply to underarms only.

Inactive Ingredients: Propylene Glycol, De-ionized Water, Sodium Stearat, Pentadroxynol-200, Fragrance, Trichlosan

Made in China

Manufactured for: CHARM-TEX, INC.

1618 Coney Island Ave., Brooklyn NY 11230 • WWW.Charm-Tex.Com

CHARM-TEX DEODORANT

aluminum chlorohydrate stick

Product Information

| | | | |
|-------------------------|----------------|--------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:40057-2000 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|------------------------|----------------|
| Aluminum chlorohydrate (UNII: HPN8MZW13M) (Aluminum chlorohydrate - UNII:HPN8MZW13M) | Aluminum chlorohydrate | 7.8 g in 100 g |

Inactive Ingredients

| Ingredient Name | Strength |
|-------------------------------------|----------|
| Propylene Glycol (UNII: 6DC9Q167V3) | |
| Water (UNII: 059QF0KO0R) | |
| Sodium Stearate (UNII: QU7E2XA9TG) | |
| Triclosan (UNII: 4NM5039Y5X) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|-----------------------|----------------------|--------------------|
| 1 | NDC:40057-2000-1 | 4.5 g in 1 APPLICATOR | | |
| 2 | NDC:40057-2000-2 | 1.4 g in 1 APPLICATOR | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC MONOGRAPH FINAL | part350 | 01/17/2012 | |

Labeler - Charm-Tex, Inc. (058347543)

Revised: 1/2012

Charm-Tex, Inc.