

CHILDRENS CHEST CONGESTION RELIEF GRAPE- guaifenesin liquid
Discount Drug Mart

Drug Facts

Active ingredient
(in each 5 mL teaspoonful)

Guaifenesin, USP 100 mg

Purpose

Expectorant

Keep out of reach of children

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Uses

- Helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive.

Warnings

DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING.

Ask a doctor before use if the child has:

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with asthma.

Stop use and as a doctor if

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness

Directions

- do not use more than 6 doses in any 24-hour period

age	dose
Children 6 years to under 12 years	1 - 2 teaspoonfuls every 4 hours
Children 4 years to under 6 years	1/2 - 1 teaspoonful every 4 hours
Children under 4 years	do not use

Other information

- each 5 mL teaspoon contains: sodium 3 mg
- store at 20°-25°C (68°-77°F)
- do not refrigerate
- dosing cup provided
- **Keep carton for full Directions for use.**

Inactive ingredients

Anhydrous citric acid, dextrose, FD and C Blue # 1, FD and C Red # 40, flavor, glycerin, maltitol, propylene glycol, purified water, saccharin sodium, sodium benzoate, sucralose, xanthan gum

Questions?

Call weekdays from 9:30 AM to 4:30 PM EST at 1-877-798-5944

DISCOUNT drug mart FOOD FAIR Childrens Chest Congestion Relief - Grape

COMPARE TO THE ACTIVE INGREDIENT IN CHILDREN'S MUCINEX® CHEST CONGESTION

DISCOUNT

drug

mart

FOOD FAIR

Children's Chest Congestion Relief**Guaifenesin Oral Solution, USP****EXPECTORANT**

Relieves Chest Congestion

Thins & Loosens Mucus

Alcohol-Free

For Ages 4 to 12

Grape Flavor

4 FL OZ (118 mL)

* This product is not manufactured or distributed by Reckitt Benckiser, Inc., distributor of Children's Mucinex®

SATISFACTION GUARANTEED

IF DISSASIFIED , RETURN UNUSED PORTION AND PACKAGE TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, NAME, ADDRESS AND EMPTY PACKAGE TO: DISCOUNT DRUG MART, 211 COMMERCE DRIVE, MEDINA, OHIO 44256

DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING

Drug Facts

Active ingredient *Purpose*
(in each 5 mL teaspoonful)
Guaifenesin, USP 100 mg..... Expectorant

Uses ■ Helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive.

Warnings

Ask a doctor before use if the child has:
■ cough that occurs with too much phlegm (mucus)
■ persistent or chronic cough such as occurs with asthma.

Stop use and ask a doctor if ■ cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

Keep out of reach of children In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

■ do not take more than 6 doses in any 24-hour period

age	dose
Children 6 years to under 12 years	1-2 teaspoonfuls every 4 hours.
Children 4 years to under 6 years	1/2-1 teaspoonful every 4 hours
Children under 4 years	do not use

Other information

- each 5 mL teaspoonful contains: sodium 3 mg
- store between 20-25°C (68-77°F)
- do not refrigerate
- dosing cup provided
- **Keep carton for full directions for use**

Drug Facts (continued)

Inactive ingredients

Anhydrous citric acid, dextrose, FD&C Blue # 1, FD&C Red # 40, flavor, glycerin, maltitol, propylene glycol, purified water, saccharin sodium, sodium benzoate, sucralose, xanthan gum

Questions? Call weekdays from 9:30 am to 4:30 pm EST 1-877-798-5944

* This product is not manufactured or distributed by Reckitt Benckiser Inc., distributor of Children's Mucinex®

SATISFACTION GUARANTEED

IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, NAME, ADDRESS AND EMPTY PACKAGE TO: DISCOUNT DRUG MART, 211 COMMERCE DRIVE, MEDINA, OHIO 44256



COMPARE TO THE ACTIVE INGREDIENT IN CHILDREN'S MUCINEX® CHEST CONGESTION*



COMPARE TO THE ACTIVE INGREDIENT IN CHILDREN'S MUCINEX® CHEST CONGESTION*

Children's Chest Congestion Relief

Guaifenesin Oral Solution, USP EXPECTORANT

Children's Chest Congestion Relief

Guaifenesin Oral Solution, USP EXPECTORANT

Relieves Chest Congestion
Thins & Loosens Mucus

Alcohol-Free
For Ages 4 to 12

GRAPE
FLAVOR



4 FL OZ (118 mL)

Relieves Chest Congestion
Thins & Loosens Mucus

Alcohol-Free
For Ages 4 to 12

GRAPE
FLAVOR



4 FL OZ (118 mL)

BX-042



0 93351 01750 6

3
405037
0914



*COMPARE TO THE ACTIVE INGREDIENT IN CHILDREN'S MUCINEX® CHEST CONGESTION

Children's Chest Congestion Relief

Guaifenesin Oral Solution, USP EXPECTORANT

Relieves Chest Congestion
Thins & Loosens Mucus

Alcohol-Free
For Ages 4 to 12

Grape Flavor
4 FL OZ (118 mL)



DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING

Active ingredient *Purpose*
(in each 5 mL teaspoonful)
Guaifenesin, USP 100 mg..... Expectorant

Uses ■ Helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive.

Warnings

Ask a doctor before use if the child has:

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with asthma.

Stop use and ask a doctor if ■ cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

Keep out of reach of children In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

■ do not take more than 6 doses in any 24-hour period

age	dose
Children 6 years to under 12 years	1-2 teaspoonfuls every 4 hours.
Children 4 years to under 6 years	1/2-1 teaspoonful every 4 hours
Children under 4 years	do not use

Other information

■ each 5 mL teaspoonful contains: sodium 3 mg ■ store between 20-25°C (68-77°F) ■ do not refrigerate ■ dosing cup provided ■ **See carton for full directions for use**

Inactive ingredients Anhydrous citric acid, dextrose, FD&C Blue # 1, FD&C Red # 40, flavor, glycerin, maltitol, propylene glycol, purified water, saccharin sodium, sodium benzoate, sucralose, xanthan gum

Questions? Call weekdays from 9:30 am to 4:30 pm EST 1-877-798-5944

* This product is not manufactured or distributed by Reckitt Benckiser Inc., distributor of Children's Mucinex®

SATISFACTION GUARANTEED

IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, NAME, ADDRESS AND EMPTY PACKAGE TO: DISCOUNT DRUG MART, 211 COMMERCE DRIVE, MEDINA, OHIO 44256

LOT:

EXP:

LA-072

res

DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING

Drug Facts

Active ingredient *Purpose*
(in each 5 mL teaspoonful)
Guaifenesin, USP 100 mg.....Expectorant

Uses ■ Helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive.

Warnings
Ask a doctor before use if the child has:
■ cough that occurs with too much phlegm (mucus)
■ persistent or chronic cough such as occurs with asthma.

Stop use and ask a doctor if ■ cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

Keep out of reach of children In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
■ do not take more than 6 doses in any 24-hour period

age	dose
Children 6 years to under 12 years	1-2 teaspoonfuls every 4 hours.
Children 4 years to under 6 years	1/2-1 teaspoonful every 4 hours
Children under 4 years	do not use

Other information
■ each 5 mL teaspoonful contains: sodium 3 mg
■ store between 20-25°C (68-77°F)
■ do not refrigerate
■ dosing cup provided
■ **Keep carton for full directions for use**

Drug Facts (continued)

Inactive ingredients
Anhydrous citric acid, dextrose, FD&C Blue # 1, FD&C Red # 40, flavor, glycerin, maltitol, propylene glycol, purified water, saccharin sodium, sodium benzoate, sucralose, xanthan gum

Questions? Call weekdays from 9:30 am to 4:30 pm EST 1-877-798-5944

* This product is not manufactured or distributed by Reckitt Benckiser Inc., distributor of Children's Mucinex®

SATISFACTION GUARANTEED
IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, NAME, ADDRESS AND EMPTY PACKAGE TO: DISCOUNT DRUG MART, 211 COMMERCE DRIVE, MEDINA, OHIO 44256

DISCOUNT drug mart FOOD FAIR

COMPARE TO THE ACTIVE INGREDIENT IN CHILDREN'S MUCINEX® CHEST CONGESTION*

Children's Chest Congestion Relief

Guaifenesin Oral Solution, USP EXPECTORANT

DISCOUNT drug mart FOOD FAIR

COMPARE TO THE ACTIVE INGREDIENT IN CHILDREN'S MUCINEX® CHEST CONGESTION*

Children's Chest Congestion Relief

Guaifenesin Oral Solution, USP EXPECTORANT

Relieves Chest Congestion
Thins & Loosens Mucus

Alcohol-Free
For Ages 4 to 12

GRAPE FLAVOR



4 FL OZ (118 mL)

BX-042



3
426527
0914

DISCOUNT drug mart FOOD FAIR

*COMPARE TO THE ACTIVE INGREDIENT IN CHILDREN'S MUCINEX® CHEST CONGESTION

Children's Chest Congestion Relief

Guaifenesin Oral Solution, USP EXPECTORANT

Relieves Chest Congestion
Thins & Loosens Mucus

Alcohol-Free
For Ages 4 to 12

Grape Flavor



4 FL OZ (118 mL)

DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING

Active ingredient *Purpose*
(in each 5 mL teaspoonful)
Guaifenesin, USP 100 mg.....Expectorant

Uses ■ Helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive.

Warnings
Ask a doctor before use if the child has:
■ cough that occurs with too much phlegm (mucus)
■ persistent or chronic cough such as occurs with asthma.

Stop use and ask a doctor if ■ cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

Keep out of reach of children In case of overdose, get medical help or contact a Poison Control Center right away.

Directions ■ do not take more than 6 doses in any 24-hour period

age	dose
Children 6 years to under 12 years	1-2 teaspoonfuls every 4 hours.
Children 4 years to under 6 years	1/2-1 teaspoonful every 4 hours
Children under 4 years	do not use

Other information
■ each 5 mL teaspoonful contains: sodium 3 mg ■ store between 20-25°C (68-77°F) ■ do not refrigerate ■ dosing cup provided ■ **See carton for full directions for use**

Inactive ingredients Anhydrous citric acid, dextrose, FD&C Blue # 1, FD&C Red # 40, flavor, glycerin, maltitol, propylene glycol, purified water, saccharin sodium, sodium benzoate, sucralose, xanthan gum

Questions? Call weekdays from 9:30 am to 4:30 pm EST 1-877-798-5944

* This product is not manufactured or distributed by Reckitt Benckiser Inc., distributor of Children's Mucinex®

SATISFACTION GUARANTEED
IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, NAME, ADDRESS AND EMPTY PACKAGE TO: DISCOUNT DRUG MART, 211 COMMERCE DRIVE, MEDINA, OHIO 44256

LOT: UR-012
EXP:

CHILDRENS CHEST CONGESTION RELIEF GRAPE
guaifenesin liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53943-511
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

Inactive Ingredients	
Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
DEXTROSE (UNII: IY9XDZ35W2)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
MALTITOL (UNII: D65DG142WK)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	grape (GRAPE)	Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53943-511-24	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/04/2015	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/04/2015	

Labeler - Discount Drug Mart (047741335)