# SINUS PRESSURE AND PAIN PE- acetaminophen and phenylephrine hydrochloride tablet, coated HYVEE INC

-----

1120B-HYV-2025-1022

**Drug Facts** 

Active ingredients (in each caplet)	Purpose
Acetaminophen 325 mg	Pain reliever/fever reducer
Phenylephrine HCl 5 mg	Nasal decongestant

#### Uses

- temporarily relieves these symptoms associated with hay fever or other upper respiratory allergies, and the common cold:
  - sinus congestion and pressure
  - headache
  - minor aches and pains
  - nasal congestion
- promotes sinus drainage
- temporarily reduces fever

#### **Warnings**

## Liver warning

This product contains acetaminophen. The maximum daily dose of this product is 10 caplets (3,250 mg acetaminophen) in 24 hours. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

## Allergy alert

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

#### Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain

drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

• if you have ever had an allergic reaction to this product or any of its ingredients

### Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

#### When using this product do not exceed recommended dosage

#### Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

## Keep out of reach of children.

## Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### **Directions**

do not take more than directed (see overdose warning)

adults and children 12 years and over	<ul> <li>take 2 caplets every 4 hours</li> <li>do not take more than 10 caplets in 24 hours</li> </ul>
children under 12 years	■ ask a doctor

#### Other information

- store between 20-25°C (68-77°F) in a dry place
- retain carton for complete product information and warnings

#### **Inactive ingredients**

colloidal silicon dioxide, corn starch, croscarmellose sodium, crospovidone, FD&C yellow #6 aluminum lake, iron oxide yellow, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, stearic acid, talc, titanium dioxide

#### Questions or comments?

1-844-705-4384

#### PRINCIPAL DISPLAY PANEL

HyVee®

NDC 42507-320-06

\*Compare to the Active Ingredients in Sudafed PE® Sinus Pressure + Pain

Non-Drowsy

Sinus Pressure + Pain PE

Acetaminophen, Phenylephrine HCl

Pain Reliever/Fever Reducer

Nasal Decongestant

For Relief of:

- Sinus Pressure & Congestion
- Sinus Headache

**Actual Size** 

24 CAPLETS

#### 1-844-705-4384 Questions or comments?

miczocnystalfine cellulose, polyethylene głycol, polyvinył alcohol, powidone, pregelatinized starch, stearic acid, talc, titanium dioxide FD&C yellow #6 aluminum lake, iron oxide yellow, magnesium stearate

Drug Facts (continued)

#### com starch, croscamellose sodium, crospovidone, colloidal silicon dioxide, inactive ingredients

 retain carton for complete product information and warnings Other information as dryplace store between 20-25°C (68-77°F) in a dryplace

gund Lacts (confined)

NOT USE IF BLISTER UNITS ARE TORN OR BROKEN

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Sudated PE® Sinus Pressure + Pain.

SATISFACTION GLIARANTEED OR PURCHASE PRICE REFUNDED FOR INFORMATION CALL ST. 1-500-288-8343 WWW.hy-wee.com DISTRIBUTED BY HY-VEE, INC. 5820 WESTOWN PARKWAY WEST DES MOINES, IA 50266 AAPA0325

Scan here for more information or call 1-800-289-8343

SSK 9 GOCGOL children under ■ do not take more than 10 caplets in 24 hours 12 years and over ■ take 2 caplets every 4 hours adults and children

■ do not take more than directed (see overdose warning) Directions

notice any signs or symptoms. attention is critical for adults as well as for children even if you do not Poison Control Center right away (1-800-222-1222). Ouick medical Overdose warning: In case of overdose, get medical help or contact a geeb ont of reach of children.

If pregnant or breast-feeding, ask a health professional before use.

These could be signs of a serious condition. ■ uew symptoms occur nechess or swelling is present ■ Jever gets worse or lasts more than 3 days ■ beju or nasal congestion gets worse or lasts more than 7 days

■ nervousness, dizăness, or sleeplessness occur Stop use and ask a doctor if

When using this product do not exceed recommended dosage dinahaw gurb gainnid Ask a doctor or pharmacist before use if you are taking the blood

■ trouble uninsting due to an enlarged prostate gland ■ thyroid disease a yigh blood pressure Ask a doctor before use if you have 🔳 liver disease heart disease if you have ever had an altergic reaction to this product or any of its ingredients

gund Lacts (confined)

do not know it your prescription drug contains an MAOU, ask a doctor or observaciet before taking this product Parkinson's disease), or for 2 weeks after stopping the MMOI drug. If you certain drugs for depression, psychiatric or emotional conditions, or if you are now taking a prescription monoamine oxidase inhibitor (MMOI)

contains acetaminophen, ask a doctor or pharmacist. (busecubgou ou uoubusecubgou): It ikon sus uot arus wusqueu s qund with any other drug containing acetam nophen

If a skin reaction occurs, stop use and seek medical help right away. Zymptoms may include: ■ skin reddening ■ blisters ■ rash Aller gy alert: Acetaminophen may cause severe skin reactions.

- 3 or more alcoholic drinks every day while using this product wyzy ogret gunda cougaining acetaminophen
  - hours. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours
- Liverwarning: This product contains acetaminophen. The maximum daily does of this product is 10 caplets (\$.50 mg acetaminophen) in 24 Warnings
  - femborarily reduces fever egenishb aunis adomonq = บรรรา ของสิงการ minor aches and pains
  - aunssaud pue uogsabuoo snuis a певазатье tever or other upper respiratory allergies, and the common cold:

NSGS • fembousup) relieves these symptoms associated with hay

Massal decongestant

Phenylephine HQ 5 mg

əsodınd Active ingredients (in each caplet)

Drug Facts



# HyVee.

## Sinus Pressure + Pain PE

Acetaminophen, Phenylephrine HCI Pain Reliever/Fever Reducer, Nasal Decongestant

# tty/ee

NDC 42507-320-06 \*Compare to the Active Ingredients in Sudafed PE® Sinus

Non-Drowsy

# Sinus Pressure + Pain PE

Acetaminophen, Phenylephrine HCI

Pain Reliever/Fever Reducer, Nasal Decongestant

For Relief of:

- Sinus Pressure & Congestion
- Sinus Headache

**Actual Size** 



## SINUS PRESSURE AND PAIN PE

acetaminophen and phenylephrine hydrochloride tablet, coated

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:42507-320
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg	

Inactive Ingredients	
Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)	
CROSPOVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
FERRIC OXIDE YELLOW (UNII: EX43802MRT)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics			
Color	orange	Score	no score
Shape	OVAL	Size	17mm
Flavor		Imprint Code	AAA;1120
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:42507- 320-06	2 in 1 CARTON	10/22/2025	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M012	10/22/2025			

# **Labeler - HYVEE INC (006925671)**

Revised: 11/2025 HYVEE INC