ISOPROPYL ALCOHOL- isopropyl alcohol liquid Vedco, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

ISOPROPYL ALCOHOL 70%

LIVESTOCK DRUG

NET CONTENTS:

16 fl oz (473 mL)/32 fl oz (960 mL)/1 Gallon (3.785 L)

KEEP OUT OF REACH OF CHILDREN.

FOR ANIMAL USE ONLY.

INDICATIONS: For external use only as an antiseptic, disinfectant, and rubefacient.

FOR EXTERNAL USE ONLY

DIRECTIONS FOR USE: Use full strength as topical antiseptic or for disinfections of instruments. May be used for temporary relief of minor muscular aches or pain due to overexertion and fatigue. Apply full strength to affected area and massage briskly to stimulate circulation.

CAUTION: In case of deep or puncture wounds or serious burns, consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian. Do not apply to irritated skin or if excessive irritation develops.

ACTIVE INGREDIENT:

Isopropyl Alcohol 70% v/v

INERT INGREDIENT:

Water30% v/v

Total......100%

WARNING: Ingestion may cause gastrointestinal irritation, nausea and vomiting.

STORGE: Store at controlled room temperature between 15°-30°C (59°-86°F). Keep container tightly closed when not in use.

WARNING! FLAMMABLE! KEEP AWAY FROM HEAT AND OPEN FLAME.

Distributed By

VEDCO. INC.

St. Joseph, MO 64507






ACTIVE INGREDIENT:	700//-	
sopropyl Alcohol	70% V/V	
INERT INGREDIENT:		
Water	30% v/v	
Total	100%	

topical antiseptic or for disinfections of instruments. May be used for temporary relief of minor muscular aches or pain due to overexertion and fatigue. Apply full strength to affected area and massage briskly to stimulate circulation.

CAUTION: In case of deep or puncture wounds or serious burns, consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian. Do not apply to irritated skin or if excessive irritation develops.



Distributed By **YEDCO, INC.** St. Joseph, MO 64507 Iss. 06-23



WARNING: Ingestion may cause gastrointestinal irritation, nausea and vomiting.

storaace: Store at controlled room temperature between 15°-30°C (59°-86°F). Keep container tightly closed when not in use.

WARNING! FLAMMABLE! KEEP AWAY FROM HEAT AND OPEN FLAME.



Lot No. Exp. Date

INDICATIONS: For external use only as an antiseptic, disinfectant, and rubefacient.


FOR EXTERNAL USE ONLY

DIRECTIONS FOR USE: Use full strength as topical antiseptic or for disinfections of instruments. May be used for temporary relief of minor muscular aches or pain due to overexertion and fatigue. Apply full strength to affected area and massage briskly to stimulate circulation.

CAUTION: In case of deep or puncture wounds or serious burns, consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian. Do not apply to irritated skin or if excessive irritation develops.



Distributed By **VEDCO, INC.** St. Joseph, MO 64507 Iss. 06-23 VINV-IPA7-16QT



ACTIVE INGREDIENT:

WARNING: Ingestion may cause gastrointestinal irritation, nausea and vomiting.

STORAGE: Store at controlled room temperature between 15°-30°C (59°-86°F). Keep container tightly closed when not in use.

WARNING! FLAMMABLE! KEEP AWAY FROM HEAT AND OPEN FLAME.



Lot No. Exp. Date

INDICATIONS: For external use only as an antiseptic, disinfectant, and rubefacient.

FOR EXTERNAL USE ONLY

DIRECTIONS FOR USE: Use full strength as topical antiseptic or for disinfections of instruments. May be used for temporary relief of minor muscular aches or pain due to overexertion and fatigue. Apply full strength to affected area and massage briskly to stimulate circulation.

CAUTION: In case of deep or puncture wounds or serious burns, consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian. Do not apply to irritated skin or if excessive irritation develops.



NDC 50989-315-29

ISOPROPYL

ALCOHOL 10%

INET CONTENTS: 1 Gallon (3.785 L)

KEEP OUT OF

REACH OF CHILDREN

FOR ANIMAL USE ONLY

ACTIVE INGREDIENT:

Isopropyl Alcohol 70% v/v
INERT INGREDIENT:

Water. 30% v/v Total 100%

WARNING: Ingestion may cause gastrointestinal irritation, nausea and vomiting.

STORAGE: Store at controlled room temperature between 15°-30°C (59°-86°F). Keep container tightly closed when not in use.

WARNING! FLAMMABLE! KEEP AWAY FROM HEAT AND OPEN FLAME.



Lot No.:

Distributed By

ss. 06-23



isopropyl alcohol liquid

Product Information

Product Type OTC ANIMAL DRUG Item Code (Source) NDC:50989-315

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	70 L in 100 L

Inactive Ingredients

Ingredient Name Strength

WATER (UNII: 059QF0K00R) 30 L in 100 L

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:50989-315-29	3.785 L in 1 JUG				
2	NDC:50989-315-27	0.946 L in 1 BOTTLE				
3	NDC:50989-315-26	0.473 L in 1 BOTTLE				

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	05/14/2025			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

Labeler - Vedco, Inc. (021634266)

Registrant - Centaur, Inc. (174239087)

Establishment				
Name	Address	ID/FEI	Business Operations	
Centaur, Inc.		174239087	manufacture, api manufacture	

Revised: 5/2025 Vedco, Inc.