

**AMOXI-TABS- amoxicillin tablet, film coated**  
**Zoetis Inc.**

-----  
**amoxitabs®**  
**(amoxicillin tablets), USP**

**Veterinary Tablets**

*For use in dogs and cats*

**CAUTION**

Federal law restricts this drug to use by or on the order of a licensed veterinarian.

**DESCRIPTION**

Amoxi-Tabs (amoxicillin tablets) is a semisynthetic antibiotic with a broad spectrum of activity. It provides bactericidal activity against a wide range of common gram-positive and gram-negative pathogens. Chemically, it is D(-)- $\alpha$ -amino-p-hydroxybenzyl penicillin trihydrate.

**CLINICAL PHARMACOLOGY**

Amoxi-Tabs is stable in the presence of gastric acid and may be given without regard to meals. It is rapidly absorbed after oral administration. It diffuses readily into most body tissues and fluids with the exception of brain and spinal fluid, except when meninges are inflamed. Most of the amoxicillin is excreted unchanged in the urine.

Amoxicillin is similar to ampicillin in its bactericidal action against susceptible organisms. It acts through the inhibition of biosynthesis of cell wall mucopeptide. *In vitro* and/or *in vivo* studies have demonstrated the susceptibility of most strains of the following gram-positive and gram-negative bacteria: a- and b-haemolytic streptococci, nonpenicillinase-producing staphylococci, *Streptococcus faecalis*, *Escherichia coli*, and *Proteus mirabilis*. Because it does not resist destruction by penicillinase, it is not effective against penicillinase-producing bacteria, particularly resistant staphylococci. All strains of *Pseudomonas* and most strains of *Klebsiella* and *Enterobacter* are resistant.

**INDICATIONS AND USAGE**

**Dogs:** Amoxi-Tabs are indicated in the treatment of susceptible strains of the organisms causing the following infections:

Respiratory tract infections (tonsillitis, tracheobronchitis) due to *Staphylococcus aureus*, *Streptococcus* spp., *E. coli*, and *Proteus mirabilis*. Genitourinary tract infections (cystitis) due to *Staphylococcus aureus*, *Streptococcus* spp., *E. coli*, and *Proteus mirabilis*.

Genitourinary tract infections(cystitis) due to *Staphylococcus aureus*, *Streptococcus* spp., *E. coli*, and *Proteus mirabilis*.

Gastrointestinal tract infections (bacterial gastroenteritis) due to *Staphylococcus aureus*, *Streptococcus* spp., *E. coli*, and *Proteus mirabilis*. Bacterial dermatitis due to *Staphylococcus aureus*, *Streptococcus* spp., and *Proteus mirabilis*.

Bacterial dermatitis due to *Staphylococcus aureus*, *Streptococcus* spp., and *Proteus mirabilis*.

Soft tissue infections (abscesses, lacerations, and wounds) due to *Staphylococcus aureus*, *Streptococcus*

spp., *E. coli*, and *Proteus mirabilis*.

**Cats:** Amoxi-Tabs are indicated in the treatment of susceptible strains of the organisms causing the following infections:

Upper respiratory tract infections due to *Staphylococcus aureus*, *Streptococcus* spp., and *E. coli*.

Genitourinary tract infections (cystitis) due to *Staphylococcus aureus*, *Streptococcus* spp., *E. coli*, and *Proteus mirabilis*.

Gastrointestinal tract infections due to *E. coli*. Skin and soft tissue infections (abscesses, lacerations, and wounds) due to *Staphylococcus aureus*, *Streptococcus* spp., *E. coli*, and *Pasteurella multocida*.

As with all antibiotics, appropriate *in vitro* culturing and susceptibility testing of samples taken before treatment should be conducted.

## **CONTRAINDICATIONS**

The use of this drug is contraindicated in animals with a history of an allergic reaction to penicillin.

## **WARNING**

For use in dogs and cats only.

## **ADVERSE REACTIONS**

Amoxicillin is a semisynthetic penicillin and has the potential for producing allergic reactions. If an allergic reaction occurs, administer epinephrine and/or steroids.

## **DOSAGE AND ADMINISTRATION**

### **DOSAGE AND ADMINISTRATION:**

*Dogs:* The recommended dosage is 5 mg/lb of body weight twice a day.

*Cats:* The recommended dosage is 50 mg (5–10 mg/lb) once a day.

Dosage should be continued for 5–7 days or 48 hours after all symptoms have subsided. If no improvement is seen in 5 days, review diagnosis and change therapy.

**Do Not Store at Temperatures Above 25°C (77°F)**

**Keep Bottle Tightly Closed.**

## **HOW SUPPLIED**

Amoxi-Tabs are supplied in 5 strengths: 50 mg, 100 mg, 150 mg, and 200 mg in bottles of 500 tablets; 400 mg in bottles of 250 tablets.

Approved by FDA under NADA # 055-078

Approved by FDA under NADA # 055-081

zoetis

Distributed by:

Zoetis Inc.

Kalamazoo, MI 49007

P1523357

Revised: January 2020

**PRINCIPAL DISPLAY PANEL - 150 mg Tablet Bottle Label**

**Recommended Dosage:**  
Dogs: 5 mg/lb of body weight twice a day.  
Dosage should be continued for 5–7 days or 48 hours after all symptoms have subsided.

**Warning:** For use in dogs only.  
**Do Not Store at Temperatures Above 25°C (77°F)**  
**Keep Bottle Tightly Closed.**  
**Read Insert for Complete Directions**

**amoxi tabs<sup>®</sup>**  
**(amoxicillin tablets), USP**  
**Veterinary Tablets**  
*For use in dogs only*  
Each film-coated tablet contains amoxicillin trihydrate equivalent to 150 mg of amoxicillin USP  
**Caution:** Federal (USA) law restricts this drug to use by or on the order of a licensed veterinarian.

**150 mg** 

**500 tablets**  
Approved by FDA under NADA # 055-078

**zoetis**

P1425206

Product of Spain  
Distributed by:  
Zoetis Inc.  
Kalamazoo, MI 49007  
Code: TS/DRUGS/57/2003  
Lot  
Exp

0 87219 01235 2

**PRINCIPAL DISPLAY PANEL - 200 mg Tablet Bottle Label**

**Recommended Dosage:**

Dogs: 5 mg/lb of body weight twice a day.

Dosage should be continued for 5–7 days or 48 hours after all symptoms have subsided.

**Warning:** For use in dogs only.

**Do Not Store at Temperatures Above 25°C (77°F)**

**Keep Bottle Tightly Closed.**

**Read Insert for Complete Directions**



**amoxi♦tabs®**

**(amoxicillin tablets), USP**

**Veterinary Tablets**

*For use in dogs only*

Each film-coated tablet contains amoxicillin trihydrate equivalent to 200 mg of amoxicillin USP

**Caution:** Federal (USA) law restricts this drug to use by or on the order of a licensed veterinarian.

**200 mg**



**500 tablets**

Approved by FDA under NADA # 055-078

**zoetis**

P1425207

Product of Spain  
Distributed by:  
Zoetis Inc.  
Kalamazoo, MI 49007  
Code: TS/DRUGS/57/2003  
Lot  
Exp

**PRINCIPAL DISPLAY PANEL - 400 mg Tablet Bottle Label**

**Recommended Dosage:**

Dogs: 5 mg/lb of body weight twice a day. Dosage should be continued for 5–7 days or 48 hours after all symptoms have subsided.

**Warning:** Not for use in animals which are raised for food production.

**Do Not Store at Temperatures Above 25°C (77°F)**  
Keep Bottle Tightly Closed. Read Insert for Complete Directions



# amoxi tabs<sup>®</sup>

## (amoxicillin tablets), USP

### Veterinary Tablets

*For use in dogs only*

Each film-coated tablet contains amoxicillin trihydrate equivalent to 400 mg of amoxicillin USP

**Caution:** Federal (USA) law restricts this drug to use by or on the order of a licensed veterinarian.

**400 mg** 

**250 tablets**

Approved by FDA under NADA # 055-078

P1425208

Product of Spain  
Distributed by:  
Zoetis Inc.  
Kalamazoo, MI 49007  
Code: TS/DRUGS/57/2003

Lot  
Exp

## AMOXI-TABS

amoxicillin tablet, film coated

### Product Information

<b>Product Type</b>	PRESCRIPTION ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:54771-8007
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AMOXICILLIN (UNII: 804826J2HU) (AMOXICILLIN ANHYDROUS - UNII:9EM05410Q9)	AMOXICILLIN ANHYDROUS	150 mg

### Product Characteristics

<b>Color</b>	PURPLE	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm

<b>Flavor</b>		<b>Imprint Code</b>	BMP208
<b>Contains</b>			
<b>Packaging</b>			
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>
1	NDC:54771-8007-7	500 in 1 BOTTLE	
<b>Marketing Information</b>			
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
NADA	NADA055078	02/04/1976	

## AMOXI-TABS

amoxicillin tablet, film coated

<b>Product Information</b>			
<b>Product Type</b>	PRESCRIPTION ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:54771-6044
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
	AMOXICILLIN (UNII: 804826J2HU) (AMOXICILLIN ANHYDROUS - UNII:9EM05410Q9)	AMOXICILLIN ANHYDROUS	200 mg
<b>Product Characteristics</b>			
<b>Color</b>	ORANGE (Coral)	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	11mm
<b>Flavor</b>		<b>Imprint Code</b>	BMP203
<b>Contains</b>			
<b>Packaging</b>			
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>
1	NDC:54771-6044-4	500 in 1 BOTTLE	
<b>Marketing Information</b>			
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
NADA	NADA055078	02/04/1976	

## AMOXI-TABS

amoxicillin tablet, film coated

### Product Information

<b>Product Type</b>	PRESCRIPTION ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:54771-6046
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
AMOXICILLIN (UNII: 804826J2HU) (AMOXICILLIN ANHYDROUS - UNII:9EM05410Q9)	AMOXICILLIN ANHYDROUS	400 mg

### Product Characteristics

<b>Color</b>	GREEN	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	14mm
<b>Flavor</b>		<b>Imprint Code</b>	BMP196
<b>Contains</b>			

### Packaging

#	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:54771-6046-6	250 in 1 BOTTLE		

### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
NADA	NADA055078	02/04/1976	

**Labeler** - Zoetis Inc. (828851555)

### Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Aurobindo Pharma Limited		918917683	MANUFACTURE

Revised: 5/2020

Zoetis Inc.