

**DOCUSATE SODIUM- docusate sodium capsule, liquid filled**  
**Major Pharmaceuticals**

-----  
**MAJOR® docusate sodium stool softener laxative**

***Drug Facts***

***Active ingredient (in each softgel)***

Docusate Sodium 100 mg

***Purpose***

Stool softener laxative

***Uses***

- relieves occasional constipation (irregularity)
- this product generally produces a bowel movement within 12 to 72 hours.

***Warnings***

**Do not use**

- if you are presently taking mineral oil, unless told to do so by a doctor

**Ask a doctor before use if you have**

- abdominal pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

**Ask a doctor or pharmacist before use if you are** presently taking mineral oil

**Stop use and ask a doctor if**

- you have rectal bleeding or no bowel movement after using this product. These can be signs of a serious condition
- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding,** ask a health care professional before use.

**Keep out of reach of children**

**Overdose Warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

***Directions***

- take only by mouth • take softgels with a full glass (8 oz) of water
-

adults and children 12 years of age and older	take 1 to 3 softgels daily or as directed by a doctor. This dose may be taken as a single daily dose or in divided doses.
children 6 to under 12 years of age	take 1 softgel daily or as directed by a doctor
children under 6 years of age	ask a doctor

### ***Other information***

- each softgel contains: **sodium 5 mg (very low sodium)**
- store at controlled room temperature 20–25°C (68–77°F)
- protect from light, heat and moisture

### ***Inactive ingredients***

FD&C Red No.40, FD&C Yellow No.6, gelatin, glycerin, polyethylene glycol 400, propylene glycol, purified water, sorbitol sorbitan solution

### ***Questions or comments?***

**1(888) 577-8033**

**NDC 0904-7609-61**

**MAJOR® docusate sodium**

**docusate sodium 100 mg**

**stool softener  
laxative**

- stimulant-free
- relief of occasional constipation

**100** softgels

(10x10) unit dose

Distributed by:

**MAJOR® PHARMACEUTICALS**

Indianapolis, IN 46268

**(800) 616-2471**

www.major-rugby.com  
Made in India  
CT0904760961  
REV.00-092025

Rev. 10/25 M-173 Re-order No. 701455

## READ AND KEEP OUTER CARTON FOR COMPLETE PRODUCT WARNINGS AND INFORMATION

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER  
UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.**

### Packaging



## DOCUSATE SODIUM

docusate sodium capsule, liquid filled

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0904-7609
<b>Route of Administration</b>	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)		DOCUSATE SODIUM	100 mg

Inactive Ingredients	
Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
SORBITAN (UNII: 6O92ICV9RU)	

Product Characteristics			
Color	red	Score	no score
Shape	OVAL	Size	11mm
Flavor		Imprint Code	D1
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0904-7609-61	100 in 1 CARTON	11/25/2025	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	11/25/2025	

**Labeler -**
Major Pharmaceuticals (191427277)