

LINCOMYCIN-SPECTINOMYCIN WATER SOLUBLE POWDER- lincomycin-spectinomycin powder, for solution
Huvepharma, Inc

LINCOMYCIN-SPECTINOMYCIN

WATER SOLUBLE POWDER
Antibacterial and Antimycoplasmal

CAUTION: Federal (USA) law restricts this drug to use by or on the order of a licensed veterinarian.

FOR USE IN CHICKENS ONLY

This packet contains:

Lincomycin hydrochloride, equivalent to lincomycin 16.7 grams
Spectinomycin dihydrochloride pentahydrate,
equivalent to spectinomycin.....33.3 grams
Total Antibiotic Activity **50.0 grams**

Approved by FDA under ANADA # 200-407

NET WEIGHT: 2.65 oz (75 grams)

® Registered Trademark of Huvepharma, Inc

DIRECTIONS FOR USE

INDICATIONS AND USAGE: For use in chickens up to 7 days of age as an aid in the control of:

Airsacculitis caused by either *Mycoplasma synoviae* or *Mycoplasma gallisepticum* susceptible to lincomycin-spectinomycin.

Complicated Chronic Respiratory Disease (Air Sac Infection) caused by *Escherichia coli* and *M. gallisepticum* susceptible to lincomycin-spectinomycin.

DOSAGE AND ADMINISTRATION

Dosage: Provide 2 grams (g) antibiotic activity per gallon of drinking water. Administer as the sole source of water for the first 5 to 7 days of life.

Administration:

Amount of Lincomycin-Spectinomycin	Amount of Drinking Water
1 packet	25 gallons

For proportioners delivering 1 ounce of solution per gallon of drinking water, dissolve contents of 5 packets in each gallon of proportioner solution.

IMPORTANT: Chickens should consume water at the following approximate rate to ensure intake of the required dose of lincomycin-spectinomycin indicated:

Broilers and Layer Replacements (Light and Heavy)		
Age (Weeks)	Daily Water Intake (Gallons/1000)	Dosage (mg Antibiotic/lb)

PRECAUTION: Discard medicated drinking water daily and replace with fresh medicated drinking water.

WARNING: Not for Human Use
Keep Out of Reach of Children

To report suspected adverse drug events, for technical assistance or to obtain a copy of the Safety Data Sheet (SDS), contact Huvepharma, Inc. at 1-877-994-4883 or www.huvepharma.us. For additional information about adverse drug experience reporting for animal drugs, contact FDA at 1-888-FDA-VETS or <http://www.fda.gov/reportanimalae>.

Restricted Drug (California) - Use Only as Directed

Store at Controlled Room Temperature, 20° to 25°C (68° to 77°F)

Manufactured For:

Huvepharma, Inc. Peachtree City, GA 30269

® Registered Trademark of Huvepharma, Inc.

TAKE TIME



**OBSERVE LABEL
DIRECTIONS**



LINCOMYCIN- SPECTINOMYCIN

WATER SOLUBLE POWDER

Antibacterial and Antimycoplasmal

CAUTION: Federal (USA) law restricts this drug to use by or on the order of a licensed veterinarian.

FOR USE IN CHICKENS ONLY

This packet contains:

Lincomycin hydrochloride, equivalent to lincomycin 16.7 grams

Spectinomycin dihydrochloride pentahydrate,
equivalent to spectinomycin.....33.3 grams

Total Antibiotic Activity 50.0 grams

Approved by FDA under ANADA # 200-407

NET WEIGHT: 2.65 oz (75 grams)



® Registered Trademark of Huvepharma, Inc.



DIRECTIONS FOR USE

INDICATIONS AND USAGE: For use in chickens up to 7 days of age as an aid in the control of: *Airsacculitis* caused by either *Mycoplasma synoviae* or *Mycoplasma gallisepticum* susceptible to lincomycin-spectinomycin. Complicated Chronic Respiratory Disease (Air Sac Infection) caused by *Escherichia coli* and *M. gallisepticum* susceptible to lincomycin-spectinomycin.

DOSAGE AND ADMINISTRATION

Dosage: Provide 2 grams (g) antibiotic activity per gallon of drinking water. Administer as the sole source of water for the first 5 to 7 days of life.

Administration:

Amount of Lincomycin-Spectinomycin	Amount of Drinking Water
1 packet	25 gallons
For proportioners delivering 1 ounce of solution per gallon of drinking water, dissolve contents of 5 packets in each gallon of proportioner solution.	

IMPORTANT: Chickens should consume water at the following approximate rate to ensure intake of the required dose of lincomycin-spectinomycin indicated:

Broilers and Layer Replacements (Light and Heavy)		
Age (Weeks)	Daily Water Intake (Gallons/1000)	Dosage (mg Antibiotic/lb)
1	5	50-65

PRECAUTION: Discard medicated drinking water daily and replace with fresh medicated drinking water.

WARNING: Not for Human Use
Keep Out of Reach of Children

To report suspected adverse drug events, for technical assistance or to obtain a copy of the Safety Data Sheet (SDS), contact Huvepharma, Inc. at 1-877-994-4883 or www.huvepharma.us. For additional information about adverse drug experience reporting for animal drugs, contact FDA at 1-888-FDA-VETS or <http://www.fda.gov/reportanimalae>.

Restricted Drug (California) - Use Only as Directed
Store at Controlled Room Temperature, 20° to 25°C (68° to 77°F)

Manufactured For:
Huvepharma, Inc. Peachtree City, GA 30269
© Registered Trademark of Huvepharma, Inc.

Rev. 12-2021
L-4248-01



LOT

EXP.



LINCOMYCIN- SPECTINOMYCIN

WATER SOLUBLE POWDER

Antibacterial and Antimycoplasmal

CAUTION: Federal (USA) law restricts this drug to use by or on the order of a licensed veterinarian.

FOR USE IN CHICKENS ONLY

This packet contains:

Lincomycin hydrochloride, equivalent to lincomycin 16.7 grams

Spectinomycin dihydrochloride pentahydrate,
equivalent to spectinomycin.....33.3 grams

Total Antibiotic Activity 50.0 grams

Approved by FDA under ANADA # 200-407

NET WEIGHT: 2.65 oz (75 grams)



® Registered Trademark of Huvepharma, Inc.



DIRECTIONS FOR USE

INDICATIONS AND USAGE: For use in chickens up to 7 days of age as an aid in the control of: *Airsacculitis* caused by either *Mycoplasma synoviae* or *Mycoplasma gallisepticum* susceptible to lincomycin-spectinomycin. Complicated Chronic Respiratory Disease (Air Sac Infection) caused by *Escherichia coli* and *M. gallisepticum* susceptible to lincomycin-spectinomycin.

DOSAGE AND ADMINISTRATION

Dosage: Provide 2 grams (g) antibiotic activity per gallon of drinking water. Administer as the sole source of water for the first 5 to 7 days of life.

Administration:

Amount of Lincomycin-Spectinomycin	Amount of Drinking Water
1 packet	25 gallons
For proportioners delivering 1 ounce of solution per gallon of drinking water, dissolve contents of 5 packets in each gallon of proportioner solution.	

IMPORTANT: Chickens should consume water at the following approximate rate to ensure intake of the required dose of lincomycin-spectinomycin indicated:

Broilers and Layer Replacements (Light and Heavy)		
Age (Weeks)	Daily Water Intake (Gallons/1000)	Dosage (mg Antibiotic/lb)
1	5	50-65

PRECAUTION: Discard medicated drinking water daily and replace with fresh medicated drinking water.

WARNING: Not for Human Use
Keep Out of Reach of Children

To report suspected adverse drug events, for technical assistance or to obtain a copy of the Safety Data Sheet (SDS), contact Huvepharma, Inc. at 1-877-994-4883 or www.huvepharma.us. For additional information about adverse drug experience reporting for animal drugs, contact FDA at 1-888-FDA-VETS or <http://www.fda.gov/reportanimalae>.

Restricted Drug (California) - Use Only as Directed
Store at Controlled Room Temperature, 20° to 25°C (68° to 77°F)

Manufactured For:
Huvepharma, Inc. Peachtree City, GA 30269
© Registered Trademark of Huvepharma, Inc.

Rev. 12-2021
L-4248-01



LOT EXP.

LINCOMYCIN-SPECTINOMYCIN WATER SOLUBLE POWDER

lincomycin-spectinomycin powder, for solution

Product Information

Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:23243-4240
Route of Administration	Oral		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LINCOMYCIN HYDROCHLORIDE (UNII: M6T05Z2B68) (LINCOMYCIN - UNII:BOD072YW0F)	LINCOMYCIN	16.7 g in 75 g
SPECTINOMYCIN HYDROCHLORIDE (UNII: HWT06H303Z) (SPECTINOMYCIN - UNII:93AKI1U6QF)	SPECTINOMYCIN	33.3 g in 75 g

Inactive Ingredients

Ingredient Name	Strength
Sucrose (UNII: C151H8M554)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:23243-4240-2	75 g in 1 PACKET		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANADA	ANADA200407	11/01/2022	

Labeler - Huvepharma, Inc (619153559)**Registrant** - Huvepharma EOOD (552671651)

Revised: 9/2023

Huvepharma, Inc