

LINCOMYCIN-SPECTINOMYCIN WATER SOLUBLE POWDER- lincomycin-spectinomycin powder, for solution
Huvepharma, Inc

NDC 23243-4240-2

LINCOMYCIN-SPECTINOMYCIN

WATER SOLUBLE POWDER
Antibacterial and Antimycoplasmal

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

FOR USE IN CHICKENS ONLY

This packet contains:

Lincomycin hydrochloride, equivalent to lincomycin 16.7 grams

Spectinomycin dihydrochloride pentahydrate,
equivalent to spectinomycin.....33.3 grams

Total Antibiotic Activity 50.0 grams Approved by FDA

under ANADA # 200-407

NET WEIGHT: 2.65 oz (75 grams)

Manufactured for Huvepharma, Inc.

Peachtree City, Georgia 30269

Made in Bulgaria ® Registered Trademark of Huvepharma, Inc. LOT EXP.

DIRECTIONS FOR USE

INDICATIONS AND USAGE: For use in chickens up to 7 days of age as an aid in the control of:

Airsacculitis caused by either *Mycoplasma synoviae* or *Mycoplasma gallisepticum* susceptible to lincomycin-spectinomycin.

Complicated Chronic Respiratory Disease (Air Sac Infection) caused by *Escherichia coli* and *M. gallisepticum* susceptible to lincomycin-spectinomycin.

DOSAGE AND ADMINISTRATION

Dosage: Provide 2 grams (g) antibiotic activity per gallon of drinking water. Administer as the sole source of water for the first 5 to 7 days of life.

Administration:

| | |
|------------------------------------|--------------------------|
| Amount of Lincomycin-Spectinomycin | Amount of Drinking Water |
| 1 packet | 25 gallons |

For proportioners delivering 1 ounce of solution per gallon of drinking water, dissolve contents of 5 packets in each gallon of proportioner solution.

IMPORTANT: Chickens should consume water at the following approximate rate to ensure intake of the required dose of lincomycin-spectinomycin indicated:

Broilers and Layer Replacements (Light and Heavy)

Age
(Weeks)
1

Daily Water Intake
(Gallons/1000)
5

Dosage
(mg Antibiotic/lb)
50-65

PRECAUTION: Discard medicated drinking water daily and replace with fresh medicated drinking water.

WARNING: Not for Use in Humans
Keep Out of Reach of Children

CONTACT INFORMATION:

To report suspected adverse drug events, for technical assistance or to obtain a copy of the Safety Data Sheet (SDS), contact Huvepharma, Inc. at 1-877-994-4883 or www.huvepharma.us.

For additional information about adverse drug experience reporting for animal drugs, contact FDA at 1-888-FDA-VETS or <http://www.fda.gov/reportanimalae>

Restricted Drug (California) - Use Only as Directed
Store at Controlled Room Temperature, 20° to 25°C (68° to 77°F)

Manufactured For: Huvepharma, Inc. Peachtree City, GA 30269

Made in Bulgaria

® Registered Trademark of Huvepharma, Inc.

TAKE TIME



OBSERVE LABEL
DIRECTIONS

OPEN HERE



NDC 23243-4240-2

LINCOMYCIN- SPECTINOMYCIN

WATER SOLUBLE POWDER

Antibacterial and Antimycoplasmal

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

FOR USE IN CHICKENS ONLY

This packet contains:

Lincomycin hydrochloride, equivalent to lincomycin.....16.7 grams
Spectinomycin dihydrochloride pentahydrate,
equivalent to spectinomycin.....33.3 grams
Total Antibiotic Activity 50.0 grams

Approved by FDA under ANADA # 200-407

NET WEIGHT: 2.65 oz (75 grams)



Manufactured for Huvepharma, Inc.
Peachtree City, GA 30269

Made in Bulgaria

*Registered Trademark of Huvepharma, Inc.

LOT

EXP.



DIRECTIONS FOR USE

INDICATIONS AND USAGE: For use in chickens up to 7 days of age as an aid in the control of: *Airsacculitis* caused by either *Mycoplasma synoviae* or *Mycoplasma gallisepticum* susceptible to lincomycin-spectinomycin. Complicated Chronic Respiratory Disease (Air Sac Infection) caused by *Escherichia coli* and *M. gallisepticum* susceptible to lincomycin-spectinomycin.

DOSAGE AND ADMINISTRATION

Dosage: Provide 2 grams (g) antibiotic activity per gallon of drinking water. Administer as the sole source of water for the first 5 to 7 days of life.

Administration:

| Amount of Lincomycin-Spectinomycin | Amount of Drinking Water |
|---|-----------------------------|
| 1 packet | 25 gallons |
| For proportioners delivering 1 ounce of solution per gallon of drinking water, dissolve contents of 5 packets in each gallon of proportioner solution. | |

IMPORTANT: Chickens should consume water at the following approximate rate to ensure intake of the required dose of lincomycin-spectinomycin indicated:

| Broilers and Layer Replacements (Light and Heavy) | | |
|---|--------------------------------------|------------------------------|
| Age (Weeks) | Daily Water Intake (Gallons/1000) | Dosage (mg Antibiotic/lb) |
| 1 | 5 | 50-65 |

PRECAUTION: Discard medicated drinking water daily and replace with fresh medicated drinking water.

WARNING: Not for Use in Humans
Keep Out of Reach of Children

CONTACT INFORMATION:

To report suspected adverse drug events, for technical assistance or to obtain a copy of the Safety Data Sheet (SDS), contact Huvepharma, Inc. at 1-877-994-4883 or www.huvepharma.us.

For additional information about adverse drug experience reporting for animal drugs, contact FDA at 1-888-FDA-VETS or <http://www.fda.gov/reportanimalae>

Restricted Drug (California) - Use Only as Directed

Store at Controlled Room Temperature, 20° to 25°C (68° to 77°F)

Manufactured For: Huvepharma, Inc. Peachtree City, GA 30269

Made in Bulgaria

® Registered Trademark of Huvepharma, Inc.

LB6316v3-Li-Sp-wsp75-USA03-2024



NDC 23243-4240-2



LINCOMYCIN- SPECTINOMYCIN

WATER SOLUBLE POWDER
Antibacterial and Antimycoplasmal

CAUTION: Federal law restricts this drug to use
by or on the order of a licensed veterinarian.

FOR USE IN CHICKENS ONLY

This packet contains:

| | |
|---|-------------------|
| Lincomycin hydrochloride, equivalent to lincomycin..... | 16.7 grams |
| Spectinomycin dihydrochloride pentahydrate, equivalent to spectinomycin..... | <u>33.3 grams</u> |
| Total Antibiotic Activity | 50.0 grams |

Approved by FDA under ANADA # 200-407

NET WEIGHT: 2.65 oz (75 grams)



Manufactured for Huvepharma, Inc.
Peachtree City, GA 30269

Made in Bulgaria

® Registered Trademark of Huvepharma, Inc.



HUVEPHARMA

LOT

EXP.

LB6316v3-Li-Sp-wsp75-USA03-2024



3 800043 741079

LINCOMYCIN-SPECTINOMYCIN WATER SOLUBLE POWDER

lincomycin-spectinomycin powder, for solution

Product Information

| | | | |
|--------------------------------|--------------------------|---------------------------|----------------|
| Product Type | PRESCRIPTION ANIMAL DRUG | Item Code (Source) | NDC:23243-4240 |
| Route of Administration | Oral | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|-------------------|
| LINCOMYCIN HYDROCHLORIDE (UNII: M6T05Z2B68) (LINCOMYCIN - UNII:BOD072YW0F) | LINCOMYCIN | 16.7 g in 75 g |
| SPECTINOMYCIN HYDROCHLORIDE (UNII: HWT06H303Z) (SPECTINOMYCIN - UNII:93AKI1U6QF) | SPECTINOMYCIN | 33.3 g in 75 g |

Inactive Ingredients

| Ingredient Name | Strength |
|-----------------------------------|----------|
| Sucrose (UNII: C151H8M554) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:23243-4240-2 | 75 g in 1 PACKET | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| ANADA | ANADA200407 | 11/01/2022 | |

Labeler - Huvepharma, Inc (619153559)

Registrant - Huvepharma EOOD (552671651)

Revised: 4/2025

Huvepharma, Inc