

**AGELOC TRU FACE RADIANT DAY- avobenzone, homosalate, octisalate, and octocrylene lotion**  
**NSE Products, Inc.**

-----  
**ageLOC® Tru Face® Radiant Day**

***Drug Facts***

**Active Ingredient**

Avobenzone (3%), Homosalate (5%), Octisalate (4%), Octocrylene (2%)

**Purpose**

Sunscreen

**Use**

- Helps prevent sunburn. Higher SPF gives more sunburn protection.
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

- **For external use only.**
- Do not use on damaged or broken skin.
- **Stop use and ask a doctor if** rash occurs.
- **When using this product,** keep out of eyes. Rinse with water to remove.
- **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply evenly to face and neck each morning as the final step in your skin care routine.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.- 2 p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses.
  - Apply liberally 15 minutes before sun exposure.
  - Use a water resistant sunscreen if swimming or sweating.
  - Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.

## **Inactive Ingredients**

Water (Aqua), Glycerin, Cetyl Dimethicone, Cyclopentasiloxane, Acrylamide/Sodium Acryloyldimethyltaurate Copolymer, Caprylyl Glycol, Glyceryl Stearate, PEG-100 Stearate, Dimethicone, Cyclohexasiloxane, Dimethicone/Vinyl Dimethicone Crosspolymer, Cetyl Alcohol, Methyl Gluceth-10, Steareth-2, Steareth-21, Isohexadecane, Nylon-12, Hydrolyzed Jojoba Esters, Jojoba Esters, Bambusa Vulgaris Leaf/Stem Extract, Glucosamine HCl, Pisum Sativum (Pea) Extract, Hexapeptide-2, Narcissus Tazetta Bulb Extract, Schizandra Chinensis Fruit Extract, Butyrospermum Parkii (Shea Butter), Polysorbate 80, Titanium Dioxide, Butylene Glycol, Citric Acid, Disodium EDTA, Fragrance (Parfum), Chlorphenesin, Phenoxyethanol.

## **Other Information**

- Protect this product from excessive heat and direct sun.

## **Questions?**

1-801-345-9900

## **PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton**

ageLOC®

Tru Face®

Radiant Day

BROAD SPECTRUM

SPF 22

30 mL e 1.0 Fl Oz

Top

### **Drug Facts** (cont.)

- Limit time in the sun, especially from 10 a.m.–2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.

### **Inactive Ingredients:**

Water (Aqua), Glycerin, Cetyl Dimethicone, Cyclopentasiloxane, Acrylamide/Sodium Acryloyldimethyltaurate Copolymer, Caprylyl Glycol, Glyceryl Stearate, PEG-100 Stearate, Dimethicone, Cyclohexasiloxane, Dimethicone/Vinyl Dimethicone Crosspolymer, Cetyl Alcohol, Methyl Gluceth-10, Steareth-2, Steareth-21, Isohexadecane, Nylon-12, Hydrolyzed Jojoba Esters, Jojoba Esters, Bambusa Vulgaris Leaf/Stem Extract, Glucosamine HCl, Pisum Sativum (Pea) Extract, Hexapeptide-2, Narcissus Tazetta Bulb Extract, Schizandra ▶

### **Drug Facts** (cont.)

Chinensis Fruit Extract, Butyrospermum Parkii (Shea Butter), Polysorbate 80, Titanium Dioxide, Butylene Glycol, Citric Acid, Disodium EDTA, Fragrance (Parfum), Chlorphenesin, Phenoxyethanol.

### **Other Information**

- Protect this product from excessive heat and direct sun.

### **Questions?**

1-801-345-9900

ageLOC®

Tru Face®  
Radiant Day

BROAD SPECTRUM  
SPF 22

### **Drug Facts**

#### **Active Ingredient**

Avobenzone (3%), Homosalate (5%), Octisalate (4%), Octocrylene (2%)

#### **Purpose**

Sunscreen

#### **Use**


- Helps prevent sunburn. Higher SPF gives more sunburn protection.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

#### **Warnings**

- **For external use only.**
- Do not use on damaged or broken skin.
- **Stop use and ask a doctor if rash occurs.**
- **When using this product,** keep out of eyes. Rinse with water to remove.
- **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- Apply evenly to face and neck each morning as the final step in your skin care routine.



## AGELOC TRU FACE RADIANT DAY

avobenzone, homosalate, octisalate, and octocrylene lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:62839-4268
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Avobenzone</b> (UNII: G63QQF2NOX) (Avobenzone - UNII:G63QQF2NOX)	Avobenzone	30 mg in 1 mL
<b>Homosalate</b> (UNII: V06SV4M95S) (Homosalate - UNII:V06SV4M95S)	Homosalate	50 mg in 1 mL
<b>Octisalate</b> (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	40 mg in 1 mL
<b>Octocrylene</b> (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)	Octocrylene	20 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>Glycerin</b> (UNII: PDC6A3C00X)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	

<b>ACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE COPOLYMER (120000 MPA.S AT 1%)</b> (UNII: 5F4963KLHS)
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)
<b>Caprylyl Glycol</b> (UNII: 00YIU5438U)
<b>PEG-100 MONOSTEARATE</b> (UNII: YD01N1999R)
<b>Steareth-2</b> (UNII: V56DFE46J5)
<b>Steareth-21</b> (UNII: 53J3F32P58)
<b>Methyl Gluceth-10</b> (UNII: N0MWT4C7WH)
<b>Cetyl Alcohol</b> (UNII: 936JST6JCN)
<b>Isohexadecane</b> (UNII: 918X1OUF1E)
<b>DIMETHICONE, UNSPECIFIED</b> (UNII: 92RU3N3Y10)
<b>Nylon-12</b> (UNII: 446U8J075B)
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)
<b>Phenoxyethanol</b> (UNII: HIE492ZZ3T)
<b>Chlorphenesin</b> (UNII: I670DAL4SZ)
<b>HYDROLYZED JOJOBA ESTERS (ACID FORM)</b> (UNII: UDR641JW8W)
<b>Polysorbate 80</b> (UNII: 6OZP39ZG8H)
<b>GLUCOSAMINE HYDROCHLORIDE</b> (UNII: 750W5330FY)
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP)
<b>SHEA BUTTER</b> (UNII: K49155WL9Y)
<b>PEA</b> (UNII: W4X7H8GYFM)
<b>Butylene Glycol</b> (UNII: 3XUS85K0RA)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>BAMBUSA VULGARIS TOP</b> (UNII: FIW80T6P6V)
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)
<b>SCHISANDRA CHINENSIS FRUIT</b> (UNII: ABS794681C)
<b>NARCISSUS TAZETTA BULB</b> (UNII: K17762966S)
<b>Hexapeptide-2</b> (UNII: 4H7N4I6X6A)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62839-4268-1	1 in 1 CARTON	05/01/2025	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	05/01/2025	

**Labeler** - NSE Products, Inc. (803486393)