

**GOOD NEIGHBOR PHARMACY NIGHT TIME COUGH- dextromethorphan hydrobromide, doxylamine succinate solution**  
**Amerisource Bergen**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Amerisource Bergen Night Time Drug Facts**

**Active ingredient (in each 30 mL)**

Dextromethorphan HBr 30 mg

Doxylamine succinate 12.5 mg

**Purpose**

Cough suppressant

Antihistamine

**Uses**

temporarily relieves cold symptoms:

- cough due to minor throat and bronchial irritation
- runny nose and sneezing

**Warnings**

**Do not use**

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis
- persistent or chronic cough as occurs with smoking, asthma, or emphysema
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers

### **When using this product**

- excitability may occur, especially in children
- may cause marked drowsiness
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness

### **Stop use and ask a doctor if**

cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### **Directions**

- take only as directed
- only use the dose cup provided
- do not exceed 4 doses per 24 hrs

|                                 |                   |
|---------------------------------|-------------------|
| adults & children 12 yrs & over | 30 mL every 6 hrs |
| children 4 to under 12 yrs      | ask a doctor      |
| children under 4 yrs            | do not use        |

### **Other information**

- each 30 mL contains: sodium 32 mg
- store at 20-25°C (68-77°F)

### **Inactive ingredients**

alcohol, anhydrous citric acid, FD&C blue no. 1, FD&C red no. 40, flavor, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, saccharin sodium, sodium citrate

### **Questions or comments?**

**1-800-719-9260**

## **Principal Display Panel**

Good Neighbor Pharmacy®

Compare to Vicks® NyQuil® Cough active ingredients

MULTI-SYMPTOM

Night Time

cough suppressant

antihistamine

Cough

Dextromethorphan HBr

Doxylamine succinate

Cough - Sneezing - Runny Nose

10% ALCOHOL

Cherry Flavor

8 fl oz (237 mL)

**DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING**

\*Good Neighbor Pharmacy® Night Time is not manufactured or distributed by Procter & Gamble, distributor of Vicks® NyQuil® Cough.



Compare to Vicks® NyQuil® Cough active ingredients\*

NDC 24385-461-34



**GLUTEN FREE**

Distributed By  
AmerisourceBergen  
1300 Morris Drive  
Chesterbrook, PA 19087  
Questions or Concerns?  
[www.mygnp.com](http://www.mygnp.com)



**PARENTS:**  
Learn about teen medicine abuse  
[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)

: 66834 29 F3

**GOOD NEIGHBOR PHARMACY**

**Multi-Symptom Night Time**  
cough suppressant  
antihistamine

**Cough**

- ▶ Dextromethorphan HBr
- ▶ Doxylamine succinate

• Cough • Sneezing • Runny Nose

10% ALCOHOL  
Cherry Flavor

**8 fl oz (237 mL)**

**Drug Facts**

| Active Ingredients (in each 30 mL) | Purpose           |
|------------------------------------|-------------------|
| Dextromethorphan HBr 30 mg.....    | Cough suppressant |
| Doxylamine succinate 12.5 mg.....  | Antihistamine     |

**Uses** temporarily relieves cold symptoms:  
 ■ cough due to minor throat and bronchial irritation  
 ■ runny nose and sneezing

**Warnings**  
**Do not use**  
 ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**  
 ■ glaucoma  
 ■ cough that occurs with too much phlegm (mucus)  
 ■ a breathing problem such as emphysema or chronic bronchitis  
 ■ persistent or chronic cough as occurs with smoking, asthma, or emphysema  
 ■ trouble urinating due to an enlarged prostate gland ▶

**PEEL BACK AT CORNER FOR MORE INFORMATION** ▶

**Drug Facts (continued)**

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

**When using this product**  
 ■ excitability may occur, especially in children  
 ■ may cause marked drowsiness  
 ■ avoid alcoholic drinks  
 ■ be careful when driving a motor vehicle or operating machinery  
 ■ alcohol, sedatives, and tranquilizers may increase drowsiness

**Stop use and ask a doctor if** cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

■ take only as directed ■ only use the dose cup provided  
 ■ do not exceed 4 doses per 24 hrs

|                                 |                   |
|---------------------------------|-------------------|
| adults & children 12 yrs & over | 30 mL every 6 hrs |
| children 4 to under 12 yrs      | ask a doctor      |
| children under 4 yrs            | do not use        |

**Other information**  
 ■ each 30 mL contains: sodium 32 mg  
 ■ store at 20-25°C (68-77°F) ▶

**Drug Facts (continued)**

**Inactive Ingredients** alcohol, anhydrous citric acid, FD&C blue no. 1, FD&C red no. 40, flavor, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, saccharin sodium, sodium citrate

**Questions or comments?** 1-800-719-9260

**GOOD NEIGHBOR PHARMACY NIGHT TIME COUGH**

dextromethorphan hydrobromide, doxylamine succinate solution

**Product Information**

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:24385-461 |
| <b>Route of Administration</b> | ORAL           |                           |               |

**Active Ingredient/Active Moiety**

| Ingredient Name   | Basis of Strength                | Strength          |
|---|----------------------------------|-------------------|
| <b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH)<br>(DEXTROMETHORPHAN - UNII:7355X3ROTS) | DEXTROMETHORPHAN<br>HYDROBROMIDE | 30 mg<br>in 30 mL |

**DOXYLAMINE SUCCINATE** (UNII: V9B19B5Y12) (DOXYLAMINE - UNII:95QB77JKPL)

DOXYLAMINE SUCCINATE

12.5 mg  
in 30 mL

## Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>ALCOHOL</b> (UNII: 3K9958V90M)                          |          |
| <b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)            |          |
| <b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)              |          |
| <b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)              |          |
| <b>HIGH FRUCTOSE CORN SYRUP</b> (UNII: XY6UN3QB6S)         |          |
| <b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A) |          |
| <b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)                 |          |
| <b>WATER</b> (UNII: 059QF0KO0R)                            |          |
| <b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR) |          |
| <b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)                 |          |

## Product Characteristics

|                 |                |                     |  |
|-----------------|----------------|---------------------|--|
| <b>Color</b>    | RED (Dark Red) | <b>Score</b>        |  |
| <b>Shape</b>    |                | <b>Size</b>         |  |
| <b>Flavor</b>   |                | <b>Imprint Code</b> |  |
| <b>Contains</b> |                |                     |  |

## Packaging

| # | Item Code        | Package Description                                   | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:24385-461-30 | 177 mL in 1 BOTTLE; Type 0: Not a Combination Product | 06/30/2003           | 11/14/2013         |
| 2 | NDC:24385-461-38 | 296 mL in 1 BOTTLE; Type 0: Not a Combination Product | 08/21/2007           | 11/13/2013         |
| 3 | NDC:24385-461-40 | 355 mL in 1 BOTTLE; Type 0: Not a Combination Product | 07/20/2012           | 09/30/2020         |
| 4 | NDC:24385-461-34 | 237 mL in 1 BOTTLE; Type 0: Not a Combination Product | 08/16/2012           |                    |

## Marketing Information

| Marketing Category  | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part341                                  | 06/30/2003           |                    |

**Labeler** - Amerisource Bergen (007914906)