STOOL SOFTENER- docusate sodium tablet Geri-Care Pharmaceuticals, Corp

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Gericare 421

Active ingredient

Docusate Sodium 100 mg

Purpose

Stool Softener Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

Warnings

Ask a doctor before use if you

- have stomach pain, nausea or vomiting
- have a sudden change in bowel habits that persists over a period of 2 weeks
- are presently taking mineral oil

Stop use and ask a doctor if

- you need to use a laxative longer than 1 week
- you have rectal bleeding or fail to have a bowel movement. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children

Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years and older: take 1-3 tablets daily until first bowel movement; 1 tablet daily thereafter, or as directed by doctor
- children under 12: consult a doctor
- do not exceed recommended dose

Other information

- each tablet contains: calcium 50 mg, sodium 8 mg
- store at room temperature 15°C-30°C (59°F-86°F)
- **Tamper Evident:** Do not use if imprinted seal under cap is missing or broken

Inactive ingredients

cellulose, croscarmellose sodium, dicalcium phosphate, magnesium stearate, silica, stearic acid, talc

Questions or comments?

1-800-540-3765

PACKAGE LABEL

Drug Facts **Directions** • do not exceed recommended dose NDC 57896-421-01 adults and children 12 years and older: take 1-3 tablets Active ingredient (in each tablet) Purpose daily until first bowel movement; 1 tablet daily thereafter, Docusate Sodium 100 mg.....Stool Softener Laxative or as directed by a doctor Uses • relieves occasional constipation (irregularity) children under 12: consult a doctor generally produces bowel movement in 12 to 72 hours Other information Warnings · each tablet contains: calcium 50 mg, sodium 8 mg • store at room temperature 15°C-30°C (59°F-86°F) Ask a doctor before use if you . have stomach pain, STOOL SOFTENER nausea or vomiting • have a sudden change in bowel Tamper Evident: Do not use if imprinted seal under cap is missing or broken. habits that persists over a period of 2 weeks · are presently taking mineral oil Inactive ingredients cellulose, croscarmellose sodium, **DOCUSATE SODIUM 100 mg** Stop use and ask a doctor if dicalcium phosphate, magnesium stearate, silica, stearic acid, talc · you need to use a laxative longer than 1 week Questions or comments? 1-800-540-3765 you have rectal bleeding or fail to have a bowel movement. DIST. BY: GERI-CARE These could be signs of a serious condition. **Tablets** PHARMACEUTICALS CORP. If pregnant or breast-feeding, ask a health professional 1650 63rd Street before use. Brooklyn, NY 11204 Keep out of the reach of children. In case of overdose, get **REV 0519** 100 Tablets 100 mg each medical help or contact a Poison Control Center right away.

STOOL SOFTENER

docusate sodium tablet

| Product Information | | | |
|-------------------------|----------------|--------------------|------------------------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:57896-421(NDC:75841-421) |
| Route of Administration | ORAL | | |

| Active Ingredient/Active Moiety | | | |
|--|-------------------|----------|--|
| Ingredient Name | Basis of Strength | Strength | |
| DO CUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG) | DOCUSATE SODIUM | 100 mg | |

| Inactive Ingredients | | | |
|--|----------|--|--|
| Ingredient Name | Strength | | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | | | |
| CROSCARMELLOSE SODIUM (UNII: M280L1HH48) | | | |
| MICRO CRYSTALLINE CELLULO SE (UNII: OP1R32D61U) | | | |
| ANHYDRO US DIBASIC CALCIUM PHO SPHATE (UNII: L11K75P92J) | | | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | | | |
| SILICON DIO XIDE (UNII: ETJ7Z6XBU4) | | | |
| TALC (UNII: 7SEV7J4R1U) | | | |
| | | | |

| Product Characteristics | | | |
|-------------------------|-------|--------------|----------|
| Color | white | Score | no score |
| Shape | ROUND | Size | 11mm |
| Flavor | | Imprint Code | GC422 |
| Contains | | | |

| F | Packaging | | | | |
|---|------------------|---|-----------------------------|--------------------|--|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date | |
| 1 | NDC:57896-421-10 | 1000 in 1 BOTTLE; Type 0: Not a Combination Product | 09/01/2015 | | |
| 2 | NDC:57896-421-01 | 100 in 1 BOTTLE; Type 0: Not a Combination Product | 09/01/2015 | | |
| 3 | NDC:57896-421-20 | 200 in 1 BOTTLE; Type 0: Not a Combination Product | 05/01/2019 | | |

| Marketing Information | | | |
|-------------------------|--|----------------------|--------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC monograph not final | part334 | 09/01/2015 | |
| | | | |

Labeler - Geri-Care Pharmaceuticals, Corp (611196254)

Registrant - GCP Laboratories (965480861)

| Establishment | | | |
|------------------|---------|-----------|--|
| Name | Address | ID/FEI | Business Operations |
| GCP Laboratories | | 965480861 | manufacture(57896-421), relabel(57896-421) |

Revised: 12/2019 Geri-Care Pharmaceuticals, Corp