

LIDOCAINE-PAIN-RELIEF-PATCH- lidocaine-pain-relief-patch patch
Henan Enokon Medical Instrument Co., Ltd.

83559-011

Active Ingredient

Lidocaine 4%

Purpose

Topical anesthetic

Use

For temporary relief of pain

Warnings

For external use only

Do not use

Do not use
more than 1 patch at a time
on wounds or damaged skin
with a heating pad
if you have ever had an allergic reaction to this product or any of its ingredients

When Using

When using this product
use only as directed
avoid contact with the eyes, mucous membranes or rashes
do not bandage tightly

Stop Use

Stop use and ask a doctor if
localized skin reaction occur, such as rash, itching, redness, irritation, pain swelling and
blistering
conditions worsen
symptoms persist for more than 7 days
symptoms clear up and occur again within a few days

Ask Doctor

If pregnant or breast-feeding, ask a health professional before use.
Children under age of 12: Consult a doctor

Keep Out Of Reach Of Children

Keep out of reach of children.

If swallowed , get medical help or contact with Poison Control Center right away.

Directions

Directions

Adults and children above 12 years old and over

clean and dry the affected area.

remove film from patch and apply to the skin (see illustration)

apply 1 patch at a time to affected area,not more than 3 to 4 times daily

remove patch from the skin after at most 8 hours of application.

Children under 12 years of age: consult a doctor

Other information

avoid storing product in direct sunlight

protect product from excessiver moisture

store at 20-25°C (68-77°F)

Inactive ingredients

Inactive Ingredients

Aluminum Glycinate,Edetate

Disodium,Ethylhexylglycerin,Glycerin,Kaolin,Phenoxyethanol,Polyvinylpyrrolidone,Propylene,Sodium
Carboxymethylcellulose,Sodium Polyacrylate, Tartaric Acid, Water

PRINCIPAL DISPLAY PANEL



LIDOCAINE-PAIN-RELIEF-PATCH

lidocaine-pain-relief-patch patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83559-011
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SODIUM ACRYLATE (UNII: 7C98FKB43H)	
TARTARIC ACID (UNII: W4888119H)	
ALUMINUM GLYCINATE (UNII: 1K713C615K)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
GLYCERIN (UNII: PDC6A3C0OX)	

PHENOXYETHANOL (UNII: HIE492ZZ3T)				
KAOLIN (UNII: 24H4NWX5CO)				
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83559-011-01	6 in 1 BOX; Type 0: Not a Combination Product	09/15/2025	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M017	09/15/2025	

Labeler - Henan Enokon Medical Instrument Co., Ltd. (701730676)

Establishment				
Name		Address	ID/FEI	Business Operations
Henan Enokon Medical Instrument Co., Ltd.			701730676	manufacture(83559-011)

Revised: 9/2025

Henan Enokon Medical Instrument Co., Ltd.