

MILD IODINE TINCTURE- iodine and sodium iodide and alcohol liquid
BIONPHARMA INC.

A+ Health-Iodine tincture mild

Active ingredient

IodineTincture USP 2%

Purpose

First Aid Antiseptic

Uses

First aid to help prevent infection in minor cuts, scrapes and burns.

Warnings

For external use only. Will stain skin and clothing.

Do not use longer than 1 week unless directed by a doctor.

Ask a doctor before use if you have, deep or puncture wounds, animal bites, or serious burns.

Stop use and ask a doctor if

the condition persists or gets worse.

When using this product

■ do not use in eyes. If contact occurs flush with large amounts of water while lifting upper and lower lids. ■ do not apply over large areas of the body.

Keep out of reach of children.

In case of accidental ingestion, contact Poison Control Center immediately.

Directions

Clean the affected area. Apply a small amount to the affected area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged let dry first.

Inactive Ingredient

Purified Water

Questions?

1-888-235-2466

Manufactured for: Bionpharma Inc., Princeton, NJ 08540

R0525 L0001035

1 fl oz. bottle label

a+ health™

mild

iodine

tincture, 2%

alcohol 47%

first aid antiseptic

- helps prevent infection in minor cuts, scrapes & burns

flammable: Keep away

from fire or flame.

1 fl oz (30 mL)

Drug Facts	a+health™	Drug Facts (continued)
Active ingredient Iodine Tincture USP 2%.....First Aid Antiseptic	mild iodine tincture, 2% alcohol 47%	while lifting upper and lower lids. ■ do not apply over large areas of the body.
Uses First aid to help prevent infection in minor cuts, scrapes and burns.	first aid antiseptic	Keep out of reach of children. In case of accidental ingestion, contact Poison Control Center immediately.
Warnings For external use only. Will stain skin and clothing.	• helps prevent infection in minor cuts, scrapes & burns	Directions Clean the affected area. Apply a small amount to the affected area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged let dry first.
Do not use longer than 1 week unless directed by a doctor.	flammable: keep away from fire or flame.	Inactive Ingredient Purified Water
Ask a doctor before use if you have, deep or puncture wounds, animal bites, or serious burns.	1 fl oz (30 mL)	Questions? 1-888-235-2466
Stop use and ask a doctor if the condition persists or gets worse.		Manufactured for: Bionpharma Inc., Princeton, NJ 08540
When using this product ■ do not use in eyes. If contact occurs flush with large amounts of water		 3 69452 48436 4

L0001035
R0525

MILD IODINE TINCTURE

iodine and sodium iodide and alcohol liquid

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:69452-484

Route of Administration	TOPICAL
-------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	20 mg in 1 mL
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	470 mg in 1 mL
SODIUM IODIDE (UNII: F5WR8N145C) (IODIDE ION - UNII:09G4I6V86Q)	IODIDE ION	20.4 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69452-484-36	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/06/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	10/06/2025	

Labeler - BIONPHARMA INC. (079637826)**Registrant** - BIONPHARMA INC. (079637826)**Establishment**

Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	manufacture(69452-484)

Revised: 10/2025

BIONPHARMA INC.