

**NON DROWSY DAY AND NIGHT MULTI-SYMPTOM COLD AND FLU FORMULA-  
acetaminophen, dextromethorphan hydrobromide, doxylamine succinate,  
phenylephrine hydrochloride  
Family Dollar (FAMILY WELLNESS)**

-----

**Non Drowsy DAY and NIGHT Multi-Symptom Cold and Flu Formula**

***Active ingredients (in each softgel)***

**Equate Health COLD & FLU FORMULA DAY NON-DROWSY**

Acetaminophen 325 mg  
Dextromethorphan hydrobromide 10 mg  
Phenylephrine hydrochloride 5 mg

**Equate Health COLD & FLU FORMULA NIGHT**

Acetaminophen 325 mg  
Dextromethorphan hydrobromide 10 mg  
Phenylephrine hydrochloride 5 mg

***Purposes***

**DAY COLD & FLU FORMULA**

Pain reliever/fever reducer  
Cough suppressant  
Nasal decongestant

**NIGHT COLD & FLU FORMULA**

Pain reliever/fever reducer  
Cough suppressant  
Antihistamine  
Nasal decongestant

***Uses***

**DAY COLD & FLU FORMULA**

temporarily relieves these symptoms due to a cold or flu:  
minor aches and pains  
headache  
cough  
sore throat  
nasal and sinus congestion  
temporarily reduces fever

## **NIGHT COLD & FLU FORMULA**

Pain reliever/fever reducer

Cough suppressant

Antihistamine

Nasal decongestant

### **undefined**

#### **Liver warning**

## **DAY COLD & FLU FORMULA**

These products contain acetaminophen. Severe liver damage may occur if you take

- more than 10 softgels in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

#### **Sore throat warning**

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

## **NIGHTTIME COLD & FLU FORMULA**

#### **Liver warning**

These products contain acetaminophen. Severe liver damage may occur if you take

- more than 10 softgels in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

#### **Sore throat warning**

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use to sedate children.**

**Do not use**

### **DAY COLD & FLU FORMULA**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients
- in children under 12 years of age

### **NIGHTTIME COLD & FLU FORMULA**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients
- in children under 12 years of age

**Ask a doctor before use if you have**

### **DAYTIME COLD & FLU FORMULA**

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- cough with excessive phlegm (mucus)
- difficulty in urination due to enlargement of the prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema

### **NIGHTTIME COLD & FLU FORMULA**

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- glaucoma
- cough with excessive phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

- persistent or chronic cough such as occurs with smoking, asthma, or emphysema

### **DAYTIME COLD & FLU FORMULA**

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin.

### **NIGHTTIME COLD & FLU FORMULA**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

### **When using this product**

#### **DAYTIME COLD & FLU FORMULA**

**When using this product do not exceed recommended dosage**

#### **NIGHTTIME COLD & FLU FORMULA**

- do not exceed recommended dosage
- may cause marked drowsiness
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

### **Stop use and ask a doctor if**

#### **DAYTIME COLD & FLU FORMULA**

- pain, cough, or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition.

- nervousness, dizziness, or sleeplessness occurs

#### **NIGHTTIME COLD & FLU FORMULA**

- pain, cough, or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition.

- nervousness, dizziness, or sleeplessness occurs

**If pregnant or breast-feeding,** ask a health professional before use.

**If pregnant or breast-feeding,** ask a health professional before use.

### ***Directions***

## **DAY COLD & FLU FORMULA**

- do not take more than the recommended dose
- adults and children 12 years and over: take 2 softgels with water every 4 hours. Do not exceed 10 softgels in 24 hours or as directed by a doctor.
- children under 12 years: do not use

## **NIGHTTIME COLD & FLU FORMULA**

- do not take more than the recommended dose
- adults and children 12 years and over: take 2 softgels with water every 4 hours. Do not exceed 10 softgels in 24 hours or as directed by a doctor.
- children under 12 years: do not use

### ***Other information***

- store at room temperature. Avoid excessive heat.

### ***Inactive ingredients***

#### **DAY COLD & FLU FORMULA**

FD&C Red# 40, FD&C Yellow# 6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol sorbitan, titanium dioxide

#### **NIGHTTIME COLD & FLU FORMULA**

D&C Yellow No. 10, FD&C Blue No. 1, gelatin, glycerin, polyethylene glycol-400, povidone, propylene glycol, purified water, shellac, sorbitol sorbitan, sodium hydroxide, titanium dioxide

### **Questions or comments?**

**1-888-287-1915**

Distributed by:

**MIDWOOD BRANDS, LLC**

500 Volvo Pkwy

Chesapeake, VA 23320 USA

### **Principal Display Panel**



# NON DROWSY DAY AND NIGHT MULTI-SYMPOTOM COLD AND FLU FORMULA

acetaminophen, dextromethorphan hydrobromide, doxylamine succinate, phenylephrine hydrochloride kit

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55319-615
---------------------	----------------	---------------------------	---------------

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55319-615-20	1 in 1 CARTON; Type 1: Convenience Kit of Co-Package	04/06/2023	

### Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BLISTER PACK	12
Part 2	1 BLISTER PACK	8

### Part 1 of 2

## EQUATE HEALTH DAY COLD AND FLU PLUS

acetaminophen, dextromethorphan hydrobromide, phenylephrine hydrochloride capsule, liquid filled

### Product Information

Item Code (Source)	NDC:55319-613
Route of Administration	ORAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE	5 mg

### Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SORBITOL (UNII: 506T60A25R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

### Product Characteristics

Color	red	Score	no score
-------	-----	-------	----------

<b>Shape</b>	OVAL	<b>Size</b>	21mm
<b>Flavor</b>		<b>Imprint Code</b>	512;A09
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		1 in 1 CARTON		
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/06/2023	

### Part 2 of 2

## EQUATE HEALTH NIGHTTIME COLD AND FLU PLUS

acetaminophen, dextromethorphan hydrobromide, doxylamine succinate, phenylephrine hydrochloride capsule, liquid filled

### Product Information

<b>Item Code (Source)</b>	NDC:55319-614
<b>Route of Administration</b>	ORAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE	5 mg
<b>DOXYLAMINE SUCCINATE</b> (UNII: V9BI9B5Y12) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	6.25 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>D&amp;C YELLOW NO. 10</b> (UNII: 35SW5USQ3G)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>GELATIN</b> (UNII: 2G86QN327L)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	

<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SORBITAN</b> (UNII: 6O92ICV9RU)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

### Product Characteristics

<b>Color</b>	green	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	21mm
<b>Flavor</b>		<b>Imprint Code</b>	116;A07
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		1 in 1 CARTON		
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/06/2023	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/06/2023	

### Labeler - Family Dollar (FAMILY WELLNESS) (024472631)

Revised: 12/2024

Family Dollar (FAMILY WELLNESS)