VITAMIN C - sodium ascorbate injection Agri Laboratories, Ltd.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Vitamin C INJECTABLE SOLUTION

FOR ANIMAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

NOT FOR HUMAN USE

INDICATIONS

For use as a nutritive supplement of vitamin C in cattle, horses, sheep, swine, dogs and cats.

PRECAUTIONS

Since pressure may develop on long storage, precautions should be taken to release pressure before use. Storage under refrigeration will reduce possibility of pressure build-up.

DOSAGE AND ADMINISTRATION

Administer intramuscularly 1 to 10 mL, depending on condition, species, and body weight. Repeat daily or as indicated by desired response.

TAKE TIME OBSERVE LABEL DIRECTIONS

COMPOSITION

Each mL of sterile aqueous solution contains: Sodium Ascorbate250 mg Monothioglycerol0.5% w/v Edetate Disodium0.1% w/v Methylparaben (preservative)0.18% w/v Propylparaben (preservative)0.02% w/v

Store at controlled room temperature between 15° and 30° (59°-86°F)

Protect from light.

VITAMIN C INJECTABLE SOLUTION



| VITAMIN C | | | | | | | |
|---|---------------------------------------|---------------------------------|---------------------------------------|--------------|--------------------|--------------------|--|
| sodium ascorbate injection | | | | | | | |
| | | | | | | | |
| Product Information | | | | | | | |
| Product Type | PRESCRIPTION ANIMAI | PRESCRIPTION ANIMAL DRUG Item C | | ode (Source) | | NDC:57561-348 | |
| Route of Administration | INTRAMUSCULAR | NTRAMUSCULAR | | | | | |
| | | | | | | | |
| Active Ingradient/Active Mointy | | | | | | | |
| Active Ingredient/Active Moiety Ingredient Name Basis of Strength Strength | | | | | | | |
| | | Basis of Streng | | - | • | | |
| SODIUM ASCORBATE (UNII: S033EH8359) (ASCORBIC ACID - UNII:PQ6CK8 | | | PDOR) SODIUM ASCORBATE 250 mg in 1 mL | | | | |
| | | | | | | | |
| Packaging | | | | | | | |
| # Item Code P | Package Description | | Marketing Start Date | | Marketing End Date | | |
| 1 NDC:57561-348-04 100 m | L in 1 VIAL | | | | | | |
| 2 NDC:57561-348-05 250 m | L in 1 VIAL | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Marketing Information | | | | | | | |
| Marketing Category Applica | lication Number or Monograph Citation | | Marketing Start Date | | Date Ma | Marketing End Date | |
| unapproved drug other | | | 07/31/2007 | | | | |
| | | | | | | | |

Revised: 9/2015

Agri Laboratories, Ltd.