

PROFEND NASAL ANTISEPTIC KIT- povidone iodine usp, 10% w/w swab
Professional Disposables International, Inc.

Profend Nasal Antiseptic Kit
10819-3889

Active Ingredient

Povidone-Iodine USP 10% w/w (equivalent to 1.0% titratable iodine)

Purpose

Antiseptic

Uses

- Antiseptic for preparation of skin
- Helps reduce bacteria that can potentially cause skin infection
- A broad spectrum antiseptic for topical application for preparation of skin prior to surgery

Warnings

For external use only

Do not use

- in the eyes or mouth
- on individuals who are allergic or sensitive to iodine
- over large areas of the body

Stop use and ask doctor if irritation and redness develop or if condition persists for more than 72 hours.

Ask a doctor before use if you have

- Deep or puncture wounds
- animal bites
- serious burns

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For nasal application:

Step 1: Use tissue to clean inside of both nostrils, including inside tips of nostrils. Discard tissue.

Using total of four swabsticks, perform Steps 2-6 two times for right nostril and two times for left nostril.

Step 2: Hold applicator tube between thumb and forefinger at blue band with tube in vertical position with tip/handle up. With the other hand, place thumb and forefinger at base of handle (“thumb-to-thumb”).

Step 3: Bend and snap open along break line.

Step 4: Bend and snap in opposite direction to disconnect swabstick.

Step 5: Remove swabstick from tube. Discard tube.

Step 6: Insert swabstick comfortably into one nostril. For a total of 15 seconds, rotate swabstick around circumference of nostril and then rotate in the anterior nares for a minimum of 6 complete revolutions with slight pressure, covering all surfaces. Discard swabstick.

Note: Do not blow nose. If solution drips, gently wipe with a tissue.

Other information

- For hospital and professional use
- Store at room temperature
- Avoid excessive heat

Inactive Ingredients

Purified Water, Sodium Hydroxide

Questions?

call 1-800-999-6423 (M-F 9 a.m.-5 p.m. EST)

Principal Display Panel

Swabstick

Reorder No. X12048 NDC 10819-3889-1
 Manufactured for:
 Professional Disposables International, Inc.
 Orangeburg, NY 10962-1376 USA
 1-800-999-6423

Profend
 Nasal Antiseptic Kit

Povidone-Iodine USP, 10% w/w
Antiseptic, Non-sterile solution

**IMPORTANT: SEE INSERT FOR
 COMPLETE INFORMATION.
 DO NOT REUSE.**

LOT
 EXP



8AX12000

NASAL SWABSTICK

Box

66638-00
C10632

5CX12048

Drug Facts				
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 60%;">Active ingredient</td> <td style="width: 40%;">Purpose</td> </tr> <tr> <td>Povidone-Iodine USP, 10% w/w (equivalent to 1% titratable iodine).....</td> <td>Antiseptic</td> </tr> </table>	Active ingredient	Purpose	Povidone-Iodine USP, 10% w/w (equivalent to 1% titratable iodine).....	Antiseptic
Active ingredient	Purpose			
Povidone-Iodine USP, 10% w/w (equivalent to 1% titratable iodine).....	Antiseptic			
Uses <ul style="list-style-type: none"> ■ Antiseptic for preparation of skin ■ Helps reduce bacteria that can potentially cause skin infection ■ A broad spectrum antiseptic for topical application for preparation of skin prior to surgery 				
Warnings For external use only. Do not use <ul style="list-style-type: none"> ■ In the eyes or mouth ■ On individuals who are allergic or sensitive to iodine ■ Over large areas of the body Stop use and ask a doctor if irritation and redness develop or if condition persists for more than 72 hours. Ask a doctor before use if you have <ul style="list-style-type: none"> ■ Deep or puncture wounds ■ Animal bites ■ Serious burns Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.				
Directions See product insert for complete information.				
Other information <ul style="list-style-type: none"> ■ For hospital and professional use. ■ Store at room temperature. ■ Avoid excessive heat. 				
Inactive ingredients Purified Water, Sodium Hydroxide				
Questions? call 1-800-999-6423 (M-F 9 a.m. - 5 p.m. EST)				

Reorder No. X12048
NDC 10819-3889-2

4 NASAL SWABSTICKS

Profend®

Nasal Antiseptic Kit

Povidone-Iodine USP, 10% w/w

**ANTISEPTIC
Non-sterile solution**

**FOR PROFESSIONAL
AND HOSPITAL USE**

- Do not reuse
- Not made with natural rubber latex
- DEHP-free

**4 Nasal Swabsticks
(0.75mL per swabstick)**

OPEN

Manufactured for:
Professional Disposables International, Inc.
 Orangeburg, NY 10962-1376 USA
 1-800-999-6423 www.pdihc.com
 Made in USA using domestic and imported materials.

Reorder No. X12048 NDC 10819-3889-2

(010031081900862)

Carton

Profend
Nasal Antiseptic Kit

Povidone-Iodine USP, 10% w/w
Non-sterile solution

12 NASAL SWABSTICK KITS

Profend
Nasal Antiseptic Kit

Povidone-Iodine USP, 10% w/w
Antiseptic
For Professional and Hospital Use
Non-sterile solution

Profend
Nasal Antiseptic Kit

Povidone-Iodine USP, 10% w/w
Non-sterile solution

Profend
Nasal Antiseptic Kit

Povidone-Iodine USP, 10% w/w
Antiseptic
For Professional and Hospital Use
Non-sterile solution

12 Nasal Swabstick Kits
4 Nasal Swabsticks Per Kit
(0.75mL per swabstick)

Drug Facts

Active ingredient(s)	Purpose(s)
Povidone-Iodine USP, 10% w/w Equivalent to 1% Iodine solution	Antiseptic

Use

- Intended for preoperative skin
- Helps reduce bacteria that are potentially cause of infection
- Broad spectrum antiseptic for topical application for preoperative skin prior to surgery

Warnings

For external use only.

Do not use

- In the eyes or mouth
- On individuals who are allergic or sensitive to iodine
- Over large areas of the body

Stop use and ask doctor if redness and itching occur or if condition worsens for more than 72 hours.

Ask a doctor before use if you have

- Deep or puncture wounds
- Irritated skin
- Serious burns

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

To use Swabstick:

- **Step 1:** Use Swab to clean inside of both nostrils.

Other Information

- For topical and professional use
- Store at room temperature
- Avoid excessive heat

Inactive ingredients
Purified Water, Sodium Hydroxide

Other Information

Control No. **1460-009-0423**
(M F 8am-5pm, EST)

LOT# / EXP

PDI

Insert

5CX120IN

Profend[®] Nasal Antiseptic Kit

Reorder No. X12048 NDC 10819-3889-1

Drug Facts

Active ingredient

Purpose

Povidone-Iodine USP, 10% w/w
(equivalent to 1% titratable iodine).....Antiseptic

Uses

- Antiseptic for preparation of skin
- Helps reduce bacteria that can potentially cause skin infection
- A broad spectrum antiseptic for topical application for preparation of skin prior to surgery

Warnings

For external use only.

Do not use

- In the eyes or mouth
- On individuals who are allergic or sensitive to iodine
- Over large areas of the body

Stop use and ask doctor if irritation and redness develop or if condition persists for more than 72 hours.

Ask a doctor before use if you have

- Deep or puncture wounds
- Animal bites
- Serious burns

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. ►

Drug Facts (continued)

Directions

For nasal application:

- **Step 1:** Use tissue to clean inside of both nostrils, including inside tips of nostrils. Discard tissue. Using total of four swabsticks, perform Steps 2-6 two times for right nostril and two times for left nostril.
- **Step 2:** Hold applicator tube between thumb and forefinger at blue band with tube in vertical position with tip/handle up. With the other hand, place thumb and forefinger at base of handle (“thumb-to-thumb”).
- **Step 3:** Bend and snap open along break line.
- **Step 4:** Bend and snap in opposite direction to disconnect swabstick.
- **Step 5:** Remove swabstick from tube. Discard tube.
- **Step 6:** Insert swabstick comfortably into one nostril. For a total of 15 seconds, rotate swabstick around circumference of nostril and then rotate in the anterior nares for a minimum of 6 complete revolutions with slight pressure, covering all surfaces. Discard swabstick.
- **Note:** Do not blow nose. If solution drips, gently wipe with a tissue.

Other information

- For hospital and professional use.
- Store at room temperature.
- Avoid excessive heat.

Inactive ingredients

Purified Water, Sodium Hydroxide

Questions? call 1-800-999-6423 (M-F 9 a.m.- 5 p.m. EST)

PROFEND NASAL ANTISEPTIC KIT

povidone iodine usp, 10% w/w swab

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10819-3889
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10819-3889-3	12 in 1 CARTON	03/17/2026	
1	NDC:10819-3889-2	4 in 1 BOX		
1	NDC:10819-3889-1	0.75 mL in 1 TUBE, WTH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	03/17/2026	

Labeler - Professional Disposables International, Inc. (800777117)

Revised: 3/2026

Professional Disposables International, Inc.