

EXTRA STRENGTH TAMINOL ACETAMINOPHEN- acetaminophen tablet
VIVA PHARMACEUTICAL INC

Viva Extra Strength Taminol Acetaminophen

Drug Facts

Active ingredient

Acetaminophen 500mg

Purposes

Pain reliever/Fever reducer

Uses

■ temporarily relieves minor aches & pain due to : ■ the common cold ■ headache ■ backache ■ minor pain of arthritis ■ toothache ■ muscular aches ■ premenstrual and menstrual cramps ■ temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 4,000 mg of acetaminophen in 24hr ■ with other drug containing acetaminophen ■ 3 or more alcoholic drinks everyday while using this product

Allergy alert : Acetaminophen may cause severe skin reactions. Symptoms may include : ■ skin reddening ■ blisters ■ rash if a skin reaction occurs .stop use and seek medical help right away.

Do not use

■ with any other drug containing acetaminophen (prescription or non prescription). If you are not sure whether a drug contains acetaminophen, ask doctor or pharmacist. ■ if you are allergic to acetaminophen or any inactive ingredient in this product.

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if

you are taking blood thinner

Stop use and ask a doctor if

■ pain get worse or last more than 10 days ■ fever gets worse or lasts more than 3 days condition ■ new symptom occurs ■ redness or swelling present

If pregnancy or breast-feeding ,
ask a healthcare professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a poison control center (1-800-222-1222) right away , Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

■ do not take more than directed (see overdose warning)

Adults and children 12 years and over	■ take two caplets every 6 hour while symptoms last
	■ do not take more than 8 caplets in 24hours unless directed by a doctor
Children under 12 years	■ do not take more than 10 days unless directed by a doctor
	■ ask a doctor

Other information

■ store at 20°-25°C (68°-77°F)

Inactive ingredients

Crospovidone , microcrystalline cellulose , Stearic acid , Silicon dioxide

Package Labeling:

<p>Drug Facts</p> <p>Active ingredient (in each tablet) Acetaminophen 500mg Pain reliever/ Fever reducer</p> <p>Purposes Pain reliever/ Fever reducer</p> <p>Uses ■ temporarily relieves minor aches & pain due to: ■ the common cold ■ headache ■ backache ■ minor pain of arthritis ■ toothache ■ muscular aches ■ premenstrual and menstrual cramps ■ temporarily reduces fever</p> <p>Warnings Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 4,000 mg of acetaminophen in 24hr ■ with other drug containing acetaminophen ■ 3 or more alcoholic drinks everyday while using this product Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include : ■ skin reddening ■ blisters ■ rash if a skin reaction occurs, stop use and seek medical help right away. Do not use ■ with any other drug containing acetaminophen (prescription or non prescription). If you are not sure whether a drug contains acetaminophen, ask doctor or pharmacist. ■ if you are allergic to acetaminophen or any inactive ingredient in this product.</p> <p>Ask a doctor before use if you have liver disease</p> <p>Ask a doctor or pharmacist before use if you are taking blood thinner</p> <p>Stop use and ask a doctor if ■ pain get worse or last ▶</p>	<p>Drug Facts (continued)</p> <p>more than 10 days ■ fever gets worse or lasts more than 3 days condition ■ new symptom occurs ■ redness or swelling present.</p> <p>If pregnancy or breast-feeding, ask a healthcare professional before use. Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.</p> <p>Directions ■ do not take more than directed (see overdose warning)</p> <table border="1"> <tr> <td>Adults and children 12 years and over</td> <td>■ take two caplets every 6 hour while symptoms last ■ do not take more than 8 caplets in 24 hours unless directed by a doctor ■ do not take more than 10 days unless directed by a doctor</td> </tr> <tr> <td>Children under 12 years</td> <td>■ ask a doctor</td> </tr> </table> <p>Other information ■ store at 20°- 25°C (68°- 77°F)</p> <p>Inactive ingredients Crospovidone, Microcrystalline cellulose, Stearic acid, Silicon dioxide</p>	Adults and children 12 years and over	■ take two caplets every 6 hour while symptoms last ■ do not take more than 8 caplets in 24 hours unless directed by a doctor ■ do not take more than 10 days unless directed by a doctor	Children under 12 years	■ ask a doctor
Adults and children 12 years and over	■ take two caplets every 6 hour while symptoms last ■ do not take more than 8 caplets in 24 hours unless directed by a doctor ■ do not take more than 10 days unless directed by a doctor				
Children under 12 years	■ ask a doctor				

LOT XXXXXX
 EXP MM/YY
 Space For Barcode

MANUFACTURER:
 VIVA PHARMACEUTICAL INC.
 RICHMOND, BC CANADA V6Y 1K8

EXTRA STRENGTH TAMINOL ACETAMINOPHEN
acetaminophen tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52524-0000
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
CROSPROVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color	white	Score	no score
Shape	CAPSULE	Size	19mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52524-0000-1	200 in 1 BOTTLE; Type 0: Not a Combination Product	12/18/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	12/18/2023	

Labeler - VIVA PHARMACEUTICAL INC (253288898)

Revised: 11/2023

VIVA PHARMACEUTICAL INC