


## Giltuss Honey DM



**Drug Facts (continued).**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- do not take more than 4 doses in any 24-hour period
- use enclosed dosing cup
- **keep dosage cup for use with this product**
- mL = milliliters

|                              |                        |
|------------------------------|------------------------|
| children under 4 years       | Consult a doctor       |
| children 4 to under 6 years  | 2.5 mL every 6-8 hours |
| children 6 to under 12 years | 5 mL every 6-8 hours   |
| children 12 years and over   | 10 mL every 6-8 hours  |

**Other information**

- store at room temperature 15°-30°C (59°-86°F).
- close cap tightly
- **SAVE CARTON FOR COMPLETE DRUG FACTS**

**Inactive ingredients**

natural and artificial flavor, natural grade A honey, methylparaben, potassium sorbate, propylene glycol, propylparaben, purified water, sucralose.

**Questions or comments?**

Call 1-787-848-9114, Monday-Friday 9AM-5PM EST.  
Call your doctor for medical advice in the event of side effects.



MANUFACTURED FOR  
GIL PHARMACEUTICAL CORP.  
PONCE, PUERTO RICO 00717-1565

For most recent product information,  
visit [www.gilpharm.com](http://www.gilpharm.com)



## Drug Facts

| Active ingredient (in each 5 mL) | Purpose |
|----------------------------------|---------|
|----------------------------------|---------|

|                                   |                   |
|-----------------------------------|-------------------|
| Dextromethorphan HBr, 15 mg ..... | Cough Suppressant |
|-----------------------------------|-------------------|

### Uses

- temporarily relieves: • cough due to minor throat and bronchial irritation associated with the common cold or inhaled irritants • the intensity of coughing • the impulse to cough to help your child get to sleep

### Warnings

**Do not use** if your child is now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

### Ask a doctor before use if the child has

- cough that occurs with too much phlegm (mucus)
- a persistent or chronic cough such as occurs with asthma

**Stop use and ask a doctor if the child has** a cough that lasts more than 7 days, comes back, or is accompanied by fever, rash or persistent headache. These could be signs of a serious condition.

ingredient (in each 5ml)

Active Ingredients ( in each 5 mL)

Dextromethorphan15mg

purpose cough suppressant

Active

## Drug Facts

| Active ingredient (in each 5 mL) | Purpose |
|----------------------------------|---------|
|----------------------------------|---------|

|                             |                   |
|-----------------------------|-------------------|
| Dextromethorphan HBr, 15 mg | Cough Suppressant |
|-----------------------------|-------------------|

### Uses

- temporarily relieves: • cough due to minor throat and bronchial irritation associated with the common cold or inhaled irritants • the intensity of coughing • the impulse to cough to help your child get to sleep

### Warnings

**Do not use** if your child is now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

### Ask a doctor before use if the child has

- cough that occurs with too much phlegm (mucus)
- a persistent or chronic cough such as occurs with asthma

**Stop use and ask a doctor if the child has** a cough that lasts more than 7 days, comes back, or is accompanied by fever, rash or persistent headache. These could be signs of a serious condition.

Do not use if your child is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional condition, or Parkinson's disease), or for 2 weeks after stopping the MAOI drugs. If you do not know if your child prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.



## Drug Facts

| Active ingredient (in each 5 mL) | Purpose |
|----------------------------------|---------|
|----------------------------------|---------|

|                             |                   |
|-----------------------------|-------------------|
| Dextromethorphan HBr, 15 mg | Cough Suppressant |
|-----------------------------|-------------------|

### Uses

- temporarily relieves: • cough due to minor throat and bronchial irritation associated with the common cold or inhaled irritants • the intensity of coughing • the impulse to cough to help your child get to sleep

### Warnings

**Do not use** if your child is now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

### Ask a doctor before use if the child has

- cough that occurs with too much phlegm (mucus)
- a persistent or chronic cough such as occurs with asthma

**Stop use and ask a doctor if the child has** a cough that lasts more than 7 days, comes back, or is accompanied by fever, rash or persistent headache. These could be signs of a serious condition.

Stop use and ask a doctor if the child has a cough that last more than 7 days, comes back or is accompanied by fever, rash or persistent headache. These could be signs of a serious condition.

## Drug Facts

| Active ingredient (in each 5 mL) | Purpose |
|----------------------------------|---------|
|----------------------------------|---------|

|                                   |                   |
|-----------------------------------|-------------------|
| Dextromethorphan HBr, 15 mg ..... | Cough Suppressant |
|-----------------------------------|-------------------|

### Uses

- temporarily relieves: • cough due to minor throat and bronchial irritation associated with the common cold or inhaled irritants • the intensity of coughing • the impulse to cough to help your child get to sleep

### Warnings

**Do not use** if your child is now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

### Ask a doctor before use if the child has

- cough that occurs with too much phlegm (mucus)
- a persistent or chronic cough such as occurs with asthma

**Stop use and ask a doctor if the child has** a cough that lasts more than 7 days, comes back, or is accompanied by fever, rash or persistent headache. These could be signs of a serious condition.

Purpose section Cough Suppressant



## Drug Facts

| Active ingredient (in each 5 mL) | Purpose |
|----------------------------------|---------|
|----------------------------------|---------|

|                                   |                   |
|-----------------------------------|-------------------|
| Dextromethorphan HBr, 15 mg ..... | Cough Suppressant |
|-----------------------------------|-------------------|

### Uses

- temporarily relieves: • cough due to minor throat and bronchial irritation associated with the common cold or inhaled irritants • the intensity of coughing • the impulse to cough to help your child get to sleep

### Warnings

**Do not use** if your child is now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

### Ask a doctor before use if the child has

- cough that occurs with too much phlegm (mucus)
- a persistent or chronic cough such as occurs with asthma

**Stop use and ask a doctor if the child has** a cough that lasts more than 7 days, comes back, or is accompanied by fever, rash or persistent headache. These could be signs of a serious condition.

Ask a doctor before use if the child has cough that occurs with too much mucus or a persistent or chronic cough such as occurs with asthma.

## Drug Facts

| Active ingredient (in each 5 mL) | Purpose |
|----------------------------------|---------|
|----------------------------------|---------|

|                                   |                   |
|-----------------------------------|-------------------|
| Dextromethorphan HBr, 15 mg ..... | Cough Suppressant |
|-----------------------------------|-------------------|

### Uses

- temporarily relieves: • cough due to minor throat and bronchial irritation associated with the common cold or inhaled irritants • the intensity of coughing • the impulse to cough to help your child get to sleep

### Warnings

**Do not use** if your child is now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

### Ask a doctor before use if the child has

- cough that occurs with too much phlegm (mucus)
- a persistent or chronic cough such as occurs with asthma


**Stop use and ask a doctor if the child has** a cough that lasts more than 7 days, comes back, or is accompanied by fever, rash or persistent headache. These could be signs of a serious condition.

Temporarily relieves: cough due to minor thoroat and brochial irritation associated with the common cold or inhaled irritants

the intensity of coughing

The impulse to cough to help your child get to sleep





Call 1-

787-848-9114 Monday-Friday, 9AM-5PM EST

Call your doctor for medical advice in the event of side effects.

## Dosage and administration

Dosage and administration

Do not take more than 4 doses in any 24 hours period Keep dosage cup for use with this product

children under 4 years, consult a doctor

children 6 to under 12 years, 5ml every 6-8 hours

children 12 years and over, 10ml every 6-8 hours



## Drug Facts

**Active ingredient (in each 5 mL)** Purpose  
Dextromethorphan HBr, 15 mg Cough Suppressant

### Uses

- temporarily relieves:
  - cough due to minor throat and bronchial irritation associated with the common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help your child get to sleep

### Warnings

**Do not use** if your child is now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use** if the child has

- cough that occurs with too much phlegm (mucus)
- a persistent or chronic cough such as occurs with asthma

**Stop use and ask a doctor** if the child has a cough that lasts more than 7 days, comes back, or is accompanied by fever, rash or persistent headache. These could be signs of a serious condition.

## Drug Facts (continued)

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

### Directions

- do not take more than 4 doses in any 24-hour period
- use enclosed dosing cup
- keep dosage cup for use with this product
- mL = milliliters

|                              |                        |
|------------------------------|------------------------|
| children under 4 years       | Consult a doctor       |
| children 4 to under 6 years  | 2.5 mL every 6-8 hours |
| children 6 to under 12 years | 5 mL every 6-8 hours   |
| children 12 years and over   | 10 mL every 6-8 hours  |

### Other information

- store at room temperature 15°-30°C (59°-86°F).
- close cap tightly
- SAVE CARTON FOR COMPLETE DRUG FACTS

### Inactive ingredients

natural and artificial flavor, natural grade A honey, methylparaben, potassium sorbate, propylene glycol, propylparaben, purified water, sucralose.

### Questions or comments?

Call 1-787-848-9114, Monday-Friday 9AM-5PM EST.  
Call your doctor for medical advice in the event of side effects.



MANUFACTURED FOR  
GIL PHARMACEUTICAL CORP.  
PONCE, PUERTO RICO 00717-1965

For most recent product information,  
visit [www.giltuss.com](http://www.giltuss.com)

## Inactive ingredient

### Inactive ingredients:

Natural and artificial flavor, natural grade A Honey, Methylparaben, potassium Sorbate, propylene Glycol, propylparaben, purified water, sucralose





## Principal display panel

Children giltuss honey DM 4-12



- Alcohol Free
- DYE free
- Non Drowsy
- Certified Honey
- Honey Lemon Flavor

| CHILDRENS GILTUSS HONEY DM COUGH   |                |                                  |                  |
|--|----------------|----------------------------------|------------------|
| dextromethorphan hbr liquid  |                |                                  |                  |
| Product Information  |                |                                  |                  |
| Product Type   | HUMAN OTC DRUG | Item Code (Source)               | NDC:65852-007    |
| Route of Administration  | ORAL           |                                  |                  |
| Active Ingredient/Active Moiety  |                |                                  |                  |
| Ingredient Name  |                | Basis of Strength                | Strength         |
| DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH)<br>(DEXTROMETHORPHAN - UNII:7355X3ROTS) |                | DEXTROMETHORPHAN<br>HYDROBROMIDE | 15 mg<br>in 5 mL |



| Inactive Ingredients                 |                  |  |                      |                    |
|--------------------------------------|------------------|--|----------------------|--------------------|
| Ingredient Name                      |                  |  | Strength             |                    |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) |                  |  |                      |                    |
| HONEY (UNII: Y9H1V576FH)             |                  |  |                      |                    |
| METHYLPARABEN (UNII: A2I8C7HI9T)     |                  |  |                      |                    |
| PROPYLPARABEN (UNII: Z8IX2SC1OH)     |                  |  |                      |                    |
| WATER (UNII: 059QF0KO0R)             |                  |  |                      |                    |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3)  |                  |  |                      |                    |
| SUCRALOSE (UNII: 96K6UQ3ZD4)         |                  |  |                      |                    |
|                                      |                  |  |                      |                    |
| Product Characteristics              |                  |  |                      |                    |
| Color                                |                  |  | Score                |                    |
| Shape                                |                  |  | Size                 |                    |
| Flavor                               |                  | HONEY, LEMON   | Imprint Code         |                    |
| Contains                             |                  |  |                      |                    |
|                                      |                  |  |                      |                    |
| Packaging                            |                  |  |                      |                    |
| #                                    | Item Code        | Package Description  | Marketing Start Date | Marketing End Date |
| 1                                    | NDC:65852-007-04 | 1 in 1 CARTON  | 06/22/2020           |                    |
| 1                                    |                  | 118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product |                      |                    |
|                                      |                  |  |                      |                    |
| Marketing Information                |                  |  |                      |                    |
| Marketing Category                   |                  | Application Number or Monograph Citation                       | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug                   |                  | M012   | 06/22/2020           |                    |

**Labeler** - Dextrum Laboratories Inc (007392322)