# VIRT-GARD- pyridoxine hydrochloride, folic acid, and cyanocobalamin tablet Virtus Pharmaceuticals

-----

#### Virt-Gard

76439-353-10

Rx

**Prescription Folic Acid-Containing Dietary Supplement** 

#### DESCRIPTION

Virt-Gard is an orally administered prescription dietary supplement and should be administered under the supervision of a licensed medical practitioner.

Supplement Facts		
Serving Size: 1 Tablet		
	Amount Per Serv	ing % Daily Value*
Vitamin B <sub>6</sub>		
(Pyridoxine HCl)	25 mg	1471%
Folate	3667 mcg DFE	917%
(2200 mcg Folic Acid)	-	
Vitamin B <sub>12</sub>		
(Cyanocobalamin)	1 mg	41667%
*Percent Daily Values are b	ased on a 2,000 calorie	e diet.

**Other Ingredients:** Dicalcium Phosphate, Microcrystalline Cellulose, Pregelatinized Starch, Pink Coating (Hypromellose, Polydextrose, Titanium Dioxide, Talc, Maltodextrin, Medium Chain Triglycerides, FD&C Red #40, FD&C Yellow #6, FD&C Blue #1), Stearic Acid, Silicon Dioxide, Magnesium Stearate.

#### INDICATIONS AND USAGE

Virt-Gard tablets are indicated for nutritional support and folic acid supplementation. This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

#### CONTRAINDICATIONS

This product is contraindicated in people with known history of hypersensitivity to any of the ingredients.

# CAUTIONS

High levels of folic acid may, especially in older adults, hide signs of vitamin B-12 deficiency (such as pernicious anemia, a condition that can cause nerve damage).

# Pediatric Use

Safety and effectiveness in pediatric patients have not been established.

#### SIDE EFFECTS

Allergic sensitization has been reported following oral administration of folic acid. Paresthesia, somnolence, nausea and headaches have been reported with pyridoxine hydrochloride.

Mild transient diarrhea, polycythemia vera, itching, transitory exanthema and the feeling of swelling of the entire body have been associated with cyanocobalamin.

#### **DIRECTIONS FOR USE (Adults)**

1 tablet daily or as directed by a licensed medical practitioner.

#### HOW SUPPLIED

Supplied as round, pink tablets imprinted with "V353," dispensed in bottles of 100 tablets.

76439-353-10

#### **STORAGE**

Store at controlled room temperature 20° to 25°C (68° to 77°F), excursions permitted to 15° to 30°C (59° to 86°F) Protect from light and moisture. Dispense in a tight, light-resistant container. Notice: Contact with moisture may produce surface discoloration or erosion.

Call your licensed medical practitioner about side effects. You may report side effects by calling Virtus at 1-855-255-6076.

## **KEEP OUT OF REACH OF CHILDREN.**

#### Rx

#### **Manufactured for:**

Virtus Pharmaceuticals OPCO II, LLC Nashville, TN 37217 1-855-255-6076

Made in USA

Rev. 06/2018

# PRINCIPAL DISPLAY PANEL - 100 Tablet Bottle Label

0



**Prescription Folic Acid-Containing Dietary Supplement** 

Made in USA

100 Tablets

Rx

**DESCRIPTION:** Virt-Gard is an orally administered prescription dietary supplement and should be administered under the supervision of a licensed medical practitioner.

. . .

.

	Amount Per Serving	% Daily Value*
Vitamin B <sub>6</sub> (Pyridoxine HCl)	25 mg	1471 %
Folate (2200 mcg Folic Acid)	3667 mcg DFE	917 %
Vitamin B <sub>12</sub> (Cyanocobalamin)	1 mg	41667 %

Coating (Evonomellose, Polydextrose, Titanium Dioxide, Tak, Maltodextrin, Medium Chain Triglycerides, FD&C Red #40, FD&C Yellow #6, FD&C Blue #1), Stearic Acid, Silicon Dioxide, Magnesium Stearate

DIRECTIONS FOR USE (Adults): 1 tablet daily or as directed by a licensed medical practitioner

CAUTION: High levels of folic acid may hide signs of B-12 deficiency, such as pernicious anemia. See package insert for more information.

PRECAUTIONS, CONTRAINDICATIONS, SIDE EFFECTS: See package insert for more information.

**KEEP OUT OF REACH OF CHILDREN.** 

STORAGE: Store at controlled room temperature 20° to 25°C (68° to 77°F). Excursions permitted to 15° to 30°C (59° to 86°F). Protect from light and moisture. Dispense in a tight, light-resistant container. Notice: Contact with moisture may produce surface discoloration or erosion.

Call your licensed medical practitioner about side effects. You may report side effects by calling Virtus at 1-855-255-6076.

Manufactured for: Virtus Pharmaceuticals OPCO II, LLC





# VIRTUS<sup>®</sup> PHARMACEUTICALS OPCO II

76439**-353-**10

# Virt-Gard

# **Prescription Folic Acid-Containing Dietary Supplement**

R<sub>x</sub> 100 Tablets Made in USA

Product Information						
Product T ype	DIETARY SUPPLEMENT	Item Code (Sourc	ource) NHRIC:		76439-353	
Route of Administration	ORAL					
Active Ingredient/Active	Moiety					
	Ingredient Name		Basis o	f Strength	Strengt	
PYRIDO XINE HYDRO CHLO RID	E (UNII: 68 Y4CF58 BV) (PYRIDO XIN	IE - UNII:KV2JZ1BI6Z)	PYRIDO X	LINE	25 mg	
FOLIC ACID (UNII: 935E97BOY8	B) (FOLIC ACID - UNII:935E97BOY8	)	FOLIC A	CID	2.2 mg	
<b>CYANO CO BALAMIN</b> (UNII: P6 Y	C3EG204) (CYANOCOBALAMIN - U	JNII:P6 YC3EG204)	CYANOC	COBALAMIN	1 mg	
	Ingredient Name			S	trength	
	Ingredient Name			S	trength	
	E DIHYDRATE (UNII: O7TSZ97GEI	?)				
MICRO CRYSTALLINE CELLUL						
STARCH, CORN (UNII: 08232NY						
STEARIC ACID (UNII: 4ELV7Z65						
SILICON DIO XIDE (UNII: ETJ7Z)						
MAGNESIUM STEARATE (UNII:						
HYPROMELLOSE, UNSPECIFIE						
POLYDEXTROSE (UNII: VH2XO FITANIUM DIOXIDE (UNII: 15FI)						
TALC (UNII: 7SEV7J4R1U)	(JV2JI)					
MALTO DEXTRIN (UNII: 7CVR7L	4A2D)					
MEDIUM-CHAIN TRIGLYCERID						
FD&C RED NO. 40 (UNII: WZB91						
FD&C YELLOW NO.6 (UNII: H7	7VEI93A8)					

<b>1</b> NHRIC:76439-353-10	100 in 1 BOTTLE			
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
Dietary Supplement		09/30/2015		

Supplement Fac	ts	
Serving Size :		Serving per Container :
Аг	nount Per Serving	% Daily Value
color		
size (solid drugs)	10 mm	
shape		
scoring	1	
imprint		

Labeler - Virtus Pharmaceuticals (079659493)

Revised: 12/2019

Virtus Pharmaceuticals