

ZHUIFENG GAO PAIN RELIEVING- menthol plaster
GUILIN CHINA RESOURCES TIANHE PHARMACEUTICAL CO LTD

Drug Facts

Active Ingredients

Menthol 3.5%

Purpose

External Analgesic

Uses

For the temporary relief of minor aches and pains of muscles and joints due to:

■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains

Warnings

For external use only

Allergy alert:This product contains natural rubber latex which may cause allergic reactions.

Do not use

- on irritated or damaged skin
- on wounds
- if you are allergic to any ingredient in this product

Ask a doctor or pharmacist before use if you have

- any concerns about using this product

When using this product

- avoid contact with the eyes or mucous membranes
- do not bandage tightly
- do not apply heat to the area in form of heating pads, hot water bottles, or lamps (doing so increases the risk of serious burns)
- avoid placing on extremely hairy areas of skin to avoid irritation upon removing the patch

Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days

- excessive irritation of the skin develops
- nausea, vomiting, abdominal discomfort, diarrhea, or skin rash occurs
- you feel actual pain or experience blistering or burning after application (it is normal to feel a warming or cooling sensation)
- when using for pain of arthritis:
 - pain persists for more than 10 days
 - redness is present
 - in conditions affecting children under 12 years of age

Keep out of reach of children to avoid accidental poisoning. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 2 years of age and older: remove the protective film from the plaster. Apply to affected area not more than 3 to 4 times daily.
- children under 2 years of age: consult your physician.

Other information

- keep plasters tightly closed in the zip-lock pouch
- store at 15 to 30 C (59 to 86 F) in a dry place away from sunlight

Inactive ingredients achyranthes root, angelica sinensis root, basil oil, cassia bark, Chinese clematis root and rhizome, Chinese peony root with bark, cinnamon oil, dragon's blood resin, fragrant angelica root, frankincense oleo-gum-resin, kadsura pepper stem, knoxia root, lanolin, lesser galangal rhizome, lindera root, mineral oil, myrrh oleo-gum-resin, notopterygium rhizome and root, paprika, periplocae cortex, persicae semen, petrolatum, pubescent angelica root, rosin, rubber, safflower, sapanwood heartwood, sichuan teasel root, styrene-isoprene, and zinc oxide on a cotton pad and covered with a protective paper film.

Questions or comments?

(888) 221-3496 M-F 9 am to 5 pm

- you may also report serious side effects to this phone number

Zhuifeng Gao Pain Relieving Plaster
NDC 68007-403-01

10 Patches
Each Patch 2.75 in x 4 in (7 cm x 10 cm)
5 Patches per Pouch

追風膏 Zhuifeng Gao

05/07/2021

Size: 165mm x 120mm x 10mm

ZHUIFENG GAOPAIN RELIEVING PLASTER



Drug Facts

Active Ingredients Purpose
Menthol 3.5%..... Topical analgesic

Uses For the temporary relief of minor aches and pains of muscles and joints due to:
• simple backache • arthritis • strains • bruises • sprains

Warnings For external use only
Allergy alert: This product contains natural rubber latex which may cause allergic reactions.
Do not use:
• on irritated or damaged skin • on wounds
• if you are allergic to any ingredient in this product

Ask a doctor or pharmacist before use if you have • any concerns about this product.
When using this product:
• avoid contact with the eyes or mucous membranes
• do not bandage tightly
• do not apply heat to the area in the form of heating pads, hot water bottles, or lamps (doing so increases the risk of serious burns)
• avoid placing on extremely hairy areas of skin to avoid irritation upon removing the patch

Stop use and ask a doctor if:
• condition worsens
• symptoms persist for more than 7 days
• symptoms clear up and occur again within a few days
• excessive irritation of the skin develops
• nausea, vomiting, abdominal discomfort, dizziness, or skin rash occurs
• you feel actual pain or experience stinging or burning after application (it is normal to feel a warming or cooling sensation)
• when using for pain of arthritis:
• pain persists for more than 10 days

Drug Facts (continued)

• redness is present
• in conditions affecting children under 12 years of age

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
• adults and children 12 years of age and older: remove the protective film from the plaster; Apply to affected area not more than 3 to 4 times daily.
• children under 12 years of age: consult your physician.

Other information
• keep plasters tightly closed in the zip-lock pouch
• store at 15° to 30° C (59° to 86° F) in a dry place away from sunlight

Inactive Ingredients
achyranthes root, angelica sinensis root, basil oil, cassia bark, Chinese demulter root and rhizome, Chinese juncy root with bark, cinnamon oil, dragon's blood resin, fragrant angelica root, frankincense oleo-gum-resin, kudzu pepper stem, licorice root, lotus, lesser galangal rhizome, moxa root, mineral oil, myrrh oleo-gum-resin, notopterygium rhizome and root, paprika, periplocos cortex, piperitis saman, pectanum, pubescens angelica root, resin, rubber, safflower, sappanwood heartwood, sikuai leafy root, styrax-lignum, and zinc oxide on a cotton pad and covered with a protective paper film.

Questions or Comments? (ask) 221-3486 M-F, 9 am to 5 pm Pacific Time
• you may also report serious side effects to the phone number:



追風膏 ZHUIFENG GAO pain relieving plaster



追風膏 ZHUIFENG GAO Pain Relieving Plaster

功能主治：通經通絡、祛風除濕、活血止痛。用於風濕麻痺、腰背酸痛、四肢麻木、經期產後等症。

10 貼裝
PLASTERS
Each Plaster (每貼)
2.75 in x 4 in
(7 cm x 10 cm)
10 Plasters 每盒
10 貼裝 每盒

WORKS UP TO 8 HOURS

製造商：桂林富源天和藥業有限公司
Manufactured by: GUILIN CHINA RESOURCES TIANHE PHARMACEUTICAL CO., LTD. Guilin, Guangxi, China

追風膏 ZHUIFENG GAO pain relieving plaster

ZHUIFENG GAO PAIN RELIEVING PLASTER

ZHUIFENG GAO PAIN RELIEVING

menthol plaster

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68007-403
Route of Administration	TRANSDERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	35 mg

Inactive Ingredients

Ingredient Name	Strength
ANGELICA PUBESCENS ROOT (UNII: 0MF1EI01KJ)	
ROSIN (UNII: 88S87KL877)	
NATURAL LATEX RUBBER (UNII: 2LQ0UUW8IN)	
SAFFLOWER (UNII: 4VBL71TY4Y)	
BIANCAEA SAPPAN WOOD (UNII: 086263LQDD)	
DIPSACUS ASPER ROOT (UNII: LB1GQP4253)	

STYRENE (UNII: 44LJ2U959V)
ISOPRENE (UNII: 0A62964IBU)
ZINC OXIDE (UNII: SOI2LOH54Z)
ACHYRANTHES BIDENTATA ROOT (UNII: 5QIU26R6P1)
ANGELICA SINENSIS ROOT (UNII: B66F4574UG)
OCIMUM GRATISSIMUM WHOLE (UNII: 7V3N80T4VS)
CHINESE CINNAMON (UNII: WS4CQ062KM)
CLEMATIS CHINENSIS ROOT (UNII: 8Z18N528CU)
PAEONIA VEITCHII ROOT (UNII: VX6GD6M93V)
CINNAMON OIL (UNII: E5GY4I6YCZ)
DRAGON'S BLOOD (UNII: M3YJ2C28IC)
ANGELICA DAHURICA ROOT (UNII: 1V63N2S972)
FRANKINCENSE (UNII: R9XLF1R1WM)
PIPER KADSURA STEM (UNII: 80IOP41EL7)
KNOXIA ROXBURGHII SUBSP. BRUNONIS ROOT (UNII: LR7SZ000B9)
LANOLIN (UNII: 7EV65EAW6H)
LESSER GALANGAL ROOT (UNII: 42LD90786Y)
LINDERA AGGREGATA ROOT (UNII: 517Q7XRT2T)
MINERAL OIL (UNII: T5L8T28FGP)
MYRRH (UNII: JC71GJ1F3L)
NOTOPTERYGIUM INCISUM ROOT (UNII: 5Z2VW4J6RI)
PAPRIKA (UNII: X72Z47861V)
PERIPLLOCA SEPIUM ROOT BARK (UNII: 638OW484M3)
PRUNUS PERSICA SEED (UNII: V9C81470RR)
PETROLATUM (UNII: 4T6H12BN9U)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68007-403-01	2 in 1 BOX	06/26/2022	10/31/2028
1		5 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	06/26/2022	10/31/2028

Labeler - GUILIN CHINA RESOURCES TIANHE PHARMACEUTICAL CO LTD (528565427)

Establishment

Name	Address	ID/FEI	Business Operations
GUILIN CHINA RESOURCES TIANHE PHARMACEUTICAL CO LTD		528565427	manufacture(68007-403)

