

ACETAMINOPHEN- acetaminophen tablet, extended release
Wal-Mart Stores, Inc

Drug Facts

ACTIVE INGREDIENT (IN EACH GELTAB)

Acetaminophen USP, 650 mg

PURPOSE

Pain reliever/fever reducer

USES

- temporarily relieves minor aches and pains due to:
 - muscular aches
 - backache
 - headache
 - toothache
 - the common cold
 - minor pain of arthritis
 - premenstrual and menstrual cramps
- temporarily reduces fever

WARNINGS

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 gels in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have difficulty swallowing large tablets or capsules. People over 65 may have difficulty swallowing these tablets.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have

Liver disease.

Ask a doctor or pharmacist before use if you are

Taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

- the tablet got stuck in your throat

These could be signs of a serious condition.

If pregnant or breast-feeding

Ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

DIRECTIONS

- **do not take more than directed (see overdose warning)**

adults	<ul style="list-style-type: none">▪ take 2 geltabs every 8 hours. Swallow only one geltab at a time.▪ take a sip of water before swallowing each geltab and wash each geltab down with water (up to a full 8 oz. glass).▪ swallow whole - do not crush, chew, split or dissolve▪ do not take more than 6 geltabs in 24 hours▪ do not use for more than 10 days unless directed by a doctor
under 18 years of age	<ul style="list-style-type: none">▪ ask a doctor

OTHER INFORMATION

- store at 20 - 25° C (68 - 77° F). Avoid high humidity.
- see end panel for batch number and expiration date
- **TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL IS BROKEN OR MISSING FROM BOTTLE.**

INACTIVE INGREDIENTS

Croscarmellose sodium, gelatin, glycerin, hypromellose, iron oxide black, iron oxide yellow, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, sodium lauryl sulfate, starch, titanium dioxide

QUESTIONS?

Call 1-888-287-1915

PRINCIPAL DISPLAY PANEL

equate[®]

NDC 49035-350-20

Arthritis Pain

Compare to Tylenol[®] Arthritis Pain Active Ingredient*

Acetaminophen

Extended-Release Tablets, USP 650 mg

Pain Reliever/Fever Reducer

For the Temporary Relief of Minor Arthritis Pain

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

650 mg EACH

20 GELTABS[†]

[†]Gelatin-Coated Tablets

LASTS UP TO 8 HOURS

Distributed by: Wal-Mart Stores, Inc.,

5102820/0613

7.3438"

6.625"

0613


Batch No. 81131

Expiration Date: 06129

2

0613

TAMPER EVIDENT - DO NOT USE IF IMPRINTED SEAL IS BROKEN OR MISSING FROM BOTTLE.



Arthritis Pain

Acetaminophen

Extended-Release Tablets, USP 650 mg

Pain Reliever/Fever Reducer

For the Temporary Relief of Minor Arthritis Pain

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN



650 mg EACH

20 GELTABS[®]

*Gelatin-Coated Tablets

Compare to Tylenol[®] Arthritis Pain Active Ingredient*

LASTS UP TO 8 HOURS

Arthritis Pain

Acetaminophen

Extended-Release Tablets, USP 650 mg

5102820

5102820

Drug Facts (continued)

Ask a doctor before use if you have liver disease.

- pain gets worse or lasts more than 10 days
- pain lasts longer than 3 days
- new symptoms occur
- redness or swelling is present
- the tablet got stuck in your throat

These could be signs of a serious condition.

Stop use and ask a doctor if

- you are pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see overdose warning)
- adults
 - take 2 tablets every 8 hours.
 - Swallow only one tablet at a time.
 - take a sip of water before swallowing each tablet and wash each tablet down with water (up to a full 8 oz. glass).
 - swallow whole - do not crush, chew, split or dissolve
 - do not take more than 6 tablets in 24 hours

Drug Facts (continued)

- do not use for more than 10 days unless directed by a doctor
- ask a doctor

under 18 years of age

Other information

- store at 20° - 25° C (68° - 77° F). Avoid high humidity.
- see end panel for batch number and expiration date

Inactive ingredients

croscarmellose sodium, gelatin, glycerin, hypromellose, iron oxide black, iron oxide yellow, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvidone, pregelatinized starch, propylene glycol, sodium lauryl sulfate, starch, titanium dioxide

Questions? call 1-888-287-1915

Keep the carton. It contains important information.

Satisfaction guaranteed - for comments please call 1-888-287-1915.

Distributed by: Wal-Mart Stores, Inc., Bentonville, AR 72716
© Wal-Mart Stores, Inc.

*All trademarks are property of their respective owners. © Wal-Mart Stores, Inc. All trademarks are property of their respective owners/owners of Tylenol[®] Arthritis Pain.

Drug Facts

Active ingredient (in each tablet)

Acetaminophen, USP 650 mg.....fever reducer

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - muscle aches
 - backache
 - headache
 - the common cold
 - menstrual and menstrual cramps
 - temporarily reduces fever

Warnings

Liver warnings: This product contains acetaminophen. Severe liver damage may occur if you take more than 6 tablets in 24 hours, which is the maximum daily amount.

- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Do not use

- with other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have difficulty swallowing large tablets or capsules. People over 65 may have difficulty swallowing these tablets.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Drug Facts (continued)

- do not use for more than 10 days unless directed by a doctor
- ask a doctor

under 18 years of age

Other information

- store at 20° - 25° C (68° - 77° F). Avoid high humidity.
- see end panel for batch number and expiration date

Inactive ingredients

croscarmellose sodium, gelatin, glycerin, hypromellose, iron oxide black, iron oxide yellow, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvidone, pregelatinized starch, propylene glycol, sodium lauryl sulfate, starch, titanium dioxide

Questions? call 1-888-287-1915

Keep the carton. It contains important information.

Satisfaction guaranteed - for comments please call 1-888-287-1915.

Distributed by: Wal-Mart Stores, Inc., Bentonville, AR 72716
© Wal-Mart Stores, Inc.

*All trademarks are property of their respective owners. © Wal-Mart Stores, Inc. All trademarks are property of their respective owners/owners of Tylenol[®] Arthritis Pain.

ACETAMINOPHEN

acetaminophen tablet, extended release

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:49035-350

Route of Administration

ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOLS (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	white (White to Yellow)	Score	no score
Shape	ROUND	Size	13mm
Flavor		Imprint Code	350
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-350-20	1 in 1 CARTON		
1		20 in 1 BOTTLE		
2	NDC:49035-350-08	80 in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA078569	08/05/2013	

Labeler - Wal-Mart Stores, Inc (051957769)**Registrant** - Ranbaxy Pharmaceuticals Inc. (937890044)**Establishment**

Name	Address	ID/FEI	Business Operations
Ohm Laboratories Inc.		184769029	manufacture(49035-350)

Revised: 6/2013

Wal-Mart Stores, Inc